

GENERAL REGISTER OFFICE

STUDIES ON
MEDICAL AND POPULATION
SUBJECTS

No. 9

(in continuation of Study No. 7)

General Practitioners' Records

AN ANALYSIS OF THE CLINICAL RECORDS OF
SOME GENERAL PRACTICES DURING THE PERIOD
APRIL 1952 TO MARCH 1954

LONDON

HER MAJESTY'S STATIONERY OFFICE

TABLE OF CONTENTS

	<i>Page</i>
Introduction	v
Table 1 National Health Service patients in each practice. Mean of Quarterly populations in each year, April to March, 1951-52, 1952-53, 1953-54 with sex - age distribution at 31st March, 1953	1
Table 2 Principal diseases and conditions diagnosed, showing, for each practice, consultations and patients consulting per 1,000 population in (a) April, 1952 to March, 1953 and (b) April, 1953 to March, 1954	2
Table 3 Principal diseases and conditions diagnosed, showing (a) consultations and (b) patients consulting per 1,000 population in all practices combined. April to March, 1951-52, 1952-53, 1953-54 and average annual rates	22
Table 4 Principal diseases and conditions diagnosed, showing weighted consultations with distribution per 1,000 consultations for all diseases and conditions. April, 1953 to March, 1954. All practices combined	45
Table 5 Principal diseases and conditions diagnosed, showing patients consulting per 1,000 population by sex and age-groups. Average annual rate for April, 1951 to March, 1954. All practices combined	52
Table 6 Selected diseases and conditions, showing certificates issued and referrals made at single-diagnosis consultations with distributions per 1,000 for all diseases and conditions. April, 1951 to March, 1954. All practices combined	64
Table A Consultations by sex and age. April to March, 1951-52, 1952-53, 1953-54. Each practice	71
Table B Consultations per 100 practice populations by sex and age. April to March, 1951-52, 1952-53, 1953-54. Each practice	72
Table C Percentage of patients consulting in each Quarter. April, 1951 to March, 1954. Each practice	73
Table D Percentage distribution of patients according to the number of times consulting in each of the two years, April to March, 1952-53 and 1953-54. All practices combined	74

Table E

Consultations by place, by sex and age with rates per 100 population. April to March, 1952-53, and 1953-54.

All practices combined 75

Table F

Frequency of numbers of illnesses by sex and age, with rates per 100 patients consulting. April to March, 1952-53 and 1953-54. All practices combined

76

Table G

Referrals by type with rates per 100 practice populations, per 100 patients consulting and per 100 consultations. April, 1952 to March, 1953. Each practice

77

Table H

Numbers of certificates issued to patients consulting, by sex and age. April, 1952 to March, 1953. All practices combined

78

Table I

Certificates issued per 100 consultations and per 100 practice populations by sex. April to March, 1951-52, 1952-53, 1953-54. Each practice

79

Table J

Certificates issued by type. April to March, 1952-53 and 1953-54. Each practice

80

INTRODUCTION

An enquiry designed to determine the extent to which general practitioners' records could be used as a source of general morbidity statistics and to study the problems associated with such use was carried out by the General Register Office during the three-year period, April, 1951 to March, 1954. The results here presented are for the last two years of the enquiry and supplement the initial report published in No. 7 of this series, "General Practitioners' Records. - An Analysis of the Clinical Records of Eight Practices during the Period April 1951 to March 1952" by W. P. D. Logan, M.D., Ph. D. (H.M.S.O., 8s. 6d. net).

A full explanation of the enquiry is given in Dr. Logan's Study and this should be referred to for details of the purposes, methods and preliminary results. Briefly, a number of practitioners agreed to keep continuous records in a suitable form and to make them available for statistical analysis. Several different methods of recording were used but, basically, each consisted of recording the details of each consultation given to a patient under five headings: the date of the consultation, where it took place, certificates issued, hospital or other referrals and the diagnosis (or other, non-medical, reason for the consultation).

The practitioners who co-operated in the enquiry did so voluntarily. One withdrew at the end of the second year but two others joined, one at the start of the second year and the other shortly afterwards. Both the new practices were in a middle-class neighbourhood in Beckenham, Kent, and each had a list of some 5,000 patients.

Although some of the earlier tables were important as illustrations of the type of information which can be obtained from general practitioners' records they are not, with so few practices, of sufficient intrinsic value to merit repetition. Some of the detailed analyses in the previous Study have, therefore, not been repeated and others are given for only one of the last two years. In the more important tables, however, results are given for all three years of the enquiry, either separately or combined.

The population of each practice was counted by sex and age from the practitioners' National Health Service medical record envelopes at the end of each calendar Quarter throughout the three years. Table 1 shows the means of the four Quarterly populations for each twelve-month period with a sex and age-group distribution at 31st March, 1953, for each of the practices. For working rates based on populations, means of the Quarterly counts have generally been used. Exceptions are noted below.

Perhaps the two most useful measures of morbidity met in general practice are the number of consultations given by a practitioner and the number of patients consulting him on account of a specified disease, related to the practice population. The consultation rates express, in so far as it can be measured in terms of consultations, the amount of work different diseases cause practitioners and show how this varies in the different practices. The patient-consulting rates are a measure of sickness incidence, expressing as a proportion of the patients on the practice lists those who consulted the doctor at least once for any specified disease. These patient-consulting rates, although based on only a relatively small population and subject to undue influence by any idiosyncrasy of medical terminology of any one of the participating doctors, are, nevertheless, probably the best

measurements yet available in England and Wales of the general incidence of many of the diseases specified. For certain diseases and conditions incidence measured by general practice experience will not, in any event, give a complete picture; minor ailments not normally occasioning medical consultation will be understated and diseases usually treated in hospital will not be recorded after the initial consultation and reference to hospital. Previous studies in this series (1) (2) have dealt with these other fields of morbidity enquiry and detailed analyses have been published in supplements to the Registrar General's Statistical Review (3) (4)

Consultation and patient-consulting rates per 1,000 practice populations are given in Tables 2, 3 and 5 for some 200 different diseases and conditions. In Table 2 they are shown for each practice in each of the two years, April to March, 1952 to 1953 and 1953 to 1954. Rates for the sexes separately and together are shown in Table 3 without distinguishing separate practices. For easier reference, rates for the first year of the enquiry are also given and an average of the three annual rates is included. Table 5 shows the average annual rates for patients consulting by sex and four broad age-groups.

The consultation rates in Tables 2 and 3 are overstated to some extent because, where more than one diagnosis was made at a consultation, each was counted separately, thus exaggerating the number of consultations. An allowance for these "multiple-diagnosis" consultations has been made in Table 4 which shows, for the last year of the enquiry, April, 1953, to March, 1954, "weighted" consultations and their distribution per 1,000 consultations for all diseases and conditions. The weighted consultations were calculated by fractionally weighting each diagnosis made at a multiple-diagnosis consultation according to the number of different diagnoses.

Table 6 shows, for a shorter list of diseases, and for each sex, the number of certificates issued and referrals made during the three years. Distributions by specified diseases per 1,000 totals are also given. "Referrals" are occasions on which a practitioner has referred a patient to a hospital or specialist for advice, investigation or treatment or arranged for a specimen to be sent for examination. Only the initial action taken by the practitioner was recorded and any subsequent occasions on which the patient may have attended hospital have not been counted. Similarly, admissions to hospital shown here are those resulting from direct action by practitioners and exclude those resulting from initial referral to an out-patient department.

-
- (1) Studies on Medical and Population Subjects. No. 2. Sickness in the Population of England and Wales in 1944 - 1947, by Percy Stocks, C.M.G., M.D., F.R.C.P. (H.M.S.O., price 1s. net).
 - (2) Studies on Medical and Population Subjects. No. 4. Hospital Morbidity Statistics, by Donald Mackay, M.A., M.B. (H.M.S.O., price 3s. 6d. net).
 - (3) The Registrar General's Statistical Review of England and Wales for the Two Years 1950-1951. Supplement on General Morbidity, Cancer and Mental Health. (H.M.S.O., price 3s. 6d. net).
 - (4) The Registrar General's Statistical Review of England and Wales for the Two Years 1950 - 1951. Supplement on Hospital In-patient Statistics. (H.M.S.O., price 7s. 6d. net).

Where more than one diagnosis was made at a consultation no attempt was made to relate certificates or referrals to a specific diagnosis and the figures in Table G are for certificates issued or referrals made at single-diagnosis consultations only.

The lettered tables, A to J, analyse the results in greater detail without distinction of diagnosis. In Table A the number of consultations in each of the three years is shown by sex and age for each practice. Table B shows the complementary rates per 100 practice populations. In Table C the number of patients consulting in each Quarter and in each year is expressed as a percentage of those at risk. The Quarterly percentages are based on the population at risk at the end of each Quarter.

Table D shows how often patients consulted doctors in each of the last two years and Tables E and F analyse respectively the place of consultation and the numbers of different illnesses by sex and age. Table G shows the number of referrals with rates per 100 population, per 100 patients consulting and per 100 consultations. The numbers of certificates issued are analysed by frequency in Table H, by practice in Table I and by main type in Table J.

In any interpretation or application of the results of this enquiry it should be remembered that they relate to but a few selected practices and can measure the general amount and variety of illness encountered by general practitioners only very broadly and tentatively. In default of more precise information, however, they are of interest and can be of some practical value if used with the caution their selectivity demands.

A larger enquiry, covering nearly half-a-million patients, is now being conducted by the College of General Practitioners and the General Register Office in collaboration. Special records are being kept for one year by about 170 practitioners in more than a hundred practices and these will be analysed in relation to practice populations grouped by sex and age. In some of the practices the relationship between sickness experience and occupation will also be measured.

The new enquiry owes much to the experience gained in this investigation and to the practitioners who took part in it: Dr. P. S. Byrne, Dr. G. R. Faber, Dr. D. I. Finer, Dr. J. Fry, Dr. R. Howard, Dr. J. McCabe, Dr. W. Menzies, Dr. F. Moor, Dr. P. L. E. Rothschild, Dr. J. H. M. Tilley, Dr. P. Traub, Dr. E. W. Bedford Turner and Dr. I. Wallace. Their generous and willing co-operation is gratefully acknowledged.

TABLE 1. - National Health Service patients. Mean of Quarterly populations in each year, April to March, 1951-52, 1952-53, 1953-54 with sex-age distribution at 31st March, 1953.

Practices -	Each practice										
	1 Liverpool	2 Walthamstow	3 Fulham	4 Yalding	5 Folgate	6 Burley	7 Norwich	8 Hornchurch	9 Beckenham	10 Beckenham	All Practices
MEAN OF QUARTERLY POPULATIONS											
April, 1951 to March, 1952	7,892	2,924	4,155	1,915	1,912	2,620	2,594	3,550	-	-	27,895
" 1952 " " 1953	7,864	2,809	4,024	1,973	2,219	2,633	2,545	3,551	4,600	4,641	27,159
" 1953 " " 1954	7,926	2,751	4,072	2,002	2,544	-	2,555	4,076	5,079	5,063	36,183
POPULATION AT 31st MARCH, 1953											
MALES											
0-14	1,168	244	419	230	201	277	454	422	607	502	4,832
15-44	1,542	494	665	396	325	361	509	473	792	972	6,721
45-64	700	356	392	216	305	250	169	242	499	564	3,565
65+	215	137	134	102	139	135	41	61	191	163	1,316
Not stated	122	67	56	19	45	131	37	54	271	175	977
All ages	3,765	1,288	1,856	967	1,005	1,154	1,210	1,252	2,369	2,376	17,233
FEMALES											
0-14	1,116	202	377	253	299	245	395	541	433	432	4,315
15-44	1,773	595	1,022	437	494	504	827	1,174	910	1,061	6,597
45-64	751	441	546	207	309	308	227	674	568	540	4,569
65+	340	207	223	115	166	193	57	237	298	216	2,082
Not stated	154	46	58	29	40	204	33	93	254	153	1,094
All ages	4,136	1,491	2,235	1,041	1,328	1,452	1,339	2,719	2,461	2,424	26,627

See p. v regarding population figures used in calculation of rates

TABLE 2. - Principal diseases and conditions diagnosed, showing consultations and patients consulting per 1,000 population in (a) April, 1952 to March, 1953 and (b) April, 1953 to March, 1954.
Each practice

Note: - Consultations are overstated to a certain extent by counting each diagnosis made at multiple diagnosis consultations. The extent of the overstatement for April, 1953 to March, 1954 can be seen by comparison with Table 4. Patients consulting are the numbers consulting for each specified disease and should not be aggregated to obtain group totals.

I.C.D. Classification No.	DISEASE OR CONDITION	CONSULTATIONS										PATIENTS CONSULTING												
		All Practices					Practice No.					All Practices					Practice No.							
		No.	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	No.	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
001-009	Tuberculosis of respiratory system	1,304 943	40.0 55.7	65 60	11 15	21 24	31 30	16 16	9 10	25 32	39 10	27 22	29 20	27 20	2 3	7 6	5.0 4.6	2 3	2 3	4 4	3 4	6 6	3 2	6 6
010-019	Tuberculosis, of other organs	79 103	2.4 4.8	0 12	0 0	1 7	2 7	2 7	0 0	3 4	1 4	1 4	3 3	1 4	1 0	1 1	0.7 0.7	0 0	1 0	2 1	0 1	1 1	1 1	0 1
020-029	Syphilis, gonococcal infec- tions and other venereal diseases	49 105	1.5 2.9	1 3	1 3	2 3	2 3	1 1	0 0	0 0	0 0	0 1	1 1	0 1	0 0	0 0	0.3 0.4	0 0	1 1	1 1	0 0	1 1	0 0	0 0
030-049	Infectious diseases commonly arising in the intestinal tract	163 193	4.7 5.3	13 7	1 4	3 0	3 1	1 1	1 1	4 20	4 6	1 4	5 6	1 4	1 0	2 2	1.0 1.7	2 2	0 0	2 1	0 0	2 1	1 1	2 1
050	Scarlet fever	995 512	21.4 14.2	19 7	7 1	0 0	6 25	3 2	1 1	25 34	9 6	9 6	9 6	9 6	2 0	2 0	5.2 3.7	0 0	0 0	10 6	3 2	0 0	15 15	3 3
061	Streptococcal sore throat	152 333	4.7 3.7	1 1	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2.8 1.7	0 0	1 1	1 1	1 1	1 1	1 1	1 1
062	Diphtheria	39 6	0.6 0.2	2 1	0 0	1 0	1 0	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 0	1 0	0.2 0.1	0 0	1 1	1 1	1 1	1 1	1 1	1 1
063	Whooping cough	940 774	26.9 21.4	27 36	5 23	16 20	26 14	9 15	1 1	17 20	14 14	14 14	11 11	14 14	2 10	2 10	8.2 6.0	0 0	0 0	4 5	1 1	4 10	5 5	5 6
067	Meningococcal infections	5 1	0.2 0.0	1 0	1 0	1 0	1 0	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 0	1 0	0.1 0.0	0 0	1 1	1 1	1 1	1 1	1 1	1 1
068-069	Other bacterial diseases	301 44	3.1 2.3	3 3	7 2	4 2	4 2	4 2	2 2	6 7	1 1	2 2	2 2	2 2	2 1	2 1	1.1 0.7	1 1	2 1	1 1	1 1	1 1	1 1	1 1

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
060	Acute poliomyelitis	(a) 8 (b) 39	0.2 0.5	-	-	1	-	-	2	-	-	1	2	0	2	0.1	-	0	-	-	1	-	-	-	0
062	Acute infectious mononucleosis	(a) 8 (b) -	0.2	-	-	-	-	-	-	-	-	1	-	-	1	0.0	-	-	-	-	-	-	-	0	
065	Measles	(a) 1,030 (b) 942	80.4 37.3	48	60	45	12	37	12	58	64	39	5	5	502	80.4	14	24	21	15	0	21	25	21	28
066	Scarlet fever (not ex.)	(a) 260 (b) 260	12.2 8.0	7	4	19	7	4	9	15	28	14	1	1	237	7.9	3	3	11	6	0	11	25	11	3
067	Cholera	(a) 474 (b) 445	14.3 13.3	15	13	11	4	25	5	15	15	14	1	1	191	5.0	4	1	1	2	15	25	6	3	1
068	Typhoid fever	(a) 378 (b) 373	11.0 10.3	9	0	8	27	15	8	14	15	13	9	9	272	7.5	8	7	8	3	19	25	6	7	7
069	Mumps	(a) 394 (b) 333	12.1 9.1	11	3	11	22	26	14	10	8	11	1	1	113	3.5	3	2	3	0	5	1	3	3	3
069	Infectious hepatitis	(a) 117 (b) 107	3.6 4.0	9	1	2	-	2	-	-	6	2	2	2	210	0.2	0	2	0	0	17	8	0	3	7
070	Typhoid fever	(a) 109 (b) 104	5.9 5.0	5	10	4	1	5	2	4	4	2	2	2	196	5.5	3	1	4	4	1	1	1	1	1
070-1	Gonorrhea	(a) 254 (b) 263	7.2 6.7	11	14	4	4	5	2	11	7	2	2	2	148	4.4	6	6	3	3	4	2	0	4	2
101	Dermatophytosis	(a) 371 (b) 368	11.4 9.0	8	9	9	4	17	22	14	10	18	5	5	102	4.5	0	4	4	7	6	0	0	1	2
101-1	Other infective and parasitic diseases	(a) 422 (b) 422	21.0 11.5	17	1	5	6	19	13	4	10	18	11	11	174	4.6	2	7	3	3	4	0	4	0	4
140-149	Malignant Neoplasms	(a) 30 (b) 32	0.9 0.3	1	-	0	-	-	-	-	1	-	2	2	160	5.5	6	0	3	3	3	0	3	0	3
151	Buccal cavity and pharynx	(a) 212 (b) 209	0.0 1.0	13	5	-	10	-	9	-	-	-	-	-	7	0.2	0	-	0	-	0	-	-	0	0
153	Large intestine, except rectum	(a) 78 (b) 115	2.8 3.5	0	-	-	-	3	5	-	3	6	3	3	11	0.3	0	-	-	-	0	-	-	1	1
154	Rectum	(a) 377 (b) 373	12.2 10.4	41	-	7	3	-	-	-	8	5	1	1	9	0.3	0	-	1	0	-	-	-	1	0

(a) April, 1942 to March, 1953. (b) April, 1953 to March, 1954.

(a) April, 1942 to March, 1943. (b) April, 1943 to March, 1944.

TABLE 2 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	CONSULTATIONS										PATIENTS CONSULTING													
		All Practices										Practice No.													
		No.	Rate	1	2	3	4	5	6	7	8	9	10	No.	Rate	1	2	3	4	5	6	7	8	9	10
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
150, 152, 155-159	Other digestive organs and peritoneum	60	1.5	-	20	1	-	7	-	-	1	2	1	5	0.2	-	0	0	-	-	-	-	0	0	0
152, 153	Lungs, bronchus and trachea	270	0.3	16	9	-	1	17	13	-	2	10	-	20	0.5	1	1	-	1	0	-	-	0	0	-
155, 151, 154, 156	Other respiratory organs	421	11.7	34	1	-	-	-	-	-	-	8	-	88	0.6	1	0	1	1	-	-	-	0	0	-
170	Breast	84	2.6	-	1	2	-	10	10	-	-	2	0	16	0.6	-	0	0	-	4	1	-	-	0	1
171-174	Uterus	101	4.6	0	11	-	0	7	-	-	19	1	0	81	0.6	0	1	-	0	2	-	-	1	0	1
177	Prostate	35	1.0	-	-	-	11	1	-	-	2	2	2	6	0.2	-	-	-	1	0	-	-	1	0	0
175, 176, 178-181	Other genito-urinary organs	30	0.8	0	-	-	-	-	-	-	-	-	1	0	0.2	0	0	-	0	-	-	1	-	-	0
180-189	Other and unspecified sites	41	1.3	3	2	-	-	2	-	1	-	-	-	7	0.2	0	-	-	0	-	-	0	0	0	0
204	Leukemia and leukaemias	69	1.6	0	2	-	-	-	4	-	9	1	0	9	0.3	0	1	-	1	1	-	1	1	1	1
200-203, 205	Other neoplasms of lymphatic and hematopoietic tissues	43	1.2	-	-	-	16	2	12	3	14	7	2	20	0.6	1	-	0	2	4	-	-	-	0	1
210, 211	Invasive system	43	1.2	-	-	1	-	-	-	-	-	-	-	0	0.2	-	-	-	-	-	-	-	-	0	1
212	Respiratory system	40	3.1	-	-	2	-	-	-	-	-	-	-	7	0.2	-	-	-	-	-	-	-	-	0	-

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
213-217	Breast and female genital organs	140 229	4.2 5.3	2 7	2 4	0 6	2 6	2 12	4 3	4 1	3 0	5 7	5 3	50 70	1.7 2.1	1 2	1 2	1 2	1 0	2 6	2 0	1 0	2 1	2 2
230-232	Skin	45 87	1.4 2.4	0 4	1 0	- 1	0 4	4 3	1 4	1 0	2 0	1 1	4 1	20 28	0.0 1.1	0 1	1 0	1 1	1 2	2 2	0 0	1 0	1 1	2 2
218, 219, 223-229	Other and unspecified organs and tissues	224 121	5.0 5.0	9 2	4 3	1 0	2 7	15 20	4 3	4 2	15 8	7 7	2 2	91 110	2.5 3.0	2 3	2 3	2 5	2 5	0 7	1 1	2 2	2 2	2 2
	Neoplasms of unspecified nature																							
225-226	Breast and female genital organs	8 3	0.8 0.0	- -	- -	0 0	- -	- -	- -	- -	1 0	- 0	- 0	2 2	0.1 0.1	- -	- -	0 0	- -	- -	- -	0 0	1 0	1 0
230-231, 236-239	Other and unspecified organs	57 90	1.8 2.5	5 4	3 3	0 2	- -	- -	- -	- -	1 1	5 8	2 2	12 17	0.4 0.5	1 1	1 1	0 0	- 1	- -	2 2	1 0	1 0	1 1
240	Hay fever	281 370	5.0 10.4	0 1	20 15	12 17	2 2	30 40	2 4	2 0	13 18	9 9	8 8	144 186	5.4 5.1	0 1	12 11	7 10	1 1	0 7	1 1	0 0	7 5	7 7
241	Asthma	1,492 1,930	45.9 44.4	59 63	54 58	75 45	35 59	52 55	51 51	25 24	40 35	82 81	20 20	259 226	8.3 7.4	7 0	0 0	15 10	4 4	15 15	5 0	0 0	7 8	8 8
245	Vertebral	710 919	21.8 22.5	17 19	43 54	12 19	15 27	23 19	20 19	25 31	30 32	31 31	19 19	606 616	15.7 14.0	10 11	10 11	15 15	10 12	12 10	10 10	10 10	10 10	15 15
242, 244, 245	Other allergic disorders	277 282	8.8 9.1	2 2	18 3	25 17	3 2	17 18	17 17	17 7	5 2	3 4	1 3	135 154	4.1 3.6	1 2	7 10	13 10	2 1	11 0	0 0	1 1	1 1	2 2
250, 251	Simple goitre and toxic nodular goitre	71 51	2.8 1.7	1 0	2 1	0 -	1 8	5 1	0 0	0 0	2 7	4 3	0 0	30 20	0.9 0.5	1 0	0 1	0 1	1 1	0 0	0 0	1 1	1 1	0 0
259	Thyrotoxicosis with or without goitre	185 191	4.8 5.0	5 5	1 1	4 2	1 11	5 0	12 0	11 10	10 15	- 1	3 3	43 28	1.3 0.9	1 1	0 1	2 1	1 1	2 0	0 0	2 1	0 1	1 1
258	Myxoedema and cretinism	301 268	6.2 7.8	9 15	12 10	5 5	- -	9 12	- -	4 4	4 7	5 4	2 2	52 51	3.0 1.7	1 1	1 0	1 1	1 1	0 0	0 0	1 1	1 1	1 1
254	Other diseases of thyroid gland	9 5	0.3 0.1	1 -	- -	0 -	1 -	- -	- -	- -	- -	0 0	0 0	4 4	0.1 0.1	1 1	1 1	- -	- -	- -	1 1	1 1	0 0	0 0
253	Diabetes mellitus	768 822	25.0 23.7	45 54	8 4	14 0	24 25	15 19	11 11	27 24	30 30	8 8	8 8	117 126	2.5 2.5	4 4	2 2	5 5	5 5	3 4	2 2	3 3	2 2	2 2

(4) April, 1952 to March, 1953, (14) April, 1953 to March, 1954

TABLE 2 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	ORIENTATIONS										PATIENTS CONSULTING																		
		ALL PRACTICES					Practice No.					ALL PRACTICES					Practice No.													
		No.	Rate	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	No.	Rate	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
270-277	Diseases of other endocrine glands	53	1.6	0	-	1	-	1	-	-	-	3	2	2	3	2	12	0.4	0	-	0	-	-	1	-	-	-	1	1	1
287	Obesity, not specified as of endocrine origin	679	27.8	10	25	30	31	24	6	22	12	15	19	19	21	22	191	6.0	4	13	14	7	19	3	6	6	11	11	1	
288	Goiter	741	30.5	4	37	34	35	42	48	82	12	15	19	19	21	22	405	11.2	5	17	17	7	26	0	7	10	12	12	1	
289-294, 299	Adrenocortical, and other metabolic diseases	83	2.6	1	0	3	4	5	2	4	-	2	2	2	2	2	31	1.0	1	1	2	2	1	1	2	-	0	0	1	
295.0	Pernicious anaemia	190	6.5	2	0	1	25	0	5	9	9	9	13	13	13	13	29	0.7	0	1	0	1	3	1	0	0	1	1	1	
296.1, 297.1, 298.1, 299.1-303	Other anaemias	401	14.1	9	8	4	21	2	2	2	2	2	2	2	2	2	34	0.9	1	0	0	1	1	1	0	1	1	1	1	
304-309	Other diseases of blood and blood-forming organs	1,027	35.7	19	31	12	32	33	32	25	41	15	17	17	17	17	363	11.2	10	17	7	17	12	9	9	14	10	10	0	
310-319	Psychoses	1,048	33.0	40	24	14	27	28	22	23	25	27	28	28	28	28	360	9.9	11	16	6	10	24	7	9	9	9	9	0	
320-329	Anxiety reaction	45	1.4	2	0	1	2	0	-	2	2	-	-	-	-	-	14	0.4	1	0	0	1	0	-	1	1	-	-	1	
330	Worst reaction of somatic symptoms	27	2.4	0	-	0	-	8	-	-	-	-	-	-	-	-	19	0.5	1	-	0	-	1	-	0	-	-	-	1	
340-349	Hypertension	212	6.7	5	3	3	21	5	2	7	27	2	6	6	6	6	46	1.4	1	1	1	1	1	1	1	2	2	0	0	8
350	Anxiety reaction	125	5.1	0	1	7	6	2	2	2	4	4	4	4	4	4	40	1.3	2	1	1	1	0	1	0	1	1	1	1	8
360-369	Worst reaction of somatic symptoms	1,227	38.1	15	32	40	33	22	40	7	21	103	47	20	20	20	506	15.6	6	14	14	10	12	18	5	11	46	21	21	
370-379	Hypertension	1,756	47.7	11	35	40	32	341	40	20	39	126	47	20	20	20	251	15.0	4	10	14	4	67	3	5	47	21	21	21	
380-389	Anxiety reaction	114	3.5	1	17	1	20	5	5	0	2	1	1	1	1	1	45	1.4	1	0	1	2	2	2	0	1	1	1	1	1
390-399	Worst reaction of somatic symptoms	147	4.1	2	12	1	6	6	6	5	5	1	3	3	3	3	40	1.4	1	0	0	3	3	2	1	0	1	1	1	1
400-409	Aschemic reaction	1,170	36.0	30	20	20	1	100	2	6	12	2	0	2	2	2	346	11.2	19	9	14	1	53	1	5	7	1	1	1	0
410-419	Other specified psychoneurotic disorders	1,222	33.6	94	30	20	6	47	2	10	33	2	0	2	2	2	377	35.4	23	17	6	0	25	4	4	8	19	7	7	7
420-429	Other specified psychoneurotic disorders	867	10.3	8	30	20	2	64	22	9	9	44	15	12	15	15	226	7.0	2	4	4	2	24	6	4	8	19	8	8	8
430-439	Other specified psychoneurotic disorders	844	10.4	0	0	0	6	50	50	12	15	46	15	12	15	15	338	9.0	2	5	4	5	24	4	4	8	19	8	8	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
330-334	Unspecified psycho- neurotic disorders (a)	1,139	35.0	14	47	10	78	8	104	47	81	80	289	466	18.0	4	0	4	28	3	60	51	15	30	1	0	1	1
335	Alcoholism (a)	1,434	38.5	6	88	9	90	4	4	40	10	84	289	1015	14.7	2	12	5	33	1	1	25	2	10	0	0	0	0
336	Mental deficiency (a)	28	0.9	1	-	3	0	-	0	1	-	0	-	7	0.3	0	-	0	-	-	-	-	-	-	-	-	-	-
337	Mental deficiency (b)	97	3.0	1	9	0	2	0	3	-	3	5	1	27	0.9	0	1	0	1	3	2	1	1	1	1	1	1	1
338, 339, 340, 341, 342	Other disorders of character, behavior, and intelligence (a)	189	5.0	3	2	1	1	1	6	4	2	15	7	98	2.4	3	2	1	1	1	9	3	1	0	0	0	0	0
343-344	Transitory lesions affecting central nervous system (a)	740	20.5	33	23	9	28	20	23	23	2	13	30	136	4.1	4	0	2	2	1	0	0	2	1	0	0	0	0
345	Multiple sclerosis (a)	112	3.4	3	4	0	9	1	-	3	2	6	2	37	0.5	0	1	1	1	1	1	1	0	1	0	1	1	1
346	Paralytic agnosia (a)	153	5.8	7	9	0	-	9	16	-	3	-	7	20	0.7	1	1	1	-	3	2	-	-	-	-	-	-	-
347	Epilepsy (a)	688	19.0	34	7	24	23	22	0	18	21	22	22	112	3.4	2	0	0	0	0	0	0	0	0	0	0	0	0
348	Migraine (a)	686	19.0	33	9	13	23	23	0	10	20	15	22	139	3.0	2	0	0	0	0	0	0	0	0	0	0	0	0
349-354, 355-357	Other diseases of central nervous system (a)	523	15.6	17	40	12	6	43	14	14	14	11	10	284	7.0	0	13	0	0	0	0	0	0	0	0	0	0	0
355	Sclerosis (a)	374	11.0	11	26	8	0	10	12	9	12	9	2	159	4.0	0	1	0	1	0	0	0	0	0	0	0	0	0
356-358, 359-363	Other specified forms of neuritis and neuritis (a)	208	6.2	3	21	4	7	10	0	2	1	4	5	116	3.2	0	13	2	2	13	2	0	0	1	0	1	1	1
364	Unspecified form of neuritis and neuritis (a)	485	14.3	20	55	10	10	21	3	0	0	4	5	180	7.3	0	27	0	0	11	1	0	0	0	0	0	0	0
365-369	Other diseases of nerves and per- ipheral ganglia (a)	24	0.7	1	-	-	-	5	1	-	1	0	2	7	0.2	0	0	-	-	-	0	0	0	0	0	0	0	0
370	Communicable and infectious diseases of central nervous system (a)	861	26.2	11	30	24	28	31	25	28	30	27	125	102	10.5	6	21	10	13	27	14	17	16	10	10	10	10	10
371	Communicable and infectious diseases of peripheral nervous system (a)	807	22.3	15	26	25	40	39	4	11	7	10	9	225	10.5	5	16	10	26	21	21	0	0	0	0	0	0	0
372	Communicable and infectious diseases of central nervous system (b)	807	22.3	15	26	25	40	39	4	11	7	10	9	225	10.5	5	16	10	26	21	21	0	0	0	0	0	0	0
373-376	Other inflammatory diseases of eye (a)	432	13.9	14	13	7	7	13	8	12	18	7	10	229	7.0	0	0	0	0	0	0	0	0	0	0	0	0	0

(a) April, 1933 to March, 1935, (b) April, 1935 to March, 1954

TABLE 2 (Contd.)

Int. class. No.	DISEASE OR CONDITION	CONSULTATIONS										PATIENTS CONSULTING									
		All Practices					Practices No.					All Practices					Practices No.				
		No.	Rate	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	No.	Rate	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)
380	Refractive errors (a) (b)	479	14.7	6	33	17	30	23	14	7	12	31	15	466	14.0	6	23	10	19	27	14
		677	16.0	35	21	23	35	30		11	7	39		527	14.5	7	29	19	26	26	11
381-389	Other diseases and conditions of eye (a) (b)	668	17.4	17	11	10	11	52	19	5	15	19	9	390	5.0	6	7	9	23	8	2
		466	13.5	15	12	10	10	37		3	15	10		384	4.8	6	6	7	13	11	7
390	Otitis externa (a) (b)	374	11.5	15	21	11	2	9	14	3	15	9	7	293	4.8	6	11	6	1	5	4
		472	13.1	22	21	3	1	15		3	12	16	7	298	6.6	7	14	3	1	5	3
391	Otitis media without mention of mastoiditis (a) (b)	2,071	60.3	127	25	71	65	78	41	63	119	68	55	909	30.4	30	23	20	33	31	18
		2,714	76.1	93	41	67	75	88		61	67	95	55	1029	27.6	34	21	25	35	23	10
395, 393	Mastoiditis (with or without mention of otitis media) (a) (b)	55	1.7	5	2	0	1	1	1	0	1	1	1	35	0.0	2	0	0	1	1	1
		55	1.6	4										16	0.4	3	0	0	1	0	0
394	Other inflammatory diseases of ear (a) (b)	110	3.4	12	4	3	3	5	5	4	7	0	2	73	2.2	1	3	3	2	3	0
		91	2.6	3	4	4	1	3		3	3	1	2	75	2.1	2	4	4	2	2	1
395	Benigne disease (a) (b)	329	7.0	14	1	7	1	5	2	7	1	3	8	297	1.5	2	1	2	0	1	4
		102	3.1	9	1	4	5	6		1	3	0	0	67	1.5	1	1	1	2	0	2
396	Other diseases of ear and mastoid process (a) (b)	932	27.7	35	17	25	24	44	29	21	15	34	40	646	19.0	11	26	10	20	25	10
		1,197	35.1	53	45	35	37	62		25	17	48		831	23.0	18	31	25	35	42	17
397, 398	Deafness (a) (b)	173	5.3	8	14	5	1	9	2	4	3	4	2	159	3.4	3	11	3	1	7	1
		174	4.8	5	15	4	2	7		4	4	3	2	125	3.3	4	11	2	1	7	4
400-402	Rheumatic fever (a) (b)	98	3.0	5	1	1	9	2	0	5	3	1	1	17	0.5	1	1	0	1	1	0
		99	2.7	4	1	1	3	0		5	4	1	1	39	0.5	1	1	0	0	0	1
410-418	Chronic rheumatic heart disease (a) (b)	373	5.3	9	1	7	2	0	0	14	1	2	3	31	1.0	1	1	1	0	2	1
		370	7.5	16	4	6	1	1	1	5	15	0	3	49	1.4	3	1	1	1	1	2
420-0	Arteriosclerotic heart disease not described (a) (b)	1	0.0	0	0	0	0	0	0	0	0	0	0	1	0.0	0	0	0	0	0	0
		1	0.0	0	0	0	0	0	0	0	0	0	0	1	0.0	0	0	0	0	0	0

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
400.1	Heart disease specified as involving coronary arteries	(a) 705 25.0 (b) 705 28.6	0 11	0 7	0 11	4 11	30 84	105	20 21	20 30	20 34	14	125 111	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1
400.2	Angina pectoris without mention of coronary disease	(a) 701 9.8 (b) 701 6.9	0 2	0 2	0 2	3 2	37 6	11	3 0	2 8	9 7	9	65 70	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1
401	Chronic endocarditis not specified as rheumatic	(a) 160 5.6 (b) 160 3.1	0 2	0 2	0 2	0 1	0 1	0	0 1	0 1	0 1	0	24 34	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1
402	Other myocardial degeneration	(a) 1,109 54.7 (b) 1,109 54.9	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	177 196	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
403-404	Other diseases of heart	(a) 1,140 55.1 (b) 1,140 55.8	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	104 167	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
444	Rheumatic heart disease without mention of heart	(a) 1,084 50.3 (b) 1,120 55.2	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	486 497	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
445-447	Other hypertensive disease	(a) 200 7.3 (b) 200 8.0	0 1	0 1	0 1	0 0	0 0	0	0 0	0 0	0 0	0	31 23	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
448	General arteriosclerosis	(a) 303 9.0 (b) 321 9.1	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	72 92	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
455.2	Chilblains	(a) 151 6.9 (b) 153 7.4	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	145 16	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
461.452, 463.0, 465.1, 467.3, 468-469	Other diseases of arteries	(a) 222 9.8 (b) 276 7.6	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	61 102	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
469	Varicose veins of lower extremities	(a) 1,242 55.2 (b) 1,374 59.0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	370 420	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
461	Hæmorrhoids	(a) 914 35.8 (b) 925 37.3	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	368 382	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
465, 466	Phlebitis and thrombophae- litis	(a) 305 12.3 (b) 411 15.8	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	60 90	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0

[4] April, 1955 to March, 1955. [5] April, 1955 to March, 1954

TABLE 2 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	CONSULTATIONS										PATIENTS CONSULTING																	
		All Practices										Practice No.																	
		Practice No.										Practice No.																	
		No.	Rate	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
466-2	Lymphadenitis, unspecified	(a) 775	25.7	45	6	12	14	4	30	28	21	10	3	10	3	10	3	10	3	10	3	10	3	10	3	10	3	10	3
468	Other diseases of circulatory system	(a) 146	5.1	4	7	3	3	1	9	10	3	4	1	9	10	3	4	1	9	10	3	4	1	9	10	3	4	1	9
469-469.1, 469.2	Acute nasopharyngitis (common cold)	(a) 7,625	235.0	401	250	330	204	154	144	95	232	143	30	144	95	232	143	30	144	95	232	143	30	144	95	232	143	30	144
471	Acute sinusitis	(a) 34	1.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
472	Acute pharyngitis	(a) 1,035	40.4	42	79	49	89	1	49	35	65	30	1	49	35	65	30	1	49	35	65	30	1	49	35	65	30	1	49
473	Acute tonsillitis	(a) 3,478	126.5	145	60	123	76	95	64	124	123	58	64	124	123	58	64	124	123	58	64	124	123	58	64	124	123	58	64
474, 475	Other acute upper respiratory infections	(a) 1,503	49.8	67	28	13	36	15	36	7	13	124	36	7	13	124	36	15	36	7	13	124	36	15	36	7	13	124	36
480-483	Influenza	(a) 6,399	194.2	181	353	194	149	159	330	60	228	111	330	60	228	111	330	60	228	111	330	60	228	111	330	60	228	111	330
480-483, 703	Pneumonia	(a) 1,843	67.8	106	7	54	26	13	30	19	26	30	30	19	26	30	13	30	19	26	30	13	30	19	26	30	13	30	19
500	Acute bronchitis	(a) 1,007	31.0	3	61	12	0	202	0	23	0	7	0	23	0	7	0	23	0	7	0	23	0	7	0	23	0	7	0
501	Bronchitis, unspecified	(a) 7,903	245.0	476	259	286	266	2	107	83	113	180	2	107	83	113	180	2	107	83	113	180	2	107	83	113	180	2	107
502	Chronic bronchitis	(a) 1,315	40.5	23	13	15	73	130	40	10	60	50	40	10	60	50	40	10	60	50	40	10	60	50	40	10	60	50	40

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
830	Hypertrophy of testis and adrenals	(a) 288 (b) 264	7.9 7.3	4 0	4 4	1 0	13 13	30 40	11 40	9 5	3 0	4 5	2	389 179	4.7 4.7	2 4	3 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
835	Chronic sinusitis	(a) 781 (b) 781	20.7 20.2	30 31	23 19	23 23	21 18	16 14	29 14	16 14	30 15	22 22	10	370 338	11.4 11.1	12 11	13 10	15 10	15 10	15 10	15 10	15 10	15 10	15 10	15 10
839	Pleurisy	(a) 319 (b) 319	11.0 6.0	9 12	14 0	6 4	15 8	3 1	2 1	10 10	12 17	22 9	0	95 89	2.0 1.9	4 3	1 1	1 0	1 0	1 0	1 0	1 0	1 0	1 0	1 0
845	Emphysema	(a) 691 (b) 711	10.8 15.7	54 59	- 0	21 0	- 0	3 5	3 17	1 8	9 0	8 7	4	80 80	1.8 2.2	0 0	- 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1
841, 842, 844-846, 848-849, 850	Other diseases of respiratory system	(a) 1,862 (b) 2,077	69.1 70.5	115 100	87 74	23 23	30 30	04 11	17 11	13 10	22 22	23 27	24	712 624	22.0 23.1	25 29	20 20	10 10	10 10	10 10	10 10	10 10	10 10	10 10	10 10
850-855	Diseases of teeth and supporting structures	(a) 693 (b) 635	24.7 24.5	39 34	19 17	19 20	24 23	29 23	24 23	28 31	13 13	13 16	13	614 669	10.2 15.5	20 21	12 16	12 17	12 16	12 16	12 16	12 16	12 16	12 16	12 16
850-859	Other diseases of oral cavity and celloging	(a) 479 (b) 504	14.7 13.0	10 16	10 17	14 17	6 4	80 15	0 15	12 15	13 11	13 17	8	262 302	5.3 8.4	10 7	7 15	4 8	4 3	4 3	4 3	4 3	4 3	4 3	4 3
840	Ulcer of stomach	(a) 1,023 (b) 685	28.7 23.9	33 48	24 25	24 25	23 27	79 30	28 30	23 11	18 7	22 15	8	369 167	6.4 4.2	6 0	4 3	4 7	4 4	4 4	4 4	4 4	4 4	4 4	4 4
841	Ulcer of duodenum	(a) 941 (b) 1,001	24.9 27.7	31 36	37 12	21 40	3 4	23 40	0 4	7 7	25 45	45 45	20	377 311	5.0 5.8	5 5	4 8	4 9	4 9	4 9	4 9	4 9	4 9	4 9	4 9
845	Gastritis and duodenitis	(a) 1,185 (b) 1,023	28.5 26.2	28 36	27 40	27 40	24 34	3 4	23 4	10 24	48 48	21 9	4	553 554	17.0 14.0	17 15	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22
844	Disorders of function of stomach	(a) 1,690 (b) 2,009	48.0 66.0	76 70	100 61	25 70	12 15	76 95	21 25	24 24	27 25	31 34	23	642 703	10.7 20.3	20 22	23 40	23 19	23 19	23 19	23 19	23 19	23 19	23 19	23 19
848, 849	Other diseases of stomach and duodenum	(a) 48 (b) 60	1.8 2.8	8 8	- 0	1 1	- 2	- 4	- 4	1 3	1 3	4 8	-	15 22	0.4 0.7	1 0	- 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0

(a) April, 1922 to March, 1925, (b) April, 1925 to March, 1926

TABLE 2 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	CONSULTATIONS														PATIENTS CONSULTING														
		All Practices							Practice No.							All Practices							Practice No.							
		No.	Rate	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
500-555	Appendicitis	(a) 387 (b) 418	15.1 11.4	8 13	3 8	6 14	22 27	10 4	0 0	9 16	17 13	11 13	1 1	111 141	3.4 3.9	3 4	1 3	2 5	7 6	2 2	2 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4
500-581	Peritonitis of abdominal cavity	(a) 579 (b) 552	17.7 15.9	18 13	17 13	22 19	20 21	44 20	10 0	13 6	15 6	11 13	12	284 255	6.9 6.6	4 4	8 11	9 4	0 10	0 15	0 15	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4
571-784	Gastro-enteritis and colitis, except ulcerative	(a) 1,602 (b) 1,490	54.1 41.0	72 55	27 23	48 52	88 81	24 20	40 0	11 17	26 24	79 69	0	503 775	26.2 21.6	23 24	17 16	22 24	65 52	16 17	17 17	9 9	10 10	10 10	10 10	10 10	10 10	10 10	10 10	10 10
579-0	Constipation	(a) 490 (b) 507	15.1 16.2	13 10	23 33	14 23	9 7	44 26	5 0	19 21	12 12	11 10	0	277 350	6.5 6.7	6 9	12 15	9 14	7 7	0 10	0 10	4 11	7 18	7 18	7 18	7 18	7 18	7 18	7 18	7 18
579-572, 579-583-584-578	Other diseases of gallbladder and peritoneum	(a) 669 (b) 709	30.8 21.0	14 25	15 10	23 10	19 9	26 35	22 0	16 16	16 23	16 17	24	203 243	6.2 6.3	6 6	6 9	7 8	4 4	17 10	6 10	6 6	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4
580-583	Diseases of liver	(a) 116 (b) 76	8.0 2.1	2 2	24 0	4 1	4 0	3 0	- 0	- 0	1 5	0 1	2	45 25	1.4 0.7	1 1	1 1	0 0	2 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0
584-586	Diseases of gallbladder and biliary ducts	(a) 261 (b) 453	10.6 13.5	4 8	27 20	14 20	12 20	27 22	0 0	4 5	10 15	0 4	11	83 98	2.6 2.7	1 1	4 4	5 5	4 5	0 7	0 7	2 2	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1
587	Diseases of pancreas	(a) 40 (b) 16	1.2 0.4	2 0	- 0	- 0	- 0	0 0	0 0	- 0	1 2	- 0	-	4 4	0.1 0.1	0 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0	- 0
590-594	Hepatitis and hepatitis	(a) 215 (b) 239	6.6 6.3	18 20	5 1	3 1	3 1	0 0	- 0	- 0	0 4	4 5	0	33 30	1.0 0.9	2 2	1 1	1 0	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
600-0	Pyelitis, pyelocystitis and pyelonephritis	(a) 864 (b) 494	16.0 25.7	45 24	3 4	10 9	13 11	3 13	16 0	1 16	11 13	9 10	11	164 105	4.7 5.7	10 8	1 2	4 3	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2
606	Cystitis	(a) 1,068 (b) 975	32.7 27.1	36 25	23 12	19 14	16 19	76 50	24 0	9 16	22 49	23 31	28	419 453	18.9 12.0	11 9	18 10	10 9	7 9	32 28	13 5	13 5	13 5	13 5	13 5	13 5	13 5	13 5	13 5	13 5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
6001-6002	Other diseases of urinary system	152 127	4.7 6.5	6 7	1 3	1 0	2 13	12 13	8 13	1 1	9 7	4 12	2 2	1 1	1 1	1 1	42 60	1.3 1.9	1 2	1 1	1 1	0 1	1 1	1 1
6003-6009	Hyperplasia of prostate	50 52	1.8 1.4	1 1	1 1	2 1	1 8	4 8	2 8	1 1	1 1	6 8	2 2	1 1	1 1	0.7 0.6	24 22	0.7 0.6	1 1	1 1	1 1	0 0	1 1	1 1
6010-6017	Other diseases of male genital organs	289 505	7.0 5.4	6 15	10 6	5 5	18 18	11 18	11 18	2 4	4 7	7 9	7 9	7 9	6 6	2.1 3.6	101 127	2.1 3.6	2 5	6 5	7 7	5 5	2 2	2 2
6018-6021	Diseases of breast	156 270	4.7 7.6	8 13	6 12	6 6	8 9	8 9	8 9	2 6	3 3	11 11	8 8	2 2	2 2	2.1 2.7	87 145	2.1 2.7	2 5	2 2	2 2	2 2	2 2	2 2
6022-6026	Diseases of ovary, fallopian tube and perimetrium	42 60	1.2 2.6	0 1	2 1	2 1	4 1	10 10	0 1	1 1	1 2	1 3	5 5	1 1	0 0	0.6 0.8	20 23	0.6 0.8	0 0	1 1	2 1	0 1	1 1	1 1
6027	Uterovaginal prolapse	308 303	8.8 9.4	9 2	7 8	5 4	14 10	8 10	8 10	5 20	8 21	8 8	6 6	2 2	2 2	3.0 3.7	90 232	3.0 3.7	1 1	2 2	3 2	7 8	2 2	2 2
6028	Diseases of neoplasms	921 1,029	25.0 26.0	19 25	32 33	33 41	37 32	60 32	39 32	25 40	36 21	34 34	27 27	16 16	16 16	14.4 14.4	449 601	14.4 14.4	8 10	18 19	10 9	15 20	18 20	16 17
6029	Menstrual symptoms	702 864	23.5 24.5	10 16	24 19	13 16	22 17	22 44	28 44	5 9	71 79	22 21	9 9	12 12	12 12	10.4 10.5	341 371	10.4 10.5	4 6	8 8	9 12	12 12	8 8	8 10
6030-6031	Laborious	106 109	2.5 2.7	2 3	4 6	2 2	10 11	1 1	1 1	4 7	4 3	5 4	5 4	5 4	5 4	1.8 2.0	60 103	1.8 2.0	1 1	1 1	1 1	1 1	1 1	1 1
6032	Other diseases of uterus and other female genital organs	479 429	14.7 11.0	17 12	5 5	10 10	37 20	11 20	11 20	3 1	17 13	10 9	10 9	10 9	10 9	8.0 6.1	103 184	8.0 6.1	4 4	9 6	16 11	4 1	2 1	2 2
6040-6049	Complications of pregnancy	311 506	15.7 14.6	24 39	6 2	7 5	20 18	26 12	26 12	17 12	24 12	10 6	6 6	10 10	10 10	4.0 4.2	150 163	4.0 4.2	5 5	1 1	5 6	6 6	7 4	7 4
6050-6052	Abortion	254 248	7.8 6.0	6 4	2 1	4 8	8 16	0 16	3 16	20 8	18 9	7 10	7 10	7 10	7 10	2.0 1.9	60 59	2.0 1.9	2 1	2 2	2 2	1 1	1 1	1 1
6053-6059	Delivery with specified complication	14 20	0.4 0.7	1 1	1 1	0 0	1 0	0 0	1 0	1 1	0 0	1 0	1 0	1 0	1 0	0.2 0.3	7 11	0.2 0.3	0 0	0 0	0 0	0 0	0 0	0 0
6060-6069	Complications of the puerperium	139 159	4.8 4.2	5 6	3 1	3 1	5 4	1 4	8 4	7 4	9 9	8 1	4 4	8 8	8 8	1.8 1.6	59 53	1.8 1.6	1 1	1 1	1 1	1 1	1 1	1 1

(a) April, 1952 to March, 1953. (b) April, 1953 to March, 1954.

TABLE 2 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	CONSULTATIONS										PATIENTS CONSULTING													
		ALL PRACTICES										PRACTICE NO.													
		PRACTICE NO.										ALL PRACTICES													
		No.	Rate	1	2	3	4	5	6	7	8	9	10	No.	Rate	1	2	3	4	5	6	7	8	9	10
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
600	Boil and carbuncle(a) (b)	1,045 2,137	25.0 50.0	20 50	40 41	37 79	91 71	64 66	44 44	44 44	46 108	48 41	52 51	61 61	709 950	21.0 24.0	30 23	27 23	24 24	21 27	18 24	26 28	26 26	18 16	18 18
602	Cellulitis of finger and toe	770 834	24.0 28.1	0 10	15 15	21 21	44 42	32 38	24 24	24 24	32 25	32 25	32 25	0 0	339 323	10.1 6.9	4 5	10 0	11 0	12 15	11 11	12 15	12 12	10 10	15 15
608-604	Other cellulitis and abscess acute lymphadenitis	100 808	27.9 28.4	21 20	7 5	25 15	41 46	12 9	20 20	20 20	20 13	21 11	27 44	16 16	335 300	16.2 8.6	9 11	2 5	6 6	13 14	4 3	0 0	13 7	9 4	25 17
605	Impetigo	100 437	12.0 12.0	1 28	3 3	6 6	23 32	21 13	17 13	17 13	20 28	4 4	6 5	2 2	287 244	7.5 6.8	7 13	0 4	3 3	22 16	11 7	12 13	12 8	2 3	4 3
608	Infectious warts	398 506	8.9 8.4	5 5	5 5	5 4	13 15	5 15	5 5	5 5	13 6	12 5	11 16	0 0	160 190	4.9 5.4	3 3	5 5	4 3	10 8	4 0	4 4	0 4	7 3	10 7
700, 702, 703	Herpetitis	1,217 1,205	37.4 36.1	25 27	52 57	42 38	86 87	89 76	10 10	10 10	14 27	14 14	15 14	15 15	430 351	14.1 15.2	15 21	21 25	21 14	20 23	6 28	6 11	9 9	5 7	11 7
701	Eczema	1,224 1,227	37.9 36.0	33 37	13 11	20 27	12 16	25 32	46 32	46 32	40 39	35 20	36 75	88 88	315 325	15.4 14.2	13 13	3 4	11 12	13 13	17 14	15 14	12 7	42 35	13 13
706	Psoriasis and similar disorders	210 216	2.7 2.6	2 4	7 7	8 0	5 0	10 13	5 13	5 13	5 7	5 9	5 9	5 5	95 108	2.9 2.0	1 1	3 1	5 0	0 4	0 0	3 2	2 2	2 4	4 4
708	Furitis and related conditions	990 445	11.4 18.3	5 4	15 13	11 0	11 2	27 23	2 2	2 2	2 11	24 81	10 13	17 17	108 200	4.7 5.7	2 2	2 2	2 2	15 13	1 1	2 4	9 7	4 6	10 10
714.1	Acne	268 281	7.0 7.0	11 7	5 11	8 6	7 5	12 11	5 11	5 11	7 9	8 7	3 7	8 8	325 150	3.9 4.4	4 0	4 4	0 3	8 6	3 0	3 6	3 2	2 5	7 7
807, 808, 704, 705, 709-713, 714.0, 714.2, 715, 716	Other diseases of skin and collateral tissue	1,745 8,007	53.7 58.0	39 66	38 43	38 44	65 52	75 72	41 41	41 41	59 43	56 29	32 45	67 67	732 1,001	22.1 27.7	33 32	29 32	13 22	31 33	21 20	26 22	12 13	17 10	37 37

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
702-0	Neurasthenia arthritis	(a) 764 (b) 725	38-4 30-1	30	11	5	8	24	25	14	6	25	21	121	4-6	0	2	2	1	25	0	2	1	2	3
702-0	Gouty-arthritis (arthritis)	(a) 377 (b) 1,062	27-0 28-1	37	15	31	21	17	22	9	41	25	22	228	4-0	0	5	11	9	2	5	1	2	11	7
702	Arthritis, unspecified	(a) 771 (b) 897	22-7 24-8	30	43	39	27	25	9	23	16	3	3	270	4-3	2	14	10	11	3	12	7	1	1	2
702-0	Lumbago	(a) 680 (b) 879	20-0 15-0	3	34	20	29	7	21	36	14	24	9	239	10-4	2	20	22	21	4	11	10	5	10	0
702-3	Other muscular rheumatism, fibromyalgia and sprains	(a) 2,002 (b) 1,077	64-3 54-7	118	25	25	23	120	27	41	16	63	14	1,012	33-2	42	47	14	14	75	16	19	9	30	10
707	Rheumatism, unspecified	(a) 1,002 (b) 1,405	35-4 33-8	71	71	0	1	8	8	13	40	12	25	421	15-0	20	26	0	1	8	3	7	19	5	16
701, 701-1, 702-1, 702-2, 702-3, 702-4, 702-5, 702-6	Other forms of arthritis and rheumatism	(a) 409 (b) 404	12-0 12-0	12	21	10	19	6	9	5	10	7	14	126	2-0	6	5	5	3	2	1	2	2	5	7
704	Interval disease- max of knee joint	(a) 20 (b) 29	1-0 0-3	4	1	0	1	0	2	2	0	1	1	21	0-0	1	1	0	1	2	2	1	0	1	0
741, 742	Gynorrhea, benign and gonorrhoea	(a) 625 (b) 624	12-0 12-1	13	19	18	28	45	15	12	15	25	22	249	8-5	5	11	7	13	19	9	8	5	9	10
700-705, 705-702, 705-742	Other diseases of bones and organs of skeleton	(a) 1,087 (b) 1,438	20-0 41-8	25	21	25	24	63	22	18	23	45	70	297	12-2	7	15	14	13	23	5	9	2	19	28
705-705	Osteoarthral malformations	(a) 127 (b) 105	4-0 5-1	4	2	0	7	10	1	7	5	3	4	68	2-1	2	1	2	2	4	1	4	2	2	1
705-706	Certain diseases of early infancy (pre- existing conditions 705) and diseases (706) of newborn	(a) 206 (b) 100	4-4 5-0	0	2	2	7	3	7	10	12	3	2	25	2-0	3	1	1	0	2	3	4	4	2	1

(a) April, 1922 to March, 1923, (b) April, 1923 to March, 1924

TABLE 2 (Contd.)

Int. Classn. No.	DISEASE OR CONDITION	CONSULTATIONS										PATIENTS CONSULTED																							
		All Practices					Practices No.					All Practiced					Practices No.																		
		No.	Rate	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	No.	Rate	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
(11)	(2)	(5)	(4)	(3)	(2)	(1)	(8)	(7)	(6)	(5)	(4)	(3)	(2)	(1)	(10)	(9)	(8)	(7)	(6)	(5)	(4)	(3)	(2)	(1)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
785.0	Vertigo	(a) 270 (b) 412	0.5 11.4	7 13	8 8	1 1	15 12	— —	4 6	3 3	20 15	14 9	10 19	10 19	10 19	132 103	4.1 8.1	3 6	1 5	7 6	— —	3 6	1 1	7 —	— —	3 6	1 5	— —	3 6	1 6	7 6	6 4	6 6	6 6	6 6
785.7	Disturbance of sleep	(a) 384 (b) 731	21.0 25.2	5 6	44 61	3 2	30 22	10 7	65 73	10 7	6 10	20 7	25 27	25 27	25 27	339 325	10.4 8.8	2 2	81 25	12 10	0 0	32 73	0 0	0 0	— —	0 0	0 0	0 0	0 0	4 4	9 4	14 14	6 6	6 6	6 6
785.781	Other symptoms referable to nervous system and special senses	(a) 190 (b) 221	5.0 6.4	9 8	6 6	0 0	6 4	1 3	11 6	3 6	4 7	6 4	3 6	3 6	7 7	63 119	3.0 5.5	3 3	4 5	3 3	1 3	7 3	3 3	3 3	— —	3 3	3 3	3 3	3 3	2 2	3 3	2 2	4 4	3 3	3 3
785.0	Preordial pain	(a) 20 (b) 16	0.6 0.4	1 1	0 0	— —	— —	1 1	— —	2 2	— —	2 2	— —	2 2	— —	9 9	0.3 0.2	0 1	0 0	0 0	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
785.1	Palpitation	(a) 20 (b) 16	0.6 0.4	1 1	1 1	— —	— —	— —	— —	1 1	1 0	2 1	— —	1 1	— —	12 9	0.4 0.8	0 0	0 0	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
785.2	Tachycardia	(a) 49 (b) 69	1.6 2.6	1 0	7 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21 30	0.8 0.8	0 0	0 0	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
785.6	Odema and dyspnea (part of nervous)	(a) 114 (b) 101	3.5 2.8	6 4	5 5	3 3	3 3	— —	2 2	0 2	4 2	8 1	1 4	1 4	2 2	49 40	1.5 1.5	2 1	2 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
785.6	Other symptoms referable to cardiovascular and lymphatic system	(a) 408 (b) 368	15.0 16.0	14 11	17 26	0 3	33 33	4 4	5 4	74 74	7 13	15 13	14 14	14 14	47 47	166 209	4.8 6.8	5 6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
785.0	Epilepsy	(a) 130 (b) 129	4.0 4.4	5 4	3 3	3 3	3 3	0 4	6 4	5 5	1 0	3 4	3 3	3 3	3 3	73 64	2.3 2.8	3 3	3 3	1 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2
785.2	Syncope	(a) 46 (b) 45	1.6 1.2	1 1	2 1	— —	— —	— —	— —	3 3	2 1	3 1	1 2	1 2	— —	22 27	0.7 0.7	1 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
785.3	Cough	(a) 1,005 (b) 992	21.0 27.3	13 14	15 18	5 3	25 23	2 5	6 7	11 11	149 133	92 77	0 1	0 1	1 1	649 604	20.0 16.7	11 9	5 12	20 19	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1	8 1

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
705.7	Pain in chest	(a) 315 (b) 387	4.7 5.0	16 21	4 1	7 4	6 9	3 2	2 18	7 18	19 10	3 3	10	157 125	4.8 5.4	8 0	5 1	5 3	2 2	2 2	1 1	0 4	0 3	2 0	2 0
Remainder 705	Other symptoms referable to res- piratory system	(a) 218 (b) 159	8.6 8.0	14 7	2 8	1 2	1 1	8 8	2 3	3 3	11 0	3 3	1	95 34	2.0 0.9	2 2	1 0	1 1	1 1	0 2	1 2	0 0	1 1	1 1	1 1
706.0	Ascites	(a) 51 (b) 95	2.8 1.3	2 2	7 4	1 0	2 1	9 4	0 4	0 4	2 1	-	-	69 80	2.1 1.4	1 2	-	2 1	0 1	0 4	0 2	0 2	0 2	1 1	1 1
706.1	Nausea and vomiting	(a) 194 (b) 484	8.0 12.0	6 9	10 20	2 4	-	1 4	0 4	20 31	4 7	1 5	28	137 280	3.9 8.0	4 0	2 2	0 0	1 1	1 1	3 10	2 4	0 4	1 4	18
706.2	Jaundice	(a) 58 (b) 89	1.8 0.3	2 3	2 1	-	-	1 1	0 2	3 2	2 -	-	-	13 8	0.5 0.2	1 0	-	-	-	1 1	0 0	1 0	1 0	-	-
706.4	Flatulence	(a) 87 (b) 88	0.9 0.6	1 1	3 2	2 2	-	-	-	2 1	1 -	0 0	0	16 10	0.6 0.4	0 0	0 2	0 1	-	1 1	1 1	0 0	1 1	0 0	1 1
706.5	Abdominal pain	(a) 801 (b) 706	16.6 16.5	8 15	28 12	7 9	3 0	38 22	9 28	29 58	23 36	11 28	24	323 368	10.0 10.6	6 5	17 13	5 5	3 0	16 17	0 0	0 0	19 14	8 14	17
706.6	Diarrhoea, age 2 years and over	(a) 885 (b) 419	3.7 11.5	8 7	22 19	9 11	1 0	5 7	14 18	17 18	6 6	1 2	20	178 267	3.4 7.9	5 4	15 18	9 9	0 0	1 1	5 4	0 0	11 14	4 5	80
Remainder 706, 705	Other symptoms referable to abdomen and gastro-intestinal system	(a) 127 (b) 151	4.8 3.3	6 4	5 4	1 3	0 5	3 2	11 -	7 -	2 0	6 7	3	50 56	1.5 1.8	1 1	2 2	1 1	4 4	2 2	1 1	0 0	1 1	2 2	2
706.7	Retention of urine	(a) 29 (b) 21	0.9 0.6	0 2	-	3 1	-	-	-	0 -	1 0	3 -	-	10 10	0.8 0.3	0 1	0 0	-	-	0 1	-	0 0	1 1	1 1	0
706.8	Discontinuation of urine	(a) 124 (b) 105	3.0 3.6	5 1	4 8	2 2	2 2	15 8	0 3	2 3	3 1	1 2	4	28 64	1.3 1.3	1 1	2 1	1 1	1 1	7 4	0 1	1 2	1 1	2 2	3
706.9	Frequency of micturition	(a) 38 (b) 55	0.7 1.5	1 2	1 1	-	-	0 2	1 0	-	2 1	-	1	15 37	0.4 1.0	1 1	0 1	-	1 1	0 1	0 0	1 1	1 1	2 2	1
Remainder 706	Other symptoms referable to genito-urinary system	(a) 59 (b) 145	2.7 4.0	2 4	1 2	5 6	-	1 2	-	5 5	2 1	6 7	7	41 71	1.3 2.0	1 2	1 1	3 3	0 0	1 1	1 1	1 1	2 2	2 2	5
707.5	Pain in back	(a) 182 (b) 219	8.0 8.8	7 5	5 6	5 7	1 3	3 4	2 14	17 14	6 10	1 8	19	94 898	2.0 5.7	4 4	2 2	5 5	1 1	2 2	1 1	7 7	0 0	1 1	15

(a) April, 1936 to March, 1940. (b) April, 1945 to March, 1954

TABLE 2 (Contd.)

Int. Case No.	DISEASE OR SYMPTOM	COMPLICATIONS										PATIENTS CONSULTING																	
		All Practitioners										Practice No.																	
		No.	Rate	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	No.	Rate	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
706-0	Other symptoms referable to limbs and back	207	6.2	10	9	1	7	7	17	9	5	5	6	160	4.6	6	6	1	7	2	11	2	3	4	5	6	7	8	9
706-1	Pyrexia of unknown origin	208	6.4	12	7	10	2	12	11	7	6	6	6	204	5.6	7	5	7	2	3	7	4	4	5	6	7	8	9	10
706-2	Other general symptoms	170	5.2	3	2	7	2	9	3	5	15	0	0	104	3.2	3	2	5	1	0	3	5	4	0	0	1	2	3	4
706-3	Abnormal urinary excretions of unspecified cause	209	5.5	5	3	7	-	5	12	11	1	1	5	140	4.0	4	3	5	-	5	10	7	1	2	3	4	5	6	7
706-4	Other general symptoms	210	6.7	12	2	15	-	8	10	32	21	21	21	248	7.6	5	2	6	-	6	22	6	12	9	10	11	12	13	14
706-5	Abnormal urinary excretions of unspecified cause	703	12.5	12	5	12	1	9	14	26	43	43	43	303	8.4	6	4	5	1	0	6	10	10	10	10	11	12	13	14
706-6	Other general symptoms	211	8.0	4	10	8	10	14	0	9	19	7	2	144	4.4	3	10	3	4	12	0	7	4	3	4	5	6	7	8
706-7	Abnormal urinary excretions of unspecified cause	205	7.4	3	12	3	4	20	17	13	4	4	2	127	4.5	2	0	2	3	14	1	6	10	2	1	2	3	4	5
706-8	Abnormal urinary excretions of unspecified cause	97	3.0	3	1	3	1	2	1	5	2	2	1	31	1.0	1	1	2	1	1	1	0	2	0	1	1	2	3	4
706-9	Abnormal urinary excretions of unspecified cause	125	3.5	0	7	4	-	2	1	1	1	1	1	37	1.0	2	1	1	-	1	1	0	1	1	1	2	3	4	5
706-10	Strabismus	32	1.0	0	2	-	1	0	-	7	1	1	-	24	0.7	0	2	1	-	0	-	4	1	0	1	2	3	4	5
706-11	Seizures	32	0.9	0	1	0	-	1	0	4	0	3	-	19	0.6	0	1	0	-	1	1	2	0	1	1	2	3	4	5
706-12	Seizures and urinary fistulae	464	20.4	23	9	9	3	27	14	19	21	9	12	373	11.5	0	0	7	2	12	9	14	33	7	8	9	10	11	12
706-13	Depression	469	25.7	35	10	6	2	33	15	16	16	15	12	506	14.0	15	15	5	2	22	9	36	9	8	9	10	11	12	13
706-14	Depression	259	9.0	3	16	10	4	-	0	6	15	11	40	122	3.8	1	7	0	3	-	3	4	7	8	9	10	11	12	13
706-15	Headache	476	13.1	2	15	19	2	9	13	13	13	9	40	233	6.2	1	9	9	2	5	2	5	6	6	7	8	9	10	11
706-16	Headache	517	15.9	11	17	16	1	14	13	24	25	13	13	330	10.2	7	11	11	1	11	9	17	13	11	12	13	14	15	16
706-17	Headache	533	15.7	12	14	21	0	13	17	17	22	10	9	371	10.5	13	10	14	0	11	13	14	15	16	17	18	19	20	21
706-18	Seizures without mention of psychosis	673	20.7	1	3	4	20	19	71	11	22	25	1	178	5.3	1	2	1	19	12	14	5	5	5	6	7	8	9	10
706-19	Seizures without mention of psychosis	719	19.9	2	5	1	22	21	39	39	61	17	1	192	4.6	1	3	0	10	13	15	5	5	5	6	7	8	9	10

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
795-795, 795-795A	Other ill-defined (a) injuries (b)	4.0	1.2	0	-	0	1	5	0	2	1	0	0	15	0.5	0	-	1	2	1	0	1	0	0
		62	1.4	0	1	-	1	0	0	2	0	1	0	1.0	0.5	0	1	-	0	1	0	1	0	
795-5	Other, unknown (a) and unspecified (b) causes	302	6.2	9	-	0	23	0	2	0	0	4	133	4.7	0	-	0	2	0	0	4	7	25	
		331	9.2	0	2	5	34	2	0	7	0	17	3	200	7.2	0	1	7	31	2	0	0	1	
800-800	Fractures (a) (b)	858	25.8	30	11	24	30	2.5	13	37	31	21	282	9.1	7	4	0	10	5	7	0	9	18	
		893	34.7	34	15	17	20	4.0	14	23	23	20	18	210	7.4	7	4	0	16	4	0	0	5	
800-800	Dislocation (a) without (b) fracture	44	1.4	0	1	1	5	4	1	1	3	-	22	0.7	0	1	0	2	1	0	1	-	0	
		42	1.2	1	2	2	4	0	0	0	0	0	1	18	0.5	1	1	0	1	0	0	0	0	
800-800	Spinal and (a) crania of (b) joints and adjacent muscles	1,057	32.5	19	37	28	4.0	71	33	23	32	34	30	120	15.1	10	21	17	23	29	19	10	26	
		1,077	36.3	19	35	32	37	30	19	19	33	33	4.9	30	700	19.4	9	22	23	184	39	14	12	
800-800	Head injury (a) (excluding skull (b) fractures)	230	7.3	10	4	12	4	9	7	1	0	3	3	112	3.5	3	2	0	2	1	4	2	4	
		228	6.5	4	3	7	0	0	0	0	8	18	0	3	119	3.3	3	2	2	2	2	4	4	
800-800	Internal injury (a) of chest, (b) abdomen and pelvis	4	0.1	-	-	-	-	-	-	1	1	-	2	0.1	-	-	-	-	-	0	0	-	1	
		14	0.4	-	-	-	-	-	-	-	0	-	0	2	11	0.3	-	-	-	0	0	-	0	
800-800	Laceration and (a) (b) open wounds	900	27.7	12	15	0	00	27	4.0	24	48	15	13	387	11.9	5	10	5	26	23	20	10	14	
		944	25.4	15	0	0	0	22	4.0	4.0	34	34	18	13	385	10.7	0	0	5	22	25	15	11	
800-800	Superficial (a) (b) injury	404	12.4	7	10	11	25	25	14	17	3	10	11	274	8.4	3	10	7	23	17	12	15	7	
		480	13.7	7	11	17	25	24	15	15	7	11	11	11	281	8.0	5	10	0	19	15	11	5	

(a) April, 1902 to March, 1903. (b) April, 1903 to March, 1904

TABLE 2 (Contd.)

Int. Case- No.	DISEASE OR CONDITION	CONSULTATIONS														PATIENTS CONSULTING												
		All Practices					Practice No.									All Practices					Practice No.							
		No.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	No.	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		Rate	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	Rate	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
8000-8099	Contusion and crushing with intact skin surface	608	24.2	15	20	14	09	40	32	30	32	38	14	400	15.4	6	19	0	30	27	19	28	30	22	11	11	11	10
		600	22.7	15	44	52	40	61			20	52	80	16	470	12.0	5	25	6	29	35	16	11	11	11	11	11	11
8000-8099	Effects of foreign body entering through orifices	121	3.7	2	2	2	2	5	9	2	5	4	5		80	2.7	1	2	5	5	5	2	3	4	3	3	4	4
		140	5.9	2	4	2	7	7			1	5	4	5	114	3.8	2	4	2	6	6	1	3	3	3	3	3	4
8040-8049	Burns	424	13.0	15	2	12	19	19	11	11	19	9	7		170	5.4	4	2	0	0	0	7	7	0	4	4	5	5
		440	12.2	14	6	6	25	19			17	11	7		197	5.2	6	6	2	9	9	4	4	4	5	5	5	
8060-8069	Injury to nerves (a) and spinal cord (b) without bone injury	0	0.0	0	0	0	0	1	0	0	0	0	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0
		1	0.0	0	0	0	0	0	0	0	0	0	0	0	1	0.0	0	0	0	0	0	0	0	0	0	0	0	0
8080-8079	Effects of poisons	98	2.7	0	9	1	2	4	0	0	6	4	1		76	2.3	0	0	1	1	4	0	2	2	2	2	2	2
		93	2.2	0	6	1	3	6			2	2	4	1	65	1.9	0	5	1	5	4	0	2	2	2	2	2	2
8000-8099	Effects of weather, exposure, and related conditions	47	1.4	1	2	1	3	3	0	0	1	2	1		33	1.0	1	2	1	2	2	0	1	1	1	1	1	1
		56	1.5	0	2	2	1	5			2	1	2	1	42	1.2	0	2	1	1	4	0	2	1	1	1	1	1
8000-8099	Other and unspecified injuries and reactions	944	28.0	58	7	37	19	15	9	50	17	7	39		412	12.0	19	5	21	13	7	5	23	9	0	10	20	
		1,010	41.0	90	6	63	18	9		30	31	20	39		629	17.7	25	5	31	15	4	17	9	10	20	20	20	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
-	Persons receiving prophylactic inoculation	(a) 1,370 (b) 1,347	42.5 37.3	19 16	20 12	27 21	99 83	90 77	50 45	43 37	54 35	45 39	34	015 18.8 019 19.1	0 4	0 0	0 45	4.0 3.4	27 13	22 15	23 16	25 16	26 16	26 16
-	Other special conditions and examinations without anaesthesia	(a) 114 (b) 160	3.5 4.2	2 3	3 0	1 0	4 23	4 3	0 0	0 4	1 1	0 0	3	94 2.0 83 2.2	2 1	2 0	1 10	4 2	5 3	4 1	5 1	5 1	5 1	5 1
-	Mortality routine ante-natal examination	(a) 2,232 (b) 2,051	75.5 73.1	77 99	10 8	20 21	162 139	128 105	90 95	112 105	110 105	39 30	54	014 18.9 025 19.4	0 0	11 11	29 26	25 32	27 20	22 25	16 19	16 19	16 19	16 19
-	Other maternity examinations	(a) 1,114 (b) 1,001	34.3 27.7	37 40	0 0	0 0	0 51	26 19	43 38	96 76	109 72	5 5	3	333 10.2 244 8.8	7 0	0 0	0 13	18 11	14 14	21 17	26 17	26 17	26 17	26 17
-	Other examinations for reasons other than anaesthesia	(a) 278 (b) 410	8.6 11.5	6 7	6 7	7 0	18 20	7 5	13 8	10 8	2 5	15 24	8	352 7.0 370 10.4	0 7	0 7	5 8	7 5	11 15	9 6	13 6	13 6	13 6	13 6
-	Infant welfare	(a) 337 (b) 295	9.0 6.2	1 1	0 0	0 0	20 15	83 90	0 0	0 1	7 2	1 3	1	154 3.5 94 2.3	1 0	0 0	0 9	24 19	0 0	4 1	1 2	1 2	1 2	1 2
-	Other persons for consultation	(a) 870 (b) 557	17.5 17.0	11 15	17 27	18 15	32 39	18 22	14 8	10 9	4 5	25 29	12	432 14.9 373 14.2	10 16	11 83	47 15	15 32	10 8	4 3	10 5	10 5	10 5	10 5
-	ALL DISEASES AND CONDITIONS*	(a) 128,782 (b) 128,983	3,806 3,657	4,340 4,328	3,822 3,341	3,740 2,952	4,339 3,655	4,339 4,426	3,371 3,225	3,165 3,035	3,097 3,003	3,094 3,403	3,094 3,403	338,805 366,564	682 670	784 669	682 669	682 669	682 669	682 669	682 669	682 669	682 669	682 669

(*) April, 1952 to March, 1953. (b) April, 1953 to March, 1954

*Figures are actual numbers and not sums of figures for separate diseases.

TABLE 3. - Principal diseases and conditions diagnosed, showing (a) consultations and (b) patients consulting per 1,000 population, April 1 to March, 1951-52, 1952-53, 1953-54 and average annual rates.

All practices combined

Note: - See note to Table 2.

Int. n. Cl. 888 No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1953	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
001-008	Tuberculosis of respiratory system	35.7 (a) 5.4	41.7 (b) 5.2	23.3 (a) 4.7	33.8 (b) 5.1	33.1 (a) 4.5	30.7 (b) 4.8	28.5 (a) 4.4	35.4 (b) 4.8	37.0 (a) 4.9	40.0 (b) 5.0	25.7 (a) 4.5	34.0 (b) 4.8
010-019	Tuberculosis, other forms	3.7 (a) 0.7	0.7 (b) 0.4	3.8 (a) 0.7	2.7 (b) 0.6	1.8 (a) 0.8	3.9 (b) 1.0	5.8 (a) 0.7	3.8 (b) 0.8	2.7 (a) 0.7	2.4 (b) 0.7	4.8 (a) 0.7	5.2 (b) 0.7
020-029	Syphilis, gonococcal infection and other venereal diseases	1.9 (a) 0.0	1.1 (b) 0.3	2.7 (a) 0.6	1.9 (b) 0.6	1.9 (a) 0.4	1.8 (b) 0.5	3.1 (a) 0.5	2.3 (b) 0.3	1.9 (a) 0.5	1.5 (b) 0.5	2.9 (a) 0.4	2.1 (b) 0.4
040-049	Infectious diseases commonly arising in intestinal tract	10.3 (a) 4.2	5.0 (b) 1.8	5.5 (a) 1.8	6.9 (b) 2.5	11.2 (a) 4.5	4.5 (b) 1.9	5.2 (a) 1.7	7.0 (b) 2.7	10.8 (a) 4.4	4.7 (b) 1.9	5.3 (a) 1.7	6.9 (b) 2.7
050	Scarlet fever	8.4 (a) 2.0	20.2 (b) 5.1	14.2 (a) 3.5	13.6 (b) 3.5	4.7 (a) 1.4	22.4 (b) 5.4	14.1 (a) 3.9	13.7 (b) 3.0	5.4 (a) 1.8	21.4 (b) 5.5	14.2 (a) 3.7	13.3 (b) 3.5
051	Streptococcal sore throat	0.9 (a) 0.4	4.2 (b) 2.1	4.5 (a) 1.9	3.2 (b) 1.5	1.0 (a) 0.4	5.1 (b) 2.2	3.0 (a) 1.4	3.0 (b) 1.3	1.0 (a) 0.4	4.7 (b) 2.2	3.7 (a) 1.7	3.1 (b) 1.4
055	Diphtheria	0.2 (a) 0.2	0.7 (b) 0.5	0.1 (a) 0.1	0.3 (b) 0.2	- (a) -	0.5 (b) 0.2	0.3 (a) 0.2	0.3 (b) 0.1	0.1 (a) 0.1	0.6 (b) 0.2	0.2 (a) 0.1	0.3 (b) 0.1
068	Whooping cough	19.0 (a) 7.2	33.3 (b) 9.2	22.5 (a) 5.5	24.9 (b) 5.2	20.7 (a) 7.8	25.4 (b) 7.5	20.7 (a) 7.7	22.3 (b) 7.6	19.9 (a) 7.3	29.9 (b) 8.3	21.4 (a) 8.0	23.4 (b) 7.8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
087	Meningococcal infections (a) 0.2 (b) 0.1	0.2 0.1	0.3 0.1	0.1 0.1	0.2 0.1	0.1 0.1	0.1 0.1	- -	0.1 0.1	0.1 0.1	0.2 0.1	0.0 0.0	0.1 0.1
089-084, 088-084	Other bacterial diseases (a) 4.9 (b) 1.2	4.9 1.2	3.5 1.2	2.1 0.6	3.5 1.0	4.6 1.2	2.8 1.1	2.5 0.9	3.5 1.1	4.3 1.2	3.1 1.1	2.3 0.7	3.4 1.0
090	Acute poliomyelitis (a) - (b) -	- -	0.2 0.1	0.3 0.1	0.3 0.1	- -	0.3 0.1	0.3 0.2	0.2 0.1	- -	0.2 0.1	0.5 0.2	0.2 0.1
092	Acute infectious encephalitis (a) - (b) -	- -	0.3 0.1	- -	0.1 0.0	- -	- -	- -	- -	- -	0.2 0.0	- -	0.1 0.0
095	Measles (a) 42.3 (b) 17.9	42.3 17.9	55.2 22.7	31.0 10.6	43.1 17.1	36.8 14.7	45.5 18.5	23.5 8.1	35.8 13.8	39.2 16.1	30.4 20.4	27.3 9.2	39.0 15.2
098	Rubella (German measles) (a) 11.5 (b) 6.2	11.5 6.2	11.3 7.5	6.1 4.2	9.2 6.6	12.3 9.8	12.9 8.3	9.7 5.7	12.1 7.9	12.6 8.1	12.2 7.9	8.0 5.0	10.9 7.3
097	Chickenspox (a) 25.8 (b) 16.5	25.8 16.5	17.2 9.6	14.0 8.0	18.9 11.4	21.4 13.8	12.5 8.9	10.9 7.1	14.9 9.9	23.3 15.0	14.6 9.2	12.3 7.5	16.7 10.6
099	Herpes zoster (a) 9.2 (b) 3.1	9.2 3.1	12.5 4.0	7.8 2.8	9.9 3.3	12.5 4.1	11.0 3.1	12.5 4.4	12.0 3.9	11.0 3.6	11.6 3.5	10.3 3.7	11.0 3.6
099	Measles (a) 14.4 (b) 8.0	14.4 8.0	14.5 8.1	10.4 6.6	13.1 7.6	13.7 7.3	10.2 5.4	6.1 4.5	10.7 5.7	14.0 7.9	12.1 6.6	9.1 5.5	11.7 6.6
092	Infectious hepatitis (a) 4.5 (b) 1.3	4.5 1.3	4.1 1.2	3.3 1.3	5.0 1.3	5.8 0.9	3.2 0.7	3.2 0.8	4.1 0.8	5.2 1.1	3.2 0.9	4.6 1.0	4.5 1.0
096.0	Paras febrilis (a) 5.4 (b) 3.8	5.4 3.8	4.0 2.1	2.7 1.5	4.0 2.4	6.3 4.1	2.9 2.3	3.0 2.4	4.4 2.0	5.9 3.8	3.9 2.3	2.9 2.0	4.2 2.7
130.1	Oxyuriasis (a) 4.7 (b) 3.9	4.7 3.9	5.9 3.4	5.0 3.8	5.2 3.7	12.8 7.4	5.3 3.1	8.2 5.0	9.8 5.8	9.2 5.9	7.2 4.4	6.7 4.5	7.7 4.9
131	Dermatophytosis (a) 7.2 (b) 4.0	7.2 4.0	14.3 6.5	11.3 6.5	10.9 5.7	5.6 3.6	9.1 4.5	7.1 3.4	7.3 3.6	6.3 3.6	11.4 5.4	9.0 4.8	8.9 4.7

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. n. Class No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
100-139	Other infective and parasitic diseases	10.7 (a) 5.2 (b)	10.1 4.9	11.5 4.9	10.6 5.0	15.6 6.0	15.4 6.0	11.9 6.0	14.4 6.0	15.5 5.7	13.0 5.5	11.8 5.5	12.8 5.6
	Malignant Neoplasms												
140-149	Buccal cavity and pharynx	0.8 (a) 0.2 (b)	1.7 0.3	0.7 0.1	1.1 0.2	0.6 0.1	0.5 0.2	- -	0.5 0.1	0.7 0.2	0.9 0.2	0.3 0.1	0.6 0.2
	Stomach	5.3 (a) 0.6 (b)	10.2 0.4	1.4 0.2	5.6 0.4	2.7 0.5	3.7 0.3	1.6 0.3	2.7 0.4	3.8 0.5	6.6 0.3	1.6 0.2	4.0 0.3
150	Large intestine, except rectum	1.5 (a) 0.2 (b)	0.9 0.2	1.6 0.4	1.8 0.3	4.6 0.3	3.3 0.3	4.5 0.5	4.1 0.4	3.2 0.3	2.2 0.3	3.2 0.5	2.9 0.4
	Rectum	3.1 (a) 0.2 (b)	2.6 0.2	1.0 0.2	2.2 0.2	17.1 0.6	20.1 0.3	16.3 0.5	16.5 0.4	10.9 0.4	12.2 0.3	10.4 0.2	11.2 0.3
150, 152, 155-159	Other digestive organs and peritoneum	0.9 (a) 0.2 (b)	0.2 0.1	1.0 0.1	0.7 0.1	7.5 0.3	2.6 0.2	0.3 0.2	3.5 0.2	4.6 0.3	1.5 0.2	0.6 0.1	2.2 0.2
	Lung, bronchus and trachea	7.2 (a) 0.5 (b)	15.1 1.2	13.2 0.6	12.5 0.6	0.5 0.1	2.7 0.2	8.7 0.4	3.9 0.2	3.3 0.3	6.3 0.6	11.7 0.6	7.3 0.5
160, 161, 164, 165	Other respiratory system	0.2 (a) 0.1 (b)	- -	0.6 0.2	0.3 0.1	0.7 0.1	- -	- -	0.2 0.0	0.5 0.1	- -	0.4 0.1	0.3 0.1

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
170	Breast	(a) (b)	- -	- -	- -	2.9 0.7	4.7 0.9	8.2 1.1	5.3 0.9	1.6 0.4	2.3 0.5	4.3 0.8	2.9 0.5
171-174	Uterus	(a) (b)	- -	- -	- -	0.2 0.8	1.7 0.3	1.5 0.2	3.1 0.4	3.5 0.4	1.0 0.2	0.8 0.1	1.8 0.2
177	Prostate	(a) (b)	1.2 0.2	2.8 0.4	2.5 0.3	- -	- -	- -	- -	0.5 0.1	1.3 0.2	1.7 0.2	1.8 0.2
175, 176, 179-181	Other genito-urinary organs	(a) (b)	2.2 0.3	0.8 0.3	1.6 0.2	1.6 0.3	2.8 0.3	0.8 0.2	1.7 0.3	2.0 0.3	1.8 0.3	1.2 0.2	1.7 0.3
180-182	Other and unspecified sites	(a) (b)	2.8 0.8	1.5 0.5	5.8 1.0	3.4 0.8	7.0 0.7	5.8 1.3	7.2 1.1	8.2 1.0	4.5 0.8	5.6 1.2	5.4 0.6
204	Leukaemia and sickle-cell	(a) (b)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
200-203, 206	Other neoplasms of lymphatic and haematopoie- tic tissues	(a) (b)	2.2 0.2	1.8 0.2	0.8 0.2	1.8 0.2	0.9 0.2	1.4 0.2	0.8 0.2	1.3 0.1	1.3 0.2	1.1 0.2	1.2 0.2
210, 211	Benign Neoplasms	(a) (b)	0.5 0.3	0.5 0.4	0.4 0.3	0.5 0.3	0.5 0.3	0.8 0.5	0.5 0.3	0.3 0.2	0.5 0.3	0.8 0.4	0.5 0.3
212	Digestive system	(a) (b)	- -	- -	0.1 0.0	0.6 0.1	0.2 0.1	0.3 0.1	0.4 0.1	0.3 0.1	0.1 0.0	0.2 0.1	0.2 0.1
213-217	Respiratory system	(a) (b)	- -	- -	- -	10.2 3.1	7.7 3.1	10.8 3.9	9.5 3.4	5.7 1.7	4.3 1.7	5.8 2.1	5.3 1.8
218-219	Breast and female genital organs	(a) (b)	0.8 0.7	1.0 0.5	3.0 1.2	1.5 0.8	1.7 0.7	1.8 0.9	1.6 0.7	0.9 0.6	1.4 0.8	2.4 1.1	1.8 0.8
220-222	Skin	(a) (b)	7.2 3.0	8.6 2.5	4.8 2.7	6.2 2.7	7.2 3.1	5.2 3.3	5.4 2.9	5.3 2.8	6.9 2.8	5.0 3.0	5.7 2.8
218, 219, 223-229	Other and unspecified organs and tissues	(a) (b)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1961 to March 1962	April 1962 to March 1963	April 1963 to March 1964	Average annual rate	April 1961 to March 1962	April 1962 to March 1963	April 1963 to March 1964	Average annual rate	April 1961 to March 1962	April 1962 to March 1963	April 1963 to March 1964	Average annual rate
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
(1)	(2)												
	Neoplasms of unspecified nature												
222-225	Breast and female genital organs	-	0.1	-	0.0	0.5	0.2	0.2	0.3	0.3	0.2	0.0	0.2
		-	0.1	-	0.0	0.5	0.1	0.1	0.2	0.2	0.1	0.1	0.1
220, 251, 256-259	Other and unspecified organs	2.8	0.7	2.3	1.9	2.8	2.6	2.8	2.7	2.8	1.8	2.5	2.4
		0.7	0.3	0.8	0.5	0.8	0.4	0.4	0.5	0.7	0.4	0.5	0.6
240	Hay fever	9.9	6.6	11.9	10.1	8.0	8.7	9.1	8.8	8.8	8.6	10.4	9.3
		3.6	4.4	5.2	4.4	4.5	4.5	5.1	4.7	4.1	4.4	5.1	4.5
241	Asthma	22.4	46.9	40.7	47.3	32.2	43.4	47.8	47.7	32.3	45.9	44.4	47.5
		9.4	8.8	7.5	8.6	9.9	7.8	7.5	8.3	9.7	8.3	7.4	8.6
243	Urticaria	22.1	19.4	18.7	21.4	27.4	23.9	25.9	25.7	24.9	21.8	22.8	23.8
		17.9	11.9	11.1	13.6	17.1	15.2	16.4	16.2	17.4	13.7	14.0	15.0
242, 244, 245	Other allergic disorders	7.5	7.7	5.6	8.2	7.5	9.2	8.3	8.3	7.5	8.5	6.1	7.4
		3.2	3.8	2.0	3.0	3.8	4.4	4.8	4.3	3.5	4.1	3.4	3.7
250, 251	Simple goitre and nontoxic nodular goitre	0.9	0.3	0.5	0.8	3.5	3.7	2.7	3.3	2.4	2.2	1.7	2.1
		0.3	0.1	0.1	0.2	1.2	1.6	0.9	1.2	0.8	0.9	0.6	0.8
252	Thyrotoxicosis with or without goitre	0.1	0.4	0.1	0.2	7.4	8.3	9.2	8.3	4.1	4.8	5.0	4.6
		0.1	0.1	0.1	0.1	1.8	2.3	1.4	1.8	1.0	1.3	0.8	1.0
253	Myxoedema and cretinism	0.8	0.3	0.7	0.6	12.3	11.0	13.8	12.4	7.2	8.2	7.8	7.1
		0.3	0.2	0.2	0.2	3.3	2.8	2.8	3.0	2.0	1.6	1.7	1.8
254	Other diseases of thyroid gland	-	-	0.1	0.0	0.5	0.5	0.2	0.4	0.3	0.3	0.1	0.2
		-	-	0.1	0.0	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
280	Diabetes mellitus	(a) 20.0 (b) 2.1	16.6 2.7	19.3 2.7	15.6 2.5	39.0 5.1	29.5 4.3	25.6 4.1	31.2 4.5	30.4 3.8	23.5 3.6	22.7 3.5	25.6 3.6
270-277	Diseases of other endocrine glands	(a) 1.4 (b) 0.4	2.5 0.3	1.2 0.4	1.7 0.4	1.1 0.5	0.9 0.4	2.2 0.6	1.4 0.5	1.2 0.4	1.6 0.4	1.7 0.5	1.5 0.4
287	Obesity, not specified as of endocrine origin	(a) 3.5 (b) 2.2	3.4 2.0	3.9 2.7	3.6 2.3	42.4 17.6	29.6 14.1	34.4 18.4	35.5 16.7	25.2 10.5	17.6 8.6	20.5 11.2	21.2 10.2
288	Gout	(a) 5.0 (b) 1.2	4.0 1.4	3.2 1.5	4.1 1.4	1.6 0.5	1.4 0.8	0.1 0.1	1.0 0.4	3.1 0.6	2.6 1.0	1.5 0.7	2.4 0.6
280-284, 289	Avitaminoses, and other metabolic diseases	(a) 6.6 (b) 2.1	2.3 1.2	2.7 1.3	3.9 1.5	3.5 2.4	5.4 2.7	3.5 2.0	4.1 2.4	4.2 2.3	4.0 2.1	3.0 1.7	4.0 2.0
290, 0	Pernicious anaemia	(a) 4.1 (b) 0.2	8.0 0.7	9.1 0.7	7.1 0.5	6.5 0.5	3.5 0.8	12.8 1.2	7.6 0.8	5.4 0.4	5.5 0.5	11.1 0.9	7.3 0.6
290.1, 290.2, 291-293	Other anaemias	(a) 6.6 (b) 2.5	9.4 2.6	8.7 1.6	8.2 2.2	59.1 18.6	52.8 19.2	45.8 16.8	51.5 17.9	34.1 11.4	33.7 11.3	29.6 9.9	32.2 10.6
294-298	Other diseases of blood and blood-forming organs	(a) 1.0 (b) 0.4	1.4 0.4	2.1 0.5	1.5 0.4	2.0 0.7	1.3 0.4	2.7 0.5	2.0 0.5	1.6 0.6	1.4 0.4	2.4 0.5	1.6 0.5
300-309	Psychoses	(a) 2.1 (b) 1.1	1.9 0.6	3.9 0.9	2.6 0.9	14.6 2.7	10.7 2.1	6.0 1.7	10.4 2.2	9.1 2.0	6.7 1.4	5.1 1.3	7.0 1.6
310	Anxiety reaction without mention of somatic symptoms	(a) 15.0 (b) 5.1	19.5 6.6	25.6 10.2	20.0 6.0	25.7 13.6	53.2 21.3	65.4 24.6	49.4 19.9	22.6 10.0	29.1 15.6	47.7 18.0	39.1 14.5
311	Hysterical reaction without mention of anxiety reaction	(a) 1.4 (b) 0.7	1.7 0.4	1.0 0.5	1.4 0.5	8.4 3.1	5.0 2.2	9.8 2.0	8.7 2.4	5.3 2.0	3.5 1.4	4.1 1.4	4.3 1.6
318, 3	Artificial reaction	(a) 22.4 (b) 8.4	16.8 8.6	16.6 5.2	19.9 6.7	71.1 21.3	50.0 15.0	48.3 14.8	56.5 17.0	50.0 15.6	36.0 11.2	33.6 10.4	39.9 12.4

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
318-317, 318-0, 318-1, 318-2, 318-4	Other specified psychoneurotic disorders	(a) 12.0 (b) 4.5	14.2 8.4	11.0 5.5	12.4 5.5	13.5 6.2	21.7 7.4	24.8 10.1	19.9 7.8	12.8 5.4	13.3 7.0	16.4 8.0	16.5 8.8
318-5	Unspecified psychoneurotic disorders	26.8 8.8	21.0 7.3	21.2 8.0	22.9 9.3	21.9 18.1	48.5 16.9	54.1 18.5	50.3 18.2	40.3 13.9	35.0 12.6	29.2 14.7	38.2 13.7
322	Alcoholism	(a) 1.8 (b) 0.8	1.2 0.4	0.8 0.4	1.2 0.5	2.8 0.8	0.8 0.2	1.0 0.1	1.7 0.2	2.3 0.5	0.9 0.3	1.2 0.2	1.5 0.3
325	Mental deficiency	(a) 3.8 (b) 1.2	2.1 0.8	1.8 0.8	2.5 0.9	3.7 1.1	2.7 0.8	2.4 0.7	3.3 0.9	3.7 1.2	3.0 0.8	2.1 0.7	2.9 0.9
320, 321, 323, 324, 326	Other disorders of character, behaviour and intelligence	(a) 4.5 (b) 2.3	4.0 2.7	6.1 4.4	5.1 3.1	4.1 1.8	3.4 2.1	3.6 2.3	3.7 2.0	4.3 1.9	3.9 2.4	4.7 2.3	4.3 2.5
330-334	Vascular lesions affecting central nervous system	10.3 4.2	24.4 4.4	19.5 3.4	20.1 4.0	14.1 4.1	21.5 3.8	21.5 3.9	19.0 5.9	15.1 4.2	22.8 4.1	20.5 3.7	19.5 4.0
345	Multiple sclerosis	(a) 2.5 (b) 0.7	2.4 0.5	7.4 0.5	4.1 0.6	3.3 0.5	4.3 0.5	5.7 0.7	4.4 0.6	3.0 0.8	3.4 0.5	8.5 0.8	4.2 0.6
350	Paralysis agitans	(a) 4.5 (b) 0.9	8.0 0.9	2.8 0.7	4.8 0.8	4.0 0.8	5.4 0.8	2.7 1.1	5.0 0.9	4.3 0.8	5.6 0.9	5.4 0.9	5.2 0.9
353	Epilepsy	(a) 14.0 (b) 3.7	16.8 3.4	14.3 3.7	15.0 3.8	23.8 4.2	22.5 3.5	22.9 4.0	23.1 3.9	19.5 4.0	19.9 3.4	19.0 3.8	19.5 3.7
354	Migraine	(a) 7.4 (b) 4.1	10.7 3.9	7.0 3.5	8.4 3.8	17.0 5.1	23.3 9.5	23.2 10.3	21.5 8.3	13.1 6.3	17.9 7.0	18.8 7.2	15.0 6.8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
840-844, 851-852, 859-867	Other diseases of central nervous system	(a) 11.5 (b) 8.3	10.5 1.7	5.6 1.3	9.2 1.8	14.8 2.1	15.0 2.1	10.1 1.5	13.3 1.9	13.4 2.2	13.0 1.9	8.1 1.4	11.0 1.8
305	Sciatica	(a) 8.2 (b) 3.5	12.5 2.7	18.3 4.2	11.3 3.8	11.0 4.0	10.7 4.2	9.7 4.1	10.8 4.3	10.3 4.1	11.5 4.0	11.3 4.2	11.0 4.1
860-862, 864, 885	Other specified forms of neuritis and neuritis	(a) 5.4 (b) 2.4	4.5 2.2	3.0 2.0	4.6 2.2	10.2 4.5	7.4 4.2	9.4 4.7	9.0 4.5	8.1 3.5	6.2 3.5	6.7 3.5	7.0 3.4
365	Unspecified forms of neuritis and neuritis	(a) 17.1 (b) 8.2	10.3 4.7	9.3 4.5	12.2 5.0	21.8 12.7	17.0 9.3	14.3 8.2	17.0 10.1	19.7 10.7	14.3 7.3	12.0 6.5	15.2 8.8
867-869	Other diseases of nerves and peripheral ganglia	(a) 0.9 (b) 0.1	0.7 0.1	0.5 0.2	0.7 0.1	1.5 0.3	0.8 0.3	0.0 0.3	1.1 0.3	1.4 0.2	0.7 0.2	0.0 0.3	0.9 0.2
370	Conjunctivitis and ophthalmitis	(a) 27.5 (b) 12.0	25.9 16.1	23.4 14.2	25.0 15.4	29.8 17.9	24.4 13.3	21.4 14.9	25.5 19.3	25.2 17.0	22.2 15.2	22.3 14.0	25.0 15.9
372	Hordelium (stye)	(a) 9.0 (b) 2.2	6.8 4.3	9.3 6.0	8.3 5.8	14.2 9.9	13.4 9.1	14.1 9.4	13.2 9.1	11.9 7.7	10.4 6.9	11.9 8.2	11.4 7.6
371, 373-379	Other inflammatory diseases of eye	(a) 15.8 (b) 6.4	11.5 5.8	9.4 5.2	11.0 5.7	10.8 7.2	15.9 8.2	14.8 8.6	13.8 9.0	12.1 6.9	12.9 7.0	12.3 7.0	12.0 7.0
380	Refractive errors	(a) 19.1 (b) 18.0	11.8 11.6	15.6 14.1	15.8 14.8	22.7 21.9	17.0 15.0	15.1 15.0	16.9 17.8	21.7 20.1	14.7 14.0	13.0 14.0	17.5 16.2
381-389	Other diseases and condi- tions of eye	(a) 14.1 (b) 7.7	14.2 7.2	10.7 5.5	13.0 8.3	15.5 9.0	20.0 9.5	15.9 7.8	17.5 9.1	15.4 8.7	17.4 9.0	13.5 6.8	15.4 8.0
890	Otitis externa	(a) 10.6 (b) 4.6	13.5 4.7	11.3 5.5	11.0 5.0	15.0 8.0	9.8 4.0	14.0 5.5	13.1 5.7	13.0 5.8	11.5 4.6	12.1 5.5	12.5 5.4
391	Otitis media without mention of mastoiditis	(a) 98.5 (b) 34.0	95.3 32.4	75.9 29.4	99.2 32.1	79.1 29.0	82.8 29.8	74.5 25.1	76.4 27.8	89.2 31.2	88.3 30.4	75.1 27.6	83.2 28.7
392, 393	Mastoiditis (with or without mention of otitis media)	(a) 3.4 (b) 0.7	2.7 0.3	0.9 0.5	2.3 0.8	1.3 0.3	0.8 0.5	2.0 0.4	1.4 0.4	2.2 0.5	1.7 0.6	1.5 0.4	1.8 0.5

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class ^a No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
394	Other inflammatory diseases of ear	5.1 3.2	2.6 2.1	2.2 1.9	3.4 2.4	5.7 4.0	3.0 2.4	2.8 2.2	4.1 2.9	5.4 3.7	3.4 2.2	2.5 2.1	3.8 2.7
396	Ménière's disease	5.2 1.2	2.9 0.9	3.8 1.2	4.0 1.1	8.8 1.9	10.3 2.0	5.3 1.9	8.5 1.9	7.2 1.8	7.0 1.5	5.1 1.6	6.4 1.8
398	Other diseases of ear and nasal process	30.2 24.9	37.5 26.2	34.2 24.3	38.0 28.1	27.9 19.9	21.3 14.7	32.2 21.9	27.1 18.8	31.8 22.1	28.7 19.9	33.1 22.0	31.1 21.7
397, 398	Deafness	3.1 2.2	6.0 4.0	5.8 4.2	4.9 3.5	2.8 2.1	4.5 2.6	4.2 2.8	3.9 2.8	2.9 2.2	5.3 3.4	4.8 3.5	4.3 3.0
400-402	Rheumatic fever	5.7 0.8	2.8 0.5	2.2 0.6	3.8 0.6	3.6 1.0	3.4 0.7	2.4 0.5	3.1 0.7	4.5 0.9	3.0 0.5	2.7 0.6	3.4 0.6
410-412	Chronic rheumatic heart disease	3.6 0.7	3.2 0.5	3.2 0.7	3.4 0.6	25.1 3.1	7.0 1.3	11.1 1.9	14.4 2.1	15.0 2.0	5.3 1.0	7.5 1.4	9.5 1.6
420.0	Arteriosclerotic heart disease so described	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
420.1	Heart disease specified as involving coronary arteries	23.2 3.8	25.1 5.0	30.1 4.7	29.6 4.5	12.3 2.6	14.1 2.2	10.5 1.7	13.3 2.2	17.2 3.1	23.8 3.5	19.5 3.1	20.1 3.2
420.2	Angina pectoris without mention of coronary disease	19.0 3.6	11.6 2.4	6.5 2.1	12.4 2.7	9.8 2.7	7.4 1.7	7.3 1.5	7.9 2.1	13.3 3.1	9.3 2.0	6.9 1.9	9.8 2.3
421	Chronic endocarditis not specified as rheumatic	9.1 0.7	5.0 0.6	8.7 0.6	6.9 0.7	7.5 1.4	5.1 0.8	7.0 1.0	6.7 1.1	6.9 1.1	5.5 0.7	8.1 0.9	6.2 0.9

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
432	Other myocardial degeneration	(a) 35.9 (b) 6.6	33.1 5.4	34.3 4.9	34.1 5.6	39.1 6.0	39.3 5.5	35.4 5.3	34.6 5.6	32.6 6.2	36.7 5.4	34.9 5.1	34.4 5.6
433-434	Other diseases of heart	(a) 29.8 (b) 5.7	29.0 4.4	19.1 3.3	29.0 4.5	40.2 7.0	32.7 5.7	24.8 5.2	32.8 6.0	35.6 6.4	35.1 5.1	22.2 4.3	31.0 5.6
444	Essential benign hypertension without mention of heart	(a) 24.4 (b) 5.8	25.3 7.3	19.9 5.5	23.2 8.5	121.2 24.4	85.2 21.2	92.2 20.7	92.6 22.6	78.3 17.7	96.3 14.9	89.2 18.8	46.3 15.5
445-447	Other hypertensive disease	(a) 12.9 (b) 1.3	4.0 0.6	2.7 0.5	6.5 0.8	11.6 1.7	10.0 1.2	12.5 1.2	11.4 1.4	12.2 1.5	7.3 1.0	8.0 0.9	9.2 1.1
450	General arteriosclerosis	(a) 12.5 (b) 2.2	11.3 2.9	11.3 2.6	11.7 2.6	6.7 1.6	7.2 1.7	5.3 1.7	6.1 1.7	8.7 1.9	9.0 2.2	6.1 2.2	8.6 2.1
453, 2	Cerebral	(a) 2.5 (b) 1.6	2.5 2.2	1.2 1.2	2.1 1.7	7.1 5.0	8.5 6.3	5.2 3.6	7.3 5.0	5.0 3.4	5.9 4.5	3.4 2.6	4.8 3.6
451, 452, 453, 1, 453, 2, 454-456	Other diseases of arteries	(a) 4.8 (b) 1.2	10.2 1.5	8.5 2.7	7.9 1.8	2.1 1.6	4.1 2.2	2.7 2.9	4.6 2.2	2.8 1.4	6.8 1.9	7.8 2.2	6.1 2.0
460	Varicose veins of lower extremities	(a) 19.2 (b) 6.3	20.2 6.7	20.2 6.4	20.1 5.5	54.5 17.7	32.9 15.5	52.5 16.0	53.3 16.4	26.8 12.6	38.2 11.5	38.0 11.5	39.4 11.9
461	Hæmorrhoids	(a) 21.3 (b) 9.3	20.5 8.4	21.3 8.7	21.0 8.8	10.3 7.7	12.0 7.2	14.0 7.1	14.1 7.3	18.5 8.4	15.6 7.8	17.2 7.6	17.2 8.0
463, 464	Phlebitis and thrombophlebitis	(a) 5.2 (b) 1.7	4.2 1.4	5.8 1.5	5.4 1.5	19.2 4.0	8.0 2.1	17.2 3.9	14.9 3.3	13.4 3.0	6.2 1.8	12.2 2.7	10.6 2.6
465, 2	Lymphadenitis, unspecified	(a) 25.9 (b) 10.5	29.5 11.3	19.2 8.4	24.9 10.1	30.7 11.4	19.1 9.5	18.9 8.0	22.9 9.6	26.5 11.0	23.7 10.3	19.0 6.2	23.7 9.6
462, 465-465, 1, 466, 3	Other diseases of circulatory system	(a) 3.1 (b) 2.0	3.4 1.5	2.6 1.5	2.0 1.6	8.0 2.3	6.5 2.2	4.3 2.2	5.8 2.2	4.7 2.2	5.1 1.9	3.5 1.6	4.4 2.0

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class ^a No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1952		April 1952 to March 1953		April 1951 to March 1952		April 1952 to March 1953		April 1951 to March 1952		April 1952 to March 1953	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
(1)	(2)												
470	Acute nasopharyngitis (common cold)	(a) 229.8 (b) 182.4	221.2 112.3	160.0 83.8	207.0 106.2	203.3 136.5	245.9 122.4	177.2 95.4	228.8 118.1	252.9 130.2	224.8 117.8	188.5 90.0	219.0 112.7
471	Acute sinusitis	(a) 1.2 (b) 0.6	0.8 0.7	1.4 0.8	1.1 0.7	0.5 0.2	1.3 0.7	1.0 0.8	0.9 0.8	0.8 0.4	1.0 0.7	1.2 0.8	1.0 0.6
472	Acute pharyngitis	(a) 30.2 (b) 19.0	37.3 22.2	32.0 22.2	36.4 21.1	45.0 27.8	53.6 31.8	43.4 28.9	47.8 28.9	39.1 25.6	46.4 27.5	40.9 24.7	42.1 25.4
473	Acute tonsillitis	(a) 88.0 (b) 40.5	94.2 40.4	84.0 40.2	92.1 40.4	92.4 45.0	114.6 50.3	103.0 45.8	103.3 47.0	90.4 43.0	105.5 45.0	98.9 43.2	98.3 44.0
474, 475	Other acute upper respiratory infections	(a) 33.7 (b) 18.1	44.3 25.4	32.6 20.3	31.3 31.3	41.0 25.5	52.5 31.2	36.2 21.3	62.9 38.0	37.8 22.2	43.8 28.8	35.8 20.8	30.8 33.9
480-483	Influenza	(a) 130.2 (b) 51.5	202.6 76.2	85.4 32.0	139.5 53.9	80.4 42.1	190.8 76.5	75.3 31.6	115.8 50.7	108.0 46.3	194.2 78.4	79.9 31.8	129.0 52.2
480-483, 703	Pneumonia	(a) 50.9 (b) 12.0	57.8 10.1	33.3 7.0	47.3 9.7	49.8 8.9	39.3 8.4	31.1 6.1	40.1 7.8	50.3 10.2	47.8 9.1	32.1 8.5	43.3 8.6
500	Acute bronchitis	(a) 21.2 (b) 9.7	30.5 11.8	29.0 10.1	26.9 10.5	19.2 8.7	31.3 14.3	20.3 9.7	25.8 10.9	20.1 9.2	31.0 13.1	24.3 9.9	25.1 10.7
501	Bronchitis, unqualified	(a) 279.6 (b) 82.0	294.5 88.8	282.5 55.8	248.5 68.1	224.5 73.2	229.0 85.4	182.1 54.5	211.9 64.4	248.5 77.1	245.0 68.0	181.4 55.0	228.3 66.0
502	Chronic bronchitis	(a) 59.0 (b) 16.0	53.4 21.2	66.3 13.5	59.0 13.5	37.9 10.2	29.8 8.5	46.0 9.7	37.9 9.5	47.3 12.8	40.5 9.7	55.3 11.5	47.7 11.3

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
610	Hypertrophy of tonsils and adenoids	(a) 9.8 (b) 5.8	6.3 3.7	7.0 4.4	7.7 4.8	10.0 5.7	9.3 5.5	6.8 5.0	9.3 5.4	9.9 5.7	7.8 4.7	7.9 4.7	8.8 5.0
613	Chronic sinusitis	(a) 27.2 (b) 12.7	24.0 10.5	22.0 9.1	24.4 10.6	27.8 12.7	28.9 12.1	19.7 9.1	25.1 11.3	27.8 12.7	26.7 11.4	26.2 9.1	24.8 11.1
618	Pleurisy	(a) 16.2 (b) 5.0	10.2 2.6	8.0 1.9	11.7 2.5	7.4 1.8	11.0 3.2	9.5 1.8	9.3 2.3	11.3 2.3	11.0 2.9	9.8 1.9	10.4 2.4
623	Bronchiectasis	(a) 18.5 (b) 2.2	17.9 1.7	18.0 2.4	18.3 2.1	9.2 1.8	18.4 2.0	20.6 2.0	15.1 1.9	13.8 2.0	18.2 1.8	18.7 2.2	17.1 2.0
611, 612, 614-616, 620-625, 627	Other diseases of respiratory system	(a) 56.4 (b) 32.9	59.0 20.9	56.9 25.1	56.3 22.8	47.3 15.2	58.7 23.0	56.3 23.1	54.1 21.4	51.3 20.3	59.1 22.0	57.5 23.1	56.0 21.8
630-636	Diseases of teeth and supporting structures	(a) 24.0 (b) 20.5	24.7 15.5	20.2 13.8	28.3 16.5	25.0 21.4	20.4 18.0	23.0 17.1	20.8 18.2	35.1 21.0	26.7 15.8	24.5 15.6	28.8 17.4
639-650	Other diseases of buccal cavity and oesophagus	(a) 11.8 (b) 7.0	14.2 7.4	11.8 7.1	12.6 7.2	22.5 12.5	15.2 9.0	15.8 9.4	19.2 10.3	20.0 10.0	14.7 8.3	13.9 8.4	16.2 8.9
640	Ulcer of stomach	(a) 30.8 (b) 11.5	40.0 9.2	38.0 7.0	48.9 9.2	25.5 5.4	30.2 4.1	12.1 2.6	19.5 4.0	41.7 8.1	32.7 6.4	23.9 4.8	32.8 6.4
641	Ulcer of duodenum	(a) 25.0 (b) 7.0	42.0 7.9	40.6 9.0	39.2 8.0	2.3 2.0	18.3 3.4	16.9 3.2	14.8 2.9	20.2 4.2	22.9 5.4	27.7 5.8	25.8 5.1
645	Gastritis and duodenitis	(a) 51.4 (b) 25.6	38.0 17.5	27.9 12.3	39.1 18.1	48.5 23.9	33.4 18.7	32.2 16.0	37.4 18.9	48.7 22.8	35.5 17.0	30.2 14.8	38.1 18.5
646	Disorders of function of stomach	(a) 22.9 (b) 25.0	41.9 17.8	49.1 23.1	48.0 22.0	66.0 26.6	54.0 21.3	81.1 27.2	30.4 25.0	80.2 22.9	48.8 19.7	55.8 25.3	54.8 23.8
642, 645	Other diseases of stomach and duodenum	(a) 3.0 (b) 0.7	1.8 0.5	2.8 0.8	2.5 0.7	0.5 0.5	0.9 0.3	1.9 0.5	1.1 0.4	1.8 0.8	1.3 0.4	2.2 0.6	1.7 0.5
650-653	Appendicitis	(a) 14.7 (b) 5.0	8.3 3.0	11.2 3.6	11.5 3.8	20.7 5.8	11.5 3.7	11.5 4.1	14.5 4.5	18.0 5.5	10.1 3.4	11.4 3.9	13.2 4.3

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Inf. Case No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1961 to March 1962	April 1962 to March 1963	April 1963 to March 1964	Average annual rate	April 1961 to March 1962	April 1962 to March 1963	April 1963 to March 1964	Average annual rate	April 1961 to March 1962	April 1962 to March 1963	April 1963 to March 1964	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
560-561	Hernia of abdominal cavity (a) (b)	24.2 11.0	30.9 11.6	21.6 10.1	25.5 10.9	8.6 2.6	7.1 3.1	7.4 3.5	6.7 3.1	13.8 6.3	17.7 6.9	13.9 6.5	15.1 6.6
571, 784	Gastro-enteritis and colitis, except ulcerative (a) (b)	56.6 28.9	56.5 29.1	42.5 22.8	51.8 20.9	46.6 25.1	46.7 23.9	39.8 20.7	44.4 23.8	51.2 26.7	51.1 26.2	41.0 21.5	47.8 24.8
573.0	Constipation (a) (b)	15.7 9.2	12.8 8.9	14.3 8.4	14.8 8.2	22.4 13.2	16.9 9.6	17.9 10.7	19.1 11.2	19.4 11.4	15.1 6.5	10.2 9.7	10.9 9.9
570, 575, 573.1-573.3, 574-576	Other diseases of intestines and peritoneum (a) (b)	13.5 4.9	11.7 4.0	16.5 4.8	13.9 4.6	25.8 8.0	27.2 8.0	28.3 8.5	28.5 8.2	20.4 6.7	20.2 8.2	21.8 8.8	20.8 6.6
580-583	Diseases of liver (a) (b)	2.0 1.1	5.5 1.7	2.4 0.8	3.3 1.2	3.7 0.9	2.1 1.1	1.8 0.7	2.5 0.9	3.0 1.0	3.6 1.4	2.1 0.7	2.9 1.0
584-586	Diseases of gallbladder and biliary ducts (a) (b)	3.2 1.4	5.2 1.0	7.2 1.2	5.2 1.2	17.7 3.9	15.4 3.9	17.0 4.0	16.7 3.9	11.3 2.8	10.8 2.6	12.5 2.7	11.5 2.7
587	Diseases of pancreas (a) (b)	- -	2.1 0.1	0.4 0.1	0.8 0.1	- -	0.6 0.1	0.5 0.1	0.4 0.1	- -	1.2 0.1	0.4 0.1	0.5 0.1
590-594	Hepatitis and nephrosis (a) (b)	7.2 0.8	5.8 1.0	3.5 0.6	5.5 0.9	2.7 0.6	7.3 1.0	8.8 0.8	6.3 0.8	4.7 0.7	6.6 1.0	6.3 0.8	5.9 0.8
600.0	Pyelitis, pyelocystitis and pyelonephritis (a) (b)	11.0 3.5	5.7 1.4	7.8 1.8	8.1 2.3	32.8 10.1	27.9 7.4	18.8 5.2	26.5 7.6	23.2 7.2	18.0 4.7	13.7 3.7	15.3 5.2
605	Cystitis (a) (b)	13.3 4.7	12.9 4.9	10.1 4.5	12.1 4.7	45.6 19.4	45.6 19.4	41.4 18.3	45.3 18.0	31.2 12.9	32.7 12.8	27.1 12.0	30.3 12.6

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
600.1, 600.2, 601-604, 606-609	Other diseases of urinary system	(a) 8.5 (b) 2.1	(a) 5.0 (b) 1.6	(a) 5.8 (b) 1.7	(a) 6.4 (b) 1.9	(a) 5.6 (b) 2.0	(a) 4.4 (b) 0.9	(a) 2.7 (b) 2.0	(a) 6.8 (b) 1.8	(a) 9.1 (b) 2.1	(a) 4.7 (b) 1.3	(a) 6.2 (b) 1.9	(a) 6.7 (b) 1.6
610	Hyperplasia of prostate	(a) 10.2 (b) 2.2	(a) 4.0 (b) 1.6	(a) 3.1 (b) 1.3	(a) 5.6 (b) 1.7					(a) 4.5 (b) 1.0	(a) 1.9 (b) 0.7	(a) 1.4 (b) 0.6	(a) 2.6 (b) 0.5
611-617	Other diseases of male genital organs	(a) 19.5 (b) 8.3	(a) 15.5 (b) 6.9	(a) 16.4 (b) 7.4	(a) 17.6 (b) 7.6					(a) 8.8 (b) 3.6	(a) 7.0 (b) 3.1	(a) 8.4 (b) 3.5	(a) 8.5 (b) 3.5
620-621	Diseases of breast	(a) 1.1 (b) 0.5	(a) 0.3 (b) 0.3	(a) 0.4 (b) 0.3	(a) 0.3 (b) 0.3	(a) 11.8 (b) 3.8	(a) 6.4 (b) 3.5	(a) 13.4 (b) 4.7	(a) 11.1 (b) 4.0	(a) 6.6 (b) 2.3	(a) 4.7 (b) 2.1	(a) 7.6 (b) 2.7	(a) 6.4 (b) 2.4
622-628	Diseases of ovary, fallopian tube and parametrium	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 2.7 (b) 0.9	(a) 2.3 (b) 1.1	(a) 4.6 (b) 1.1	(a) 3.2 (b) 1.0	(a) 3.5 (b) 0.5	(a) 1.8 (b) 0.6	(a) 2.5 (b) 0.6	(a) 1.8 (b) 0.5
631	Uterovaginal prolapse	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 24.8 (b) 8.7	(a) 17.2 (b) 5.5	(a) 17.2 (b) 3.7	(a) 19.0 (b) 6.3	(a) 13.9 (b) 3.7	(a) 9.5 (b) 3.0	(a) 9.4 (b) 3.7	(a) 10.9 (b) 2.5
634	Disorders of menstruation	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 63.2 (b) 35.0	(a) 53.7 (b) 29.2	(a) 65.6 (b) 30.5	(a) 59.5 (b) 29.3	(a) 34.6 (b) 17.3	(a) 29.6 (b) 14.4	(a) 34.0 (b) 15.6	(a) 32.7 (b) 16.1
635	Menopausal symptoms	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 47.7 (b) 21.1	(a) 42.4 (b) 19.1	(a) 45.0 (b) 18.9	(a) 45.0 (b) 19.7	(a) 26.5 (b) 11.7	(a) 23.3 (b) 10.7	(a) 24.5 (b) 10.3	(a) 24.0 (b) 10.8
637.0	Leukorrhoea	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 13.1 (b) 6.6	(a) 9.9 (b) 3.4	(a) 8.6 (b) 5.2	(a) 9.2 (b) 5.1	(a) 7.3 (b) 3.5	(a) 3.3 (b) 1.6	(a) 4.7 (b) 2.9	(a) 5.1 (b) 2.6
638, 638, 633, 636, 637.1	Other diseases of uterus and other female genital organs	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 22.7 (b) 10.3	(a) 24.8 (b) 10.2	(a) 21.8 (b) 9.4	(a) 23.8 (b) 10.0	(a) 12.6 (b) 5.7	(a) 14.7 (b) 5.6	(a) 11.8 (b) 5.1	(a) 13.1 (b) 5.6
640-643	Complications of pregnancy	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 45.1 (b) 9.4	(a) 29.6 (b) 5.8	(a) 27.3 (b) 7.6	(a) 33.0 (b) 8.7	(a) 24.0 (b) 5.2	(a) 15.7 (b) 4.9	(a) 14.8 (b) 4.2	(a) 18.2 (b) 4.6
650-662	Abortion	(a) (b)	(a) (b)	(a) (b)	(a) (b)	(a) 10.9 (b) 3.9	(a) 14.2 (b) 3.7	(a) 15.6 (b) 3.5	(a) 12.5 (b) 3.7	(a) 6.0 (b) 2.2	(a) 7.8 (b) 2.0	(a) 6.3 (b) 1.8	(a) 6.9 (b) 2.0

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
670-678	Delivery with specified complication	(a)				4.0	0.6	1.3	2.0	2.2	0.4	0.7	1.1
	(b)					0.9	0.4	0.6	0.8	0.5	0.2	0.3	0.3
680-689	Complications of the puerperium	(a)				11.6	7.7	7.6	9.0	6.5	4.2	4.2	5.0
	(b)					4.6	3.3	3.0	3.8	2.8	1.8	1.8	2.0
690	Boil and carbuncle	(a)	79.3	78.1	82.6	40.3	43.8	44.7	42.9	65.5	59.8	60.0	60.8
	(b)	31.0	28.7	28.5	28.7	16.2	17.8	20.2	18.1	22.8	21.8	24.0	22.9
691	Cellulitis of finger and toe	(a)	22.5	22.7	23.4	31.1	25.1	23.4	25.9	27.3	24.0	25.1	24.8
	(b)	9.1	10.3	7.8	9.1	11.9	9.9	9.9	10.6	10.7	10.1	8.9	9.9
692-694	Other cellulitis and abscess; acute lymphadenitis	(a)	29.9	25.8	29.4	25.3	24.2	19.5	23.0	27.4	27.9	22.4	25.8
	(b)	10.1	11.8	9.8	10.6	7.9	9.1	7.3	8.1	8.9	10.3	8.5	9.2
695	Impetigo	(a)	19.2	15.8	15.8	8.7	12.4	10.2	10.4	13.4	12.6	12.8	12.9
	(b)	8.5	7.9	6.5	8.2	5.4	6.8	5.2	5.9	5.7	7.3	6.8	6.9
696	Infectious warts	(a)	5.5	7.7	8.9	7.2	9.8	9.2	8.7	8.5	8.9	8.4	7.9
	(b)	3.7	4.5	4.8	4.4	4.3	5.2	5.0	5.2	4.0	4.8	5.4	4.8
700, 702, 703	Dermatitis	(a)	43.6	37.3	40.4	41.6	35.0	35.1	37.2	42.5	37.4	39.1	39.7
	(b)	15.5	14.4	14.4	14.8	16.0	13.8	16.0	15.3	15.8	14.1	15.2	15.0
701	Eczema	(a)	36.8	27.5	36.3	27.9	35.2	31.0	31.4	31.8	27.7	24.0	24.5
	(b)	11.5	16.6	14.8	14.3	11.5	15.2	14.3	13.7	11.5	15.8	14.5	13.9
706	Pooriasis and similar diagnoses	(a)	4.6	5.2	5.3	6.4	7.9	5.9	6.7	5.8	6.7	6.0	6.1
	(b)	2.6	2.7	3.0	2.8	3.1	3.1	2.8	3.0	2.9	2.9	2.9	2.9

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
700	Puritis and related conditions	(a) 8.2 (b) 3.8	6.9 2.8	5.0 2.8	6.7 3.2	18.6 7.4	15.0 6.1	18.5 8.1	18.4 7.2	12.3 5.9	11.4 4.7	13.5 5.7	12.0 5.4
714.1	Acne	(a) 9.1 (b) 5.4	5.5 2.9	6.4 3.5	7.0 3.9	11.8 6.4	8.8 4.7	8.9 5.1	10.2 5.4	10.6 5.9	7.8 3.9	7.9 4.4	8.8 4.7
697, 698, 704, 705, 707, 709-713, 714.0, 714.2, 715, 716	Other diseases of skin and cellular tissue	(a) 65.3 (b) 29.1	56.0 25.2	57.1 29.0	60.1 27.8	80.8 28.8	50.1 21.8	58.8 28.8	58.8 26.7	62.8 26.9	53.7 23.1	66.0 27.7	56.2 26.6
722.0	Rheumatoid arthritis	(a) 9.1 (b) 1.9	11.0 1.9	11.9 2.3	10.9 2.0	31.2 5.8	34.9 8.8	27.0 5.5	31.0 6.0	21.4 4.1	24.4 4.6	20.1 4.0	22.0 4.2
723.0	Osteo-arthritis (arthrosis)	(a) 21.1 (b) 4.5	18.3 4.7	20.3 5.0	18.8 4.7	29.3 9.9	34.0 10.8	36.5 12.2	33.3 10.6	25.7 8.9	27.0 8.0	28.1 8.8	27.3 7.9
725	Arthritis, unspecified	(a) 21.3 (b) 8.0	18.4 5.0	15.8 4.8	18.5 5.9	50.8 15.4	28.1 11.0	32.3 8.9	37.1 12.1	37.7 12.1	23.7 8.3	34.8 7.5	28.7 9.3
726.0	Lumbago	(a) 26.2 (b) 11.6	25.2 10.5	30.8 8.5	24.1 10.5	15.8 8.5	17.4 10.6	11.8 6.8	15.0 6.5	20.4 8.0	20.8 10.4	18.0 7.9	19.1 9.4
726.3	Other muscular rheumatism, fibrositis and myalgia	(a) 70.7 (b) 28.9	60.2 28.9	44.9 20.8	58.8 25.5	74.2 35.1	87.7 35.0	65.0 32.3	68.3 34.1	72.6 32.3	64.8 31.3	64.7 27.1	63.9 30.2
727	Rheumatism, unspecified	(a) 29.8 (b) 12.7	22.4 8.0	20.7 8.4	24.3 9.7	98.4 23.9	42.4 17.0	54.1 20.1	64.3 22.0	68.9 21.7	33.4 13.0	38.8 14.8	40.4 16.5
728, 729, 722.1, 722.2, 723.1, 723.2, 724, 725.1 728-2	Other forms of arthritis and rheumatism	(a) 7.3 (b) 3.2	12.1 3.6	11.1 5.0	10.2 3.9	9.1 4.5	13.0 4.2	13.8 5.7	12.0 4.7	8.3 3.8	12.8 3.9	12.6 5.4	11.2 4.4

(a) consultations

(b) patients consulting

TABLE 3 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
734	Internal derangement of knee joint	(a) (b)	4.6 1.7	2.5 0.9	1.8 0.6	2.0 0.7	1.3 0.4	0.1 0.1	1.1 0.4	3.1 1.2	1.8 0.6	0.8 0.3	1.0 0.7
741, 742	Synovitis, bursitis and tendosynovitis	(a) (b)	15.8 7.7	17.5 7.3	19.8 9.8	17.6 8.3	20.1 9.1	18.9 9.2	19.2 8.6	15.2 8.0	19.3 8.3	18.1 9.5	18.5 8.6
750-753, 755-740, 743-749	Other diseases of bones and organs of movement	(a) (b)	32.7 12.0	36.1 11.8	47.9 14.8	39.9 12.8	31.0 12.1	35.5 16.0	31.5 13.8	31.8 12.1	31.6 12.2	41.2 15.4	34.9 13.2
760-769	Congenital malformations	(a) (b)	7.7 2.1	5.1 2.6	7.8 3.0	6.8 2.6	4.1 1.5	3.5 1.7	3.1 1.3	5.7 1.8	4.2 2.1	5.1 2.1	5.0 2.0
760-776	Certain diseases of early infancy (excluding pneumonia (763) and diarrhoea (764) of newborn)	(a) (b)	7.2 3.5	6.8 2.7	5.8 2.8	8.5 3.0	8.8 3.5	4.5 2.5	6.4 2.6	8.0 3.5	6.4 2.6	5.0 2.6	6.5 2.9
780.8	Vertigo	(a) (b)	8.2 3.4	5.3 2.1	9.9 4.5	7.1 3.3	10.2 5.1	11.1 5.7	12.7 5.6	8.4 4.3	8.5 4.1	11.4 5.1	9.4 4.5
780.7	Disturbance of sleep	(a) (b)	8.4 4.3	11.2 5.8	12.8 8.3	10.8 5.5	21.8 10.6	29.1 14.1	26.4 12.8	15.9 7.8	21.0 10.4	20.2 9.8	19.0 9.3
780.0-780.5, 780.8, 780.9, 781	Other symptoms referable to nervous system and special senses	(a) (b)	11.1 4.3	3.4 1.9	5.5 2.4	6.7 2.9	7.6 4.1	7.9 3.8	7.2 4.1	9.2 4.2	5.8 3.0	6.4 3.3	7.1 3.5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
782.0	Pre-cordial pain	(a) 0.5 (b) 0.2	0.7 0.3	0.5 0.4	0.8 0.3	0.7 0.4	0.6 0.2	0.3 0.2	0.5 0.3	0.8 0.3	0.6 0.3	0.4 0.2	0.5 0.3
782.1	Palpitation	(a) 0.3 (b) 0.2	0.5 0.3	0.4 0.2	0.4 0.2	1.2 0.8	0.7 0.4	0.4 0.3	0.8 0.4	0.8 0.4	0.6 0.4	0.4 0.2	0.6 0.3
782.2	Tachycardia	(a) 0.8 (b) 0.3	0.3 0.2	0.3 0.2	0.4 0.2	3.0 1.4	2.5 1.0	4.5 1.4	3.3 1.3	1.9 0.9	1.6 0.6	2.5 0.8	2.0 0.8
782.8	Oedema and dropsy (not of newborn)	(a) 4.1 (b) 1.6	3.0 1.1	1.3 0.9	2.8 1.3	7.5 2.9	3.9 1.8	4.0 1.7	5.1 2.1	6.0 2.3	3.5 1.5	2.8 1.3	4.1 1.7
782.3-782.5, 782.7-782.9	Other symptoms referable to cardiovascular and lymphatic system	(a) 10.9 (b) 3.4	16.8 4.9	13.1 5.0	15.3 4.4	19.2 8.2	16.4 4.7	24.0 5.4	19.2 5.6	15.5 4.9	15.0 4.6	19.0 5.6	16.5 5.2
783.0	Epicarditis	(a) 4.2 (b) 2.7	4.4 2.3	3.5 2.4	4.0 2.5	3.0 1.9	2.7 2.3	5.1 2.6	3.9 2.3	3.5 2.3	4.0 2.3	4.4 2.6	4.0 2.4
783.2	Dyspnoea	(a) 2.5 (b) 1.1	1.2 0.5	1.4 0.8	1.7 0.8	1.6 0.6	1.7 0.7	1.1 0.7	1.5 0.7	2.0 0.8	1.5 0.7	1.2 0.7	1.6 0.7
783.3	Cough	(a) 27.0 (b) 21.4	27.5 17.2	29.4 15.7	30.3 18.1	31.3 31.1	34.8 22.2	29.7 17.6	38.3 23.6	44.9 29.8	31.6 20.0	27.6 16.7	34.7 21.2
783.7	Pain in chest	(a) 13.8 (b) 5.4	10.7 4.9	9.6 5.8	11.4 8.3	14.4 7.8	8.9 4.8	10.1 5.2	11.1 5.9	14.1 8.7	9.7 4.8	9.9 5.4	11.2 5.9
783.1, 783.4-783.6	Other symptoms referable to respiratory system	(a) 8.8 (b) 2.6	5.3 1.5	3.8 1.0	5.2 1.7	5.3 1.5	7.8 2.4	2.4 0.9	5.2 1.6	5.9 2.0	6.8 2.0	2.0 0.9	5.1 1.6
784.0	Anorexia	(a) 1.8 (b) 1.5	2.3 1.7	1.3 1.0	1.8 1.4	4.1 2.8	3.2 2.4	1.9 1.7	3.1 2.3	3.1 2.3	2.8 2.1	1.6 1.4	2.5 1.9
784.1	Nausea and vomiting	(a) 5.7 (b) 3.7	4.1 3.1	11.9 8.2	7.2 5.0	5.9 4.1	7.5 4.5	12.1 7.8	9.5 5.6	5.6 3.9	6.0 3.9	12.0 8.0	7.9 5.3

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class'n. No.	DISEASE OR CONDITION	MALES					FEMALES				PERSONS			
		April 1951 to March 1953	April 1953 to March 1954	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1953 to March 1954	April 1953 to March 1954	April 1953 to March 1954	Average annual rate	April 1951 to March 1953	April 1953 to March 1954	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
785.2	Jaundice	(a) 1.2 (b) 0.2	1.0 0.6	1.0 0.4	1.3 0.4	0.2 0.1	1.0 0.4	0.6 0.1	0.6 0.2	0.6 0.2	1.0 0.5	0.8 0.2	1.0 0.3	
785.4	Flatulence	(a) 0.7 (b) 0.6	0.6 0.3	0.8 0.3	0.7 0.4	1.1 0.6	1.0 0.5	0.7 0.8	0.9 0.7	1.0 0.7	0.9 0.5	0.6 0.4	0.8 0.5	
785.5	Abdominal pain	(a) 14.9 (b) 8.5	14.8 8.6	16.8 9.8	15.5 9.0	23.8 12.5	21.5 11.0	21.8 11.8	22.4 11.6	19.8 10.7	18.3 10.0	19.5 10.6	19.3 10.5	
785.6	Diarrhoea, age 2 years and over	(a) 12.1 (b) 7.6	7.0 5.0	12.1 8.5	10.4 7.0	9.3 5.8	10.1 5.7	11.2 7.5	10.2 6.3	10.3 0.4	8.7 5.4	11.8 7.9	10.3 8.8	
784.2-784.3, 785.0, 785.1, 785.5, 785.7-785.9	Other symptoms referable to abdomen and gastro-intestinal system	(a) 2.3 (b) 1.2	7.1 1.6	3.4 1.5	4.3 1.4	3.4 1.6	3.9 1.5	3.3 1.6	3.2 1.8	2.9 1.8	4.8 1.6	3.3 1.5	3.7 1.5	
785.1	Retention of urine	(a) 1.6 (b) 0.6	1.1 0.7	1.2 0.5	1.3 0.6	0.1 0.1	0.7 0.4	0.1 0.1	0.3 0.2	0.7 0.3	0.9 0.6	0.5 0.3	0.7 0.4	
785.2	Incontinence of urine	(a) 6.0 (b) 2.8	3.0 1.9	3.4 2.2	4.1 2.2	3.5 2.5	4.5 1.7	2.6 1.4	3.5 1.9	4.6 2.6	3.8 1.6	3.0 1.8	3.8 2.1	
785.3	Frequency of micturition	(a) 1.0 (b) 0.5	0.3 0.3	1.5 0.6	0.9 0.5	0.6 0.5	0.9 0.5	1.6 1.2	1.1 0.7	0.9 0.5	0.7 0.4	1.5 1.0	1.0 0.6	
785.0, 785.7	Other symptoms referable to genito-urinary system	(a) 2.4 (b) 0.6	3.3 1.1	4.6 2.3	3.4 1.4	5.1 2.4	2.3 1.4	3.6 1.7	3.7 1.6	3.9 1.7	2.7 1.3	4.0 2.0	3.5 1.7	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
788.6	Pain in back	(a) 3.2 (b) 1.6	3.1 1.6	6.6 3.6	4.3 2.4	10.9 7.7	6.5 3.7	10.6 7.2	9.3 6.2	7.5 5.0	5.0 2.9	8.6 5.7	7.1 4.6
787.0-787.4, 787.6, 787.7	Other symptoms referable to limbs and back	(a) 5.6 (b) 4.6	5.4 4.0	8.1 4.9	6.4 4.6	7.8 5.9	10.5 5.4	8.6 6.3	8.9 5.8	8.7 5.3	8.2 4.6	8.4 5.6	7.8 5.2
788.2	Rash	(a) 5.4 (b) 4.5	6.0 4.2	4.6 4.1	5.4 4.3	8.6 6.1	4.6 2.4	6.2 4.0	6.5 4.2	7.2 5.4	5.2 3.2	5.6 4.0	6.0 4.2
788.8	Pyrexia of unknown origin	(a) 18.5 (b) 7.3	20.1 9.0	22.8 9.9	20.5 8.9	19.2 8.1	12.9 6.3	16.6 7.1	16.3 7.2	16.9 8.0	15.7 7.5	19.5 8.4	18.4 8.0
788.0, 788.1, 788.3-788.7, 788.8	Other general symptoms	(a) 8.2 (b) 6.9	7.1 4.7	6.7 4.2	7.3 4.9	6.6 5.2	6.7 4.2	7.9 4.9	7.6 4.3	7.4 5.5	8.0 4.4	7.4 4.6	7.6 4.8
789	Abnormal urinary consti- tuents of unspecified cause	(a) 4.0 (b) 1.2	3.9 1.3	4.2 1.1	4.0 1.2	3.2 1.2	2.2 0.7	2.9 1.0	2.3 1.0	3.7 1.2	3.0 1.0	3.5 1.0	3.4 1.1
790.0	Nervousness	(a) 1.5 (b) 0.7	0.5 0.4	0.5 0.4	0.6 0.5	2.4 2.0	1.4 1.0	1.2 0.7	1.7 1.2	2.0 1.4	1.0 0.7	0.9 0.5	1.3 0.9
790.1	Debility and undue fatigue	(a) 12.9 (b) 8.2	9.0 8.0	13.1 8.6	11.7 7.6	33.1 19.4	23.8 16.0	35.3 18.6	33.1 18.0	34.2 14.4	22.4 11.5	25.7 14.0	23.4 12.3
790.2	Depression	(a) 3.4 (b) 1.7	2.2 1.4	7.5 2.4	4.4 1.8	9.5 5.2	12.7 5.7	17.7 9.3	13.3 6.7	6.8 3.7	6.0 3.8	13.1 6.2	9.3 4.8
791	Headache	(a) 10.5 (b) 6.5	8.6 5.3	9.7 8.1	9.5 5.9	23.8 19.0	21.9 14.1	20.6 13.6	23.6 15.6	20.7 13.3	15.9 10.2	18.7 10.3	17.4 11.3
794	Sedility without mention of psychosis	(a) 14.4 (b) 3.3	10.6 3.4	7.6 2.1	10.9 3.1	37.9 8.2	28.9 6.8	30.1 6.0	32.3 7.0	27.5 6.2	20.7 5.3	19.9 4.2	22.7 5.2
795, 793, 795.0-795.4	Other ill-defined diseases	(a) 2.1 (b) 1.1	1.6 0.5	0.6 0.5	1.4 0.7	2.2 0.6	0.9 0.4	2.1 0.5	1.7 0.6	2.2 0.8	1.2 0.5	1.4 0.5	1.6 0.6

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class. No.	DISEASE OR CONDITION	MALES				FEMALES				PERSONS			
		April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
(1)	(2)												
785.5	(a) Other, unknown, and unspecified causes	6.9	6.1	9.1	7.4	11.3	8.3	9.2	8.9	9.4	9.2	9.2	8.8
	(b)	5.6	4.5	6.6	5.5	7.8	4.9	7.7	6.8	6.6	4.7	7.2	6.2
N800-N809	Fractures	31.7	33.7	28.1	31.5	18.8	19.3	21.0	19.0	23.4	25.8	24.7	24.6
	(b)	8.2	9.0	7.9	8.4	4.8	5.8	6.9	5.8	8.5	7.1	7.4	8.9
N810-N819	Dislocation without fracture	1.6	1.9	1.6	1.7	0.9	0.9	0.8	0.9	1.2	1.4	1.2	1.3
	(b)	0.7	0.8	0.8	0.7	0.6	0.6	0.4	0.5	0.5	0.7	0.6	0.6
N840-N849	Sprains and strains of joints and adjacent muscles	38.4	37.3	39.7	38.8	24.2	28.8	24.2	29.0	29.8	32.5	35.3	32.5
	(b)	18.3	20.2	21.1	19.9	14.6	16.6	17.9	18.5	18.3	18.1	19.4	17.9
N850-N859	Head injury (excluding skull fracture)	10.3	11.4	7.0	9.6	5.8	3.9	5.8	6.2	7.8	7.3	6.3	7.1
	(b)	5.7	4.7	3.3	4.7	3.3	2.6	2.9	2.9	4.3	3.5	3.5	3.7
N860-N869	Internal injury of chest, abdomen and pelvis	0.1	0.3	0.2	0.2	-	-	0.5	0.2	0.0	0.1	0.4	0.2
	(b)	0.1	0.1	0.2	0.1	-	-	0.4	0.1	0.0	0.1	0.3	0.1
N870-N898	Laceration and open wound	27.8	38.1	31.9	35.9	18.8	19.2	18.1	18.1	27.2	27.7	23.4	25.1
	(b)	17.1	15.9	14.6	15.9	8.7	8.8	7.3	8.2	12.4	11.9	10.7	11.7
N810-N918	Superficial injury	15.9	15.8	11.3	14.7	12.3	11.3	13.9	13.8	17.4	12.4	12.7	14.2
	(b)	11.3	9.2	7.1	9.2	12.0	7.8	9.8	9.0	11.7	8.4	8.6	9.8
N820-N889	Contusion and crushing with intact skin surface	33.8	30.0	23.2	28.9	20.3	23.1	22.3	21.9	26.2	23.2	22.7	25.0
	(b)	17.8	17.0	13.6	16.1	12.0	14.0	15.5	12.8	14.5	15.3	15.0	14.3

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
M830-M838	Effects of foreign body entering through orifice	(a) 5.1 (b) 3.4	4.9 3.3	4.8 4.0	4.9 3.8	2.2 2.7	2.7 2.2	3.1 2.6	3.0 2.4	4.1 3.0	3.7 2.7	3.9 3.2	3.9 3.0
	Burns	(a) 8.3 (b) 4.5	13.3 5.5	9.4 4.6	10.3 4.9	15.0 6.4	12.8 5.3	14.5 6.2	14.4 6.0	12.5 5.5	13.0 5.4	12.2 5.5	12.2 5.5
M850-M859	Injury to nerves and spinal cord without bone injury	(a) - (b) -	0.3 0.3	0.1 0.1	0.1 0.1	- -	0.2 0.1	- -	0.1 0.0	- -	0.2 0.2	0.0 0.0	0.1 0.1
M870-M879	Effects of poisons	(a) 1.8 (b) 0.9	1.8 1.3	2.1 1.8	1.8 1.3	0.3 0.3	3.5 2.2	2.4 2.0	2.1 1.8	0.9 0.6	2.7 2.3	2.2 1.8	1.9 1.6
M880-M889	Effects of weather, exposure, and related conditions	(a) 1.3 (b) 1.2	1.1 0.8	1.0 1.0	1.3 1.0	1.0 0.9	1.7 1.2	1.5 1.4	1.4 1.2	1.1 1.0	1.4 1.0	1.5 1.2	1.2 1.1
M890-M899	Other and unspecified injuries and reactions	(a) 49.2 (b) 22.3	35.1 15.1	49.3 20.4	44.5 19.3	33.9 14.8	24.1 10.7	35.5 15.4	31.2 13.8	40.7 18.1	28.0 12.4	41.8 17.7	37.2 16.1
-	Persons receiving prophylactic inoculation and vaccination	(a) 41.1 (b) 18.6	45.3 20.7	39.3 18.8	41.9 19.4	37.1 17.8	39.8 17.4	35.6 15.7	37.5 17.0	33.8 18.2	42.3 18.9	37.3 17.1	39.5 16.1
-	Other special conditions and examinations without sickness	(a) 4.5 (b) 2.2	3.2 2.7	5.8 3.0	4.5 2.6	6.4 3.8	3.7 2.5	2.8 1.7	4.3 2.7	5.6 3.1	3.5 2.6	4.2 2.3	4.4 2.7
-	Maternity routine ante-natal examination	(a) - (b) -	- -	- -	- -	133.7 34.9	133.4 34.3	143.7 25.8	138.9 35.0	74.4 18.4	73.5 18.9	78.1 19.4	75.3 18.2
-	Other maternity examination	(a) - (b) -	- -	- -	- -	51.0 15.0	62.3 18.8	51.0 12.4	54.8 15.3	28.4 8.2	34.3 10.2	27.7 6.8	30.1 6.4

(a) consultations (b) patients consulting

TABLE 3 (Contd.)

Int. Class ^a , No.	DISEASE OR CONDITION	MALES				FEMALES				TOTALS			
		April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate	April 1951 to March 1952	April 1952 to March 1953	April 1953 to March 1954	Average annual rate
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
-	Other examinations for reasons other than sickness	11.8 (a) 9.8 (b)	10.8 9.8	14.7 18.1	12.1 10.7	8.6 5.9	7.2 6.6	9.0 6.1	7.9 6.6	6.7 7.6	6.6 7.8	11.6 10.4	9.6 8.6
-	Infant welfare	10.2 (a) 8.7 (b)	10.6 8.6	9.6 2.9	10.2 8.4	11.5 8.7	9.1 3.6	6.6 2.3	9.1 3.2	10.6 3.7	9.6 3.5	8.6 2.6	9.6 3.3
-	Other reasons for consultation	9.3 (a) 7.5 (b)	15.3 15.6	17.1 14.6	14.9 12.5	15.6 12.1	16.9 14.4	18.5 15.2	17.1 13.9	12.9 10.1	17.5 14.9	17.9 14.9	16.1 13.5
	ALL DISEASES AND CONDITIONS *	5,864 (a) 3,695 (b)	3,436 3,436	5,105 5,105	5,301 554.8	4,197 739.7	4,112 722.1	3,939 713.1	4,083 726.0	3,827 703.6	3,804 696.4	3,597 675.9	3,731 693.3

(a) consultations (b) patients consulting

*Totals are actual numbers and not costs of figures for separate diseases

TABLE 4. - Principal diseases and conditions diagnosed, showing weighted consultations with distribution per 1,000 consultations for all diseases and conditions.
April, 1953 to March 1954.

All practices combined

Note: Where more than one disease was diagnosed at a consultation (multiple-diagnosis consultations) each has been fractionally weighted according to the number of different diseases diagnosed. The resulting "weighted" consultations in this table therefore correct the overstatement caused by counting each disease separately. (See note to Table 2.)

Int. Classn. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
001-009	Tuberculosis of respiratory system	228	7.2
010-019	Tuberculosis, other forms	168	1.3
020-029	Syphilis, gonococcal infection and other venereal diseases	104	0.8
040-049	Infectious diseases commonly arising in intestinal tract	189	1.5
050	Scarlet fever	497	3.9
051	Streptococcal sore throat	129	1.0
055	Diphtheria	8	3.1
058	Whooping cough	767	5.8
059	Meningococcal infections	1	0.0
052-054, 059-064	Other bacterial diseases	93	0.6
080	Acute poliomyelitis	19	0.1
082	Acute infectious encephalitis	-	-
085	Measles	964	7.5
086	Rubella (German measles)	262	2.2
087	Chickenpox	433	3.4
088	Herpes zoster	361	2.8
089	Mumps	325	2.6
092	Infectious hepatitis	136	1.2
08e.0	Herpes febrilis	98	0.7
130.1	Oxyuriasis	233	1.8
131	Dermatophytosis	310	2.4
Repr. 001-139	Other inf. & parasitic diseases	295	2.1
Malignant neoplasms			
140-148	Oral cavity and pharynx	12	0.1
151	Stomach	58	0.5
153	Large intestine, except rectum	111	0.9
154	Rectum	376	2.9
150, 152, 155-159	Other digestive organs and peritoneum	22	0.2
162, 163	Lung, bronchus and trachea	297	2.1
160, 161, 164, 165	Other respiratory system	11	0.1
170	Breast	153	1.2
171-174	Uterus	20	0.2
177	Prostate	59	0.5
175, 176, 179-181	Other genito-urinary organs	42	0.3

TABLE 4 (Contd.)

Int. Classn. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
180-199	Other and unspecified sites	198	1.5
204	Leukaemia and aleukaemia	-	-
200-203, 205	Other neoplasms of lymphatic and haematopoietic tissues	26	0.3
<u>Benign neoplasms</u>			
210, 211	Digestive system	22	0.2
212	Respiratory system	7	0.1
213, 217	Breast and female genital organs	199	1.5
220-222	Skin	77	0.8
215, 219, 223-229	Other and unspecified organs and tissues	159	1.2
<u>Neoplasms of unspecified nature</u>			
232-235	Breast and female genital organs	3	0.0
237, 241, 242-249	Other and unspecified organs	69	0.7
240	Hayfever	366	2.9
241	Asthma	1,497	11.8
243	Urticaria	778	6.1
242, 244, 245	Other allergic disorders	212	1.6
250, 251	Simple goitre and nontoxic nodular goitre	60	0.5
252	Thyrotoxicosis with or without goitre	170	1.3
253	Myxoedema and cretinism	219	1.7
254	Other diseases of thyroid gland	5	0.0
260	Diabetes mellitus	867	5.3
270-277	Diseases of other endocrine glands	56	0.4
287	Obesity, not specified as of endocrine origin	657	5.1
288	Gout	53	0.4
280-286, 289	Avitaminoses, and other metabolic diseases	93	0.7
290.0	Pernicious anaemia	379	2.9
290.1, 290.3 291-293	Other anaemias	909	7.1
294-299	Other diseases of blood and blood- forming organs	77	0.6
300-309	Psychoses	171	1.3
310	Anxiety reaction without mention of somatic symptoms	1,847	12.3
311	Hysterical reaction without mention of anxiety reaction	142	1.1
312.3	Asthenic reaction	1,128	8.9
312-317, 318.0, 318.1, 318.2, 318.4	Other specified psychoneurotic disorders	620	4.8
319.5	Unspecified psychoneurotic disorders	1,380	10.6
322	Alcoholism	24	0.2
323	Mental deficiency	65	0.5
300, 321, 322, 324 325	Other disorders of character, behaviour and intelligence	163	1.3
330-334	Vascular lesions affecting central nervous system	710	5.5

TABLE 4 (Contd.)

Int. Classn. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
345	Multiple sclerosis	208	1.8
350	Paralysis agitans	186	1.4
353	Epilepsy	647	5.0
354	Migraine	546	4.2
340-344, 351-352, 355-357	Other diseases of central nervous system	260	2.0
363	Sciatica	399	3.0
360-362, 364, 365	Other specified forms of neuralgia and neuritis	228	1.8
366	Unspecified forms of neuralgia and neuritis	403	3.1
367-369	Other diseases of nerves and peripheral ganglia	21	0.2
370	Conjunctivitis and ophthalmia	749	5.8
372	Hordeolum (stye)	415	3.2
371, 373-379	Other inflammatory diseases of eye	392	3.0
380	Refractive errors	561	4.4
381-389	Other diseases and conditions of eye	449	3.5
390	Otitis externa	429	3.4
391	Otitis media without mention of mastoiditis	2,534	19.7
392, 393	Mastoiditis (with or without mention of otitis media)	53	0.4
394	Other inflammatory diseases of ear	86	0.7
395	Meniere's disease	178	1.4
396	Other diseases of ear and mastoid process	1,125	8.8
397, 398	Deafness	163	1.3
400-402	Rheumatic fever	97	0.8
410-416	Chronic rheumatic heart disease	229	1.9
420.0	Arteriosclerotic heart disease so described	-	-
420.1	Heart disease specified as involving coronary arteries	647	5.0
420.2	Angina pectoris without mention of coronary disease	229	1.9
421	Chronic endocarditis not specified as rheumatic	285	2.1
422	Other myocardial degeneration	1,048	8.1
430-434	Other diseases of heart	740	5.8
444	Essential benign hypertension without mention of heart	1,882	14.6
440-443, 445-447	Other hypertensive disease	271	2.1
450	General arteriosclerosis	278	2.2
453.2	Chilblains	113	0.9
451, 452, 453.0, 453.1, 453.3, 454-456	Other diseases of arteries	240	1.9
460	Varicose veins of lower extremities	1,256	9.8
461	Hæmorrhoids	590	4.5

TABLE 4 (Contd.)

Int. Classn. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
463, 464	Phlebitis and thrombophlebitis	409	3.2
465.2	Lymphadenitis, unqualified	619	4.8
462, 465- 468.1, 468.3	Other diseases of circulatory system	116	0.9
470	Acute nasopharyngitis (common cold)	5,708	44.4
471	Acute sinusitis	41	0.3
472	Acute pharyngitis	1,434	11.1
473	Acute tonsillitis	2,437	26.7
474, 475	Other acute upper respiratory infections	3,393	26.3
480-483	Influenza	2,746	21.4
490-493, 763	Pneumonia	1,124	8.7
500	Acute bronchitis	651	6.6
501	Bronchitis, unqualified	6,139	47.6
502	Chronic bronchitis	1,671	14.6
510	Hypertrophy of tonsils and adenoids	285	2.1
513	Chronic sinusitis	657	5.1
519	Pleurisy	204	2.4
526	Bronchiectasis	672	5.2
511, 512, 514-518, 520-526, 527	Other diseases of respiratory system	1,897	14.7
530-535	Diseases of teeth and supporting structures	819	6.4
536-539	Other diseases of buccal cavity and oesophagus	476	3.7
540	Ulcer of stomach	776	6.1
541	Ulcer of duodenum	934	7.3
543	Gastritis and duodenitis	1,056	8.2
544	Disorders of function of stomach	1,614	14.1
542, 545	Other diseases of stomach and duodenum	79	0.6
550-553	Appendicitis	403	3.1
560-561	Hernia of abdominal cavity	461	3.6
571, 764	Gastro-enteritis and colitis, except ulcerative	1,408	10.9
573.0	Constipation	540	4.2
570, 572, 573.1- 573.5, 574-576	Other diseases of intestines and peritoneum	756	5.9
580-583	Diseases of liver	89	0.6
584-586	Diseases of gallbladder and biliary ducts	443	3.4
587	Diseases of pancreas	14	0.1
590-594	Nephritis and nephrosis	216	1.7
600.0	Pyelitis, pyelocystitis and pyelonephritis	451	3.5
605	Cystitis	911	7.1
600.1, 600.2, 601-604, 606-609	Other diseases of urinary system	206	1.6

TABLE 4 (Contd.)

Int. Classn. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
810	Hyperplasia of prostate	43	0.3
811-817	Other diseases of male genital organs	276	2.2
820-821	Diseases of breast	283	2.1
822-828	Diseases of ovary, fallopian tube and parametrium	60	0.6
831	Uterovaginal prolapse	303	2.4
834	Disorders of menstruation	1,184	9.1
835	Menopausal symptoms	783	6.1
837.0	Leukorrhea	152	1.2
839, 832, 853, 839, 837.1	Other diseases of uterus and other female genital organs	380	3.0
840-849	Complications of pregnancy	805	3.9
850-852	Abortion	242	1.9
870-878	Delivery with specified complication	28	0.2
880-889	Complications of the puerperium	147	1.1
890	Boil and carbuncle	2,068	16.2
891	Cellulitis of finger and toe	601	6.2
892-894	Other cellulitis and abscess: acute lymphadenitis	795	6.2
895	Impetigo	431	3.4
896	Infectious warts	285	2.2
700, 702, 703	Dermatitis	1,174	9.1
701	Eczema	1,138	8.9
702	Psoriasis and similar disorders	197	1.5
703	Pruritis and related conditions	413	3.2
714.1	Acne	280	2.0
887, 896, 704, 705, 707, 708-713, 714.0, 714.2, 715, 718	Other diseases of skin and cellular tissue	1,960	15.2
722.0	Rheumatoid arthritis	881	5.3
723.0	Osteo-arthritis (arthrosis)	980	7.5
725	Arthritis, unspecified	783	6.1
726.0	Lumbago	548	4.3
726.8	Other muscular rheumatism, fibrositis and myalgia	1,788	13.9
727	Rheumatism, unspecified	1,316	10.3
720, 721, 722.1, 722.2, 723.1, 723.2, 724, 725.1, 725.2	Other forms of arthritis and rheumatism	442	3.4
734	Internal derangement of knee joint	29	0.2
741, 742	Synovitis, bursitis and tenosynovitis	622	4.6
730-733, 735-740 743-749	Other diseases of bones and organs of movement	1,390	10.6

TABLE 4 (Contd.)

Int. Classm. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
760-769	Congenital malformations	177	1.4
760-776	Certain diseases of early infancy (excluding pneumonia (763) and diarrhoea (764) of newborn)	175	1.4
780.6	Vertigo	397	3.1
780.7	Disturbance of sleep	672	5.2
780.0- 780.5, 780.6, 780.9, 781	Other symptoms referable to nervous system and special senses	212	1.6
782.0	Precordial pain	15	0.1
782.1	Palpitation	14	0.1
782.2	Tachycardia	79	0.6
782.6	Oedema and dropsy (not of newborn)	89	0.7
782.3- 782.6, 782.7- 782.9	Other symptoms referable to cardiovascular and lymphatic system	647	5.0
783.0	Epistaxis	148	1.2
783.2	Dyspnoea	43	0.3
783.3	Cough	975	7.6
783.7	Pain in chest	326	2.5
783.1, 783.4- 783.8	Other symptoms referable to respiratory system	99	0.8
784.0	Anorexia	57	0.4
784.1	Nausea and vomiting	347	2.7
785.2	Jaundice	27	0.2
785.4	Flatulence	23	0.2
785.5	Abdominal pain	674	5.2
785.6	Diarrhoea, age 2 years and over	335	2.6
784.2- 784.6, 785.0, 785.1, 785.3, 785.7- 785.9	Other symptoms referable to abdomen and gastro-intestinal system	112	0.9
786.1	Retention of urine	17	0.1
786.2	Incontinence of urine	101	0.8
786.3	Frequency of micturition	49	0.4
786.0, 786.4- 786.7	Other symptoms referable to genito-urinary system	133	1.1
787.5	Pain in back	306	2.4
787.0- 787.4, 787.6, 787.7	Other symptoms referable to limbs and back	285	2.2
788.2	Rash	198	1.5
788.8	Pyrexia of unknown origin	890	5.4
788.0, 788.1, 788.3- 788.7, 788.9	Other general symptoms	253	2.0

TABLE 4 (Contd.)

Int. Classn. No.	DISEASE OR CONDITION	WEIGHTED CONSULTATIONS	
		No.	Per 1,000 for all diseases
799	Abnormal urinary constituents of unspecified cause	124	1.0
790.0	Nervousness	32	0.2
790.1	Debility and undue fatigue	911	7.1
790.2	Depression	460	3.8
791	Headache	540	4.2
794	Senility without mention of psychosis	674	5.2
792, 793, 795.0- 795.4	Other ill-defined diseases	26	0.3
795.5	Other, unknown and unspecified causes	324	2.5
N800-N829	Fractures	884	6.7
N830-N839	Dislocation without fracture	42	0.3
N840-N848	Sprains and strains of joints and adjacent muscles	1,239	9.6
N850-N856	Head injury (excluding skull fracture)	220	1.7
N860-N869	Internal injury of chest, abdomen and pelvis	14	0.1
N870-N898	Laceration and open wound	815	6.3
N910-N918	Superficial injury	443	3.4
N920-N929	Contusion and crushing with intact skin surface	768	6.0
N930-N936	Effects of foreign body entering through orifice	137	1.1
N940-N949	Burns	423	3.3
N950-N959	Injury to nerves and spinal cord without bone injury	1	0.0
N960-N979	Effects of poisons	79	0.6
N980-N989	Effects of weather, exposure, and related conditions	53	0.4
N990-N999	Other and unspecified injuries and reactions	1,432	11.1
	Persons receiving prophylactic inoculation and vaccination	1,312	10.2
	Other special conditions and examinations without sickness	144	1.1
	Maternity routine ante-natal examination	2,807	21.8
	Other maternity examination	996	7.7
	Other examinations for reasons other than sickness	413	3.2
	Infant welfare	280	2.2
	Other reasons for consultation	631	4.9
	ALL DISEASES AND CONDITIONS	128,529	1,000.0

TABLE 5. - Principal diseases and conditions diagnosed, showing patients consulting per 1,000 population by sex and age-groups. Average annual rate for April, 1951 to March, 1954.

All practices combined

INT. CLASS. NO.	DISEASE OR CONDITION	MALES					FEMALES				
		0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
001-006	Tuberculosis of respiratory system	1.4	7.1	8.6	3.9	5.1	1.1	7.3	4.0	1.6	4.6
010-019	Tuberculosis, other forms	0.3	0.7	0.5	0.3	0.6	0.7	1.0	0.5	0.5	0.6
020-029	Syphilis, spirochetal infection and other venereal diseases	-	0.4	0.4	2.4	0.5	-	0.2	0.7	0.7	0.3
040-049	Infectious diseases commonly arising in intestinal tract	8.6	1.3	0.8	0.3	2.5	7.5	1.9	0.8	0.4	2.7
050	Scarlet fever	11.6	0.4	0.2	-	3.5	14.9	0.6	0.2	-	3.6
051	Streptococcal sore throat	3.3	1.1	0.5	-	1.5	4.2	0.8	0.4	0.2	1.3
055	Diphtheria	0.4	0.1	-	-	0.2	0.4	0.0	-	-	0.1
058	Whooping cough	29.0	0.4	0.3	0.3	8.2	33.2	0.5	0.2	0.5	7.6
057	Meningococcal infections	0.2	0.0	-	-	0.1	0.1	0.0	-	-	0.1
052-054, 059-064	Other bacterial diseases	0.1	0.9	1.9	2.3	1.0	0.7	0.7	1.5	1.9	1.1
060	Acute poliomyelitis	0.1	0.1	0.1	-	0.1	0.3	0.1	-	-	0.1
062	Acute infectious encephalitis	-	0.1	-	-	0.0	-	-	-	-	-
065	Measles	55.6	0.8	0.4	-	17.1	86.4	1.4	0.4	-	13.6
066	Rubella (German measles)	20.4	1.9	0.2	-	8.6	27.1	4.3	0.2	0.2	7.9
067	Chickenpox	35.0	2.2	0.5	0.3	11.4	41.5	1.6	0.2	0.4	9.8
068	Herpes zoster	1.5	3.2	3.5	8.5	3.3	1.5	2.6	6.2	7.3	3.9
069	Mumps	23.0	2.5	0.1	0.3	7.6	21.3	2.1	0.7	-	5.7
082	Infectious hepatitis	2.8	0.7	0.6	0.6	1.3	2.2	0.5	0.2	0.4	0.8
090.0	Herpes febrilis	3.8	1.8	2.2	0.8	2.4	2.9	3.1	3.1	2.2	2.9
190.1	Oxyuriasis	11.3	1.1	0.4	-	3.7	20.4	2.6	0.8	0.7	5.8
131	Dermatophytosis	7.8	8.6	2.7	2.5	5.7	6.4	3.9	2.5	1.6	3.8
Indr. 001-139	Other infective and parasitic diseases	10.3	3.8	2.0	2.2	5.0	14.5	4.9	2.5	1.3	6.0

Malignant Neoplasms										
140-148	Oral cavity and pharynx	-	0.1	-	1.9	0.2	-	-	0.3	0.4
151	Stomach	-	-	1.0	2.2	0.4	-	-	0.8	1.7
153	Large intestine, except rectum	-	0.1	0.5	1.3	0.3	-	-	0.9	1.1
154	Rectum	-	-	0.5	0.3	0.2	-	-	0.4	2.3
150, 152, 155-159	Other digestive organs and peritoneum	-	-	-	-	-	-	-	-	-
162, 163	Lung, bronchus and trachea	-	-	0.1	0.9	0.1	-	-	0.7	0.5
160, 161, 164, 165	Other respiratory system	-	0.0	0.1	0.8	0.1	-	-	0.1	0.2
170	Breast	-	-	-	-	-	-	-	1.3	4.5
171-174	Uterus	-	-	-	-	-	-	-	1.2	1.1
177	Prostate	-	0.2	0.3	2.9	0.3	-	-	-	-
175, 176, 178-181	Other genito-urinary organs	-	0.1	0.3	1.7	0.3	-	-	0.8	0.7
180-199	Other and unspecified sites	0.2	0.1	0.7	5.7	0.5	0.1	0.2	1.5	5.0
204	Leukemia and leukæmia	-	-	-	-	-	-	-	-	-
200-203, 205	Other neoplasms of lymphatic and hæmatopoietic tissues	-	0.2	0.5	0.3	0.2	-	0.1	0.1	0.3
Benign Neoplasms										
210, 211	Digestive system	0.3	0.3	0.5	-	0.3	0.1	0.3	0.3	0.3
212	Respiratory system	-	-	0.1	-	0.0	-	0.1	0.1	0.2
213-217	Breast and female genital organs	-	-	-	-	-	0.3	4.5	4.6	1.9
220-222	Skin	1.0	0.5	1.0	1.6	0.8	0.8	0.6	0.8	0.5
218, 219, 223-229	Other and unspecified organs and tissues	2.5	2.7	3.4	2.2	2.7	3.7	2.3	3.4	2.8
Neoplasms of unspecified nature										
232-235	Breast and female genital organs	-	0.1	-	-	0.0	-	0.2	0.2	0.4
230, 231, 232-239	Other and unspecified organs	0.3	0.4	0.4	2.6	0.5	0.1	0.2	0.5	2.1
240	Hay fever	4.3	5.8	2.8	3.0	4.4	2.3	6.7	4.5	1.2
241	Asthma	9.7	8.4	10.7	10.0	8.5	5.1	7.0	12.6	11.8
243	Urticaria	34.7	6.8	3.9	3.4	13.5	37.5	12.2	7.9	7.7
242, 244, 245	Other allergic disorders	4.7	2.1	3.0	1.9	3.0	5.7	4.2	3.3	3.6

TABLE 5. - (Contd.)

INT. CLASS. NO.	DISEASE OR CONDITION	MALES					FEMALES				
		0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
250, 251	Simple goitre and nontoxic nodular goitre	-	0.2	0.5	-	0.2	0.1	1.7	1.8	0.8	1.2
252	Thyrotoxicosis with or without goitre	-	0.1	-	0.3	0.1	0.1	2.4	2.5	1.0	1.8
253	Myxoedema and cretinism	0.1	0.8	0.2	1.1	0.2	0.1	2.0	5.9	7.1	3.0
254	Other diseases of thyroid gland	-	0.0	-	-	0.0	0.1	0.3	0.3	-	0.2
260	Diabetes mellitus	0.1	2.4	3.7	8.2	2.5	0.4	2.7	7.5	14.0	4.5
270-277	Diseases of other endocrine glands	0.3	0.4	0.5	-	0.4	0.7	0.5	-	0.8	0.5
287	Obesity, not specified as of endocrine origin	1.0	2.3	3.6	3.2	2.3	1.2	3.1	23.3	11.0	16.7
288	Gout	-	0.7	2.6	5.7	1.4	-	0.2	0.7	1.5	0.4
280-286, 289	Avitaminoses, and other metabolic diseases	3.2	0.6	1.4	1.2	1.5	2.5	2.2	2.9	1.8	2.4
290.0	Pernicious anaemia	-	0.0	0.9	4.0	0.5	-	0.2	1.0	3.7	0.6
290.1, 290.2, 291-293	Other anaemias	2.4	1.7	1.1	6.2	2.2	3.2	35.0	17.6	18.4	17.9
294-299	Other diseases of blood and blood-forming organs	0.5	0.5	0.3	0.3	0.4	0.9	0.3	0.7	0.5	0.5
300-309	Psychoses	-	0.9	1.0	3.3	0.8	0.1	1.9	2.4	8.8	2.2
310	Anxiety reaction without mention of somatic symptoms	0.8	11.0	10.8	9.8	8.0	1.5	26.4	25.6	15.8	19.9
311	Hysterical reaction without mention of anxiety reaction	0.3	0.8	0.8	-	0.5	0.9	3.1	3.5	0.7	2.4
312-317, 318.0, 318.1, 318.2, 318.4	Assthenic reaction	2.1	9.0	9.0	10.3	6.7	4.0	21.8	21.9	13.3	17.0
	Other specified psychoneurotic disorders	1.1	7.2	8.2	3.7	5.5	0.9	8.6	13.1	7.9	7.9

	348.5		2.4	9.7	12.2	10.8	8.3	2.0	20.0	29.5	29.8	18.2
Unspecified psychoneurotic disorders				0.7	0.7	1.1	0.5	-		0.4	0.3	0.2
Alcoholism	332			0.4	0.3		0.9	1.1	1.2	0.2	0.5	0.9
Mental deficiency	325											
Other disorders of character, behaviour and intelligence	320, 321, 322, 324, 336	9.8	0.9	0.2			3.1	7.5	0.5	0.5	0.7	2.0
Vascular lesions affecting central nervous system	330-334			0.4	4.3	33.9	4.0	-	0.3	4.5	25.7	3.9
Multiple sclerosis	345	-		0.8	0.9	0.8	0.8	-	0.7	0.8	0.7	0.8
Paralysis agitans	330	-		0.4	1.7	3.9	0.8	-	0.1	1.7	4.6	0.9
Epilepsy	333	4.6	3.3	2.8	2.8	3.9	3.6	2.9	4.9	3.6	2.1	3.9
Migraine	354	3.2	4.8	3.7	3.7	2.2	3.9	3.5	11.5	13.2	4.0	9.3
Other diseases of central nervous system	340-344, 351-352, 355-357	1.6	0.8	2.2	2.2	8.0	1.8	1.8	1.0	2.8	4.7	1.9
Sciatica	335		3.4		7.4	9.3	3.8	-	3.6	8.1	7.8	4.3
Other specified forms of neuralgia and neuritis	360-362, 354, 355	0.1	2.0	4.4	4.4	4.6	2.2	0.8	4.0	7.7	7.2	4.5
Unspecified forms of neuralgia and neuritis	336	0.8	5.8	9.6	9.6	14.6	5.8	0.6	10.2	17.2	14.0	10.1
Other diseases of nerves and peripheral ganglia	367-369	0.1	0.1	0.3	0.3	0.3	0.1	-	0.6	0.1	0.2	0.3
Conjunctivitis and ophthalmia	370	22.1	11.7	14.6	13.7	15.4	15.4	22.7	12.8	16.5	19.4	16.3
Hordeolum (stye)	372	8.5	5.5	4.2	4.2	3.2	6.9	13.2	10.4	5.8	2.8	9.1
Other inflammatory diseases of eye	371, 372-379	7.6	4.7	4.4	4.4	7.7	5.7	9.0	8.9	9.5	7.3	8.0
Refractive errors	380	4.8	14.7	25.5	19.1	14.8	14.8	6.9	19.5	24.3	19.9	17.6
Other diseases and conditions of eye	381-389	5.4	4.8	7.5	19.8	8.8	8.8	5.7	6.9	11.4	19.9	9.1
Otitis externa	390	4.8	5.8	4.7	2.9	2.9	5.0	5.9	6.1	6.3	2.1	5.7
Otitis media without mention of mastoiditis	391	81.9	14.8	10.8	6.8	32.1	32.1	84.2	15.0	9.8	4.9	27.8
Mastoiditis (with or without mention of otitis media)	392, 393	0.5	0.9	0.3	-	-	0.9	0.7	0.3	0.2	0.4	0.4
Other inflammatory diseases of ear	394	5.2	1.5	0.9	1.2	2.4	2.4	5.3	2.8	2.0	0.9	2.9
Ménière's disease	395	0.2	0.8	2.1	3.2	1.1	1.1	-	1.1	3.5	5.6	1.9
Other diseases of ear and mastoid process	396	9.5	30.5	23.4	42.8	25.1	25.1	9.7	20.3	22.4	23.1	18.8
Deafness	397, 398	1.5	3.1	4.2	10.1	3.5	3.5	2.1	1.8	2.5	8.9	2.8

TABLE 5. - (Contd.)

INT. CLASSN. NO.	DISEASE OR CONDITION	MALES					FEMALES				
		0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
400-402	Rheumatic fever	1.1	0.4	0.5	0.3	0.6	1.8	0.6	0.2	0.2	0.7
410-416	Chronic rheumatic heart disease	0.3	0.3	0.7	0.9	0.6	0.3	2.9	1.9	2.8	2.1
420.0	Arteriosclerotic heart disease so described	-	-	-	-	-	-	-	-	-	-
420.1	Heart disease specified as involving coronary arteries	-	0.9	9.9	26.0	4.5	-	0.0	2.9	14.1	2.2
420.2	Angina pectoris without mention of coronary disease	-	0.3	8.0	14.9	2.7	-	0.1	4.5	8.9	2.1
421	Chronic endocarditis not specified as rheumatic	0.1	0.6	1.3	1.9	0.7	0.2	0.9	1.8	2.9	1.1
422	Other myocardial degeneration	-	0.4	7.3	45.3	5.6	-	0.4	5.1	39.7	5.6
430-434	Other diseases of heart	0.2	1.0	7.2	29.2	4.5	0.3	2.1	8.7	27.9	8.0
444	Essential benign hypertension without mention of heart	-	1.9	13.2	35.0	8.5	-	4.7	47.9	89.8	22.9
440-443,	Other hypertensive disease	-	0.1	1.9	4.4	0.8	-	0.1	1.8	8.4	1.4
445-447	General arteriosclerosis	-	0.2	2.8	23.6	2.8	-	0.1	0.7	13.4	1.7
460	Emphysema	2.6	1.3	1.3	2.0	1.7	5.1	6.2	3.4	2.7	5.0
451, 452,	Other diseases of arteries	0.1	0.2	2.4	15.3	1.9	0.2	2.4	3.1	3.7	2.2
453.0,	Varicose veins of lower extremities	0.1	6.1	11.2	17.4	6.5	0.8	12.7	30.6	32.9	16.4
453.1,	Hemorrhoids	0.3	11.1	14.3	11.6	8.8	0.2	9.1	10.6	8.0	7.3
453.3,	Phlebitis and thrombophlebitis	-	1.3	2.7	4.7	1.5	-	2.1	7.0	7.0	3.3
454-456	Lymphadenitis, unqualified	28.7	4.0	1.6	-	10.1	27.3	6.9	2.3	0.7	9.3

462-465- 468.1, 468.3 470	Other diseases of circulatory system	0.9	1.5	2.0	3.5	1.6	1.0	2.0	2.9	4.5	5.2
471	Acute nasopharyngitis (common cold)	208.2	74.0	53.9	52.6	206.2	211.3	108.4	75.2	63.9	118.1
472	Acute sinusitis	0.3	0.8	1.0	-	0.7	0.3	0.9	0.6	-	0.6
473	Acute pharyngitis	22.5	26.4	15.2	10.2	21.1	30.8	36.5	20.7	11.6	28.9
474, 475	Acute tonsillitis	87.3	32.6	9.0	3.0	40.4	96.1	48.4	14.7	7.7	47.0
480-493 490-493, 763	Other acute upper respiratory infections	51.4	22.1	25.4	20.4	31.3	49.9	36.1	20.2	19.5	36.0
500	Influenza	39.9	62.1	64.1	36.4	53.9	41.0	59.7	52.5	34.4	50.7
501	Pneumonia	13.1	4.6	11.2	17.8	9.7	12.4	4.1	6.7	13.8	7.9
502	Acute bronchitis	12.7	4.3	13.6	25.3	10.5	10.7	7.2	12.9	22.6	10.9
503	Bronchitis, unqualified	84.8	37.3	84.2	122.8	68.1	74.8	44.7	68.5	115.3	64.4
504	Chronic bronchitis	4.7	3.8	27.4	55.5	13.6	6.8	4.7	15.1	27.1	9.5
510	Hypertrophy of tonsils and adenoids	13.3	1.7	0.8	0.5	4.6	16.1	3.1	1.4	1.8	6.4
513	Chronic sinusitis	7.0	14.0	12.2	4.3	10.8	7.3	15.3	10.0	6.1	11.3
519	Pleurisy	0.7	2.8	4.1	2.4	2.5	0.5	3.1	2.8	1.5	2.3
525	Bronchiectasis	0.7	2.0	4.5	2.3	2.1	1.2	1.7	2.8	2.3	1.9
511, 512, 514-518, 520-525, 527	Other diseases of respiratory system	27.8	18.1	21.4	27.2	22.3	27.3	20.9	18.9	16.4	21.4
530-535	Diseases of teeth and supporting structures	32.0	14.4	5.0	5.2	18.5	30.0	19.7	10.9	3.7	18.2
536-539	Other diseases of buccal cavity and oesophagus	11.2	5.4	5.5	8.9	7.2	14.3	8.2	10.8	9.4	10.3
540	Ulcer of stomach	0.1	8.4	21.0	13.9	9.2	-	2.8	8.5	7.9	4.0
541	Ulcer of duodenum	-	9.3	15.3	8.0	8.0	0.1	2.3	5.6	4.9	2.9
543	Gastritis and duodenitis	18.9	17.8	19.5	13.8	16.1	16.5	17.9	20.8	18.6	18.9
544	Disorders of function of stomach	7.2	24.1	31.0	37.4	22.0	6.9	24.3	33.0	41.1	25.0
542, 545	Other diseases of stomach and duodenum	-	0.3	2.0	1.1	0.7	-	0.2	0.8	1.5	0.4
550-553	Appendicitis	4.9	4.3	2.9	0.9	3.9	4.2	6.3	3.3	0.8	4.5
560-561	Hernia of abdominal cavity	5.1	8.1	18.9	38.5	10.9	2.9	1.0	4.4	8.9	3.1
571, 764	Gastro-enteritis and colitis, except ulcerative	51.3	17.5	17.1	15.7	25.9	42.5	17.0	17.5	21.8	23.2
573.0	Constipation	10.5	4.5	6.2	23.0	9.2	12.4	10.9	9.2	14.8	11.2

TABLE 5. - (Contd.)

INT. CLASSN. NO.	DISEASE OR CONDITION	MALES					FEMALES				
		0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
570, 572, 573.1- 573.3, 574-576 580-593 584-586	Other diseases of intestines and peritoneum	3.4	3.3	8.5	10.3	4.6	3.4	5.9	12.8	17.9	8.2
597 590-594 600.0	Diseases of liver	0.4	1.4	1.4	2.1	1.2	0.3	0.7	1.1	2.6	0.9
597	Diseases of gallbladder and biliary ducts	-	0.7	2.8	4.0	1.3	0.1	2.0	8.3	10.5	3.9
590-594 600.0	Diseases of pancreas	0.2	-	0.1	-	0.1	0.2	0.0	0.1	-	0.1
590-594 600.0	Nephritis and nephrosis	0.7	0.9	0.9	1.4	0.9	0.3	0.8	0.7	1.9	0.8
597 600.1, 600.2, 601-604, 606-609 610 611-617	Pyelitis, pyelocystitis and pyelonephritis cystitis	3.1 2.7	2.0 2.9	2.3 8.3	1.2 15.8	2.3 4.7	6.7 9.7	8.9 19.4	6.8 22.8	6.6 28.5	7.6 19.0
600.1, 600.2, 601-604, 606-609 610 611-617	Other diseases of urinary system	0.6	1.5	2.7	5.2	1.9	0.7	1.4	2.7	2.2	1.6
610 611-617	Hyperplasia of prostate	0.1	0.1	2.4	13.7	1.7	-	-	-	-	-
610 611-617	Other diseases of male genital organs	13.6	4.3	4.8	11.0	7.8	-	-	-	-	-
620-621 622-625	Diseases of breast	0.8	0.2	0.1	-	0.3	1.2	7.1	2.4	0.5	4.0
631 634 635 637.0 630, 632, 633, 635, 637.1	Diseases of ovary, fallopian tube and parametrium	-	-	-	-	-	-	2.1 3.7	0.4 10.1	0.2 21.6	1.0 6.3
631 634 635 637.0 630, 632, 633, 635, 637.1	Uterovaginal prolapse	-	-	-	-	-	4.8	56.8 11.0	15.2 63.4	0.9 1.0	29.3 19.7
631 634 635 637.0 630, 632, 633, 635, 637.1	Disorders of menstruation	-	-	-	-	-	1.0	9.0	3.4	1.2	5.1
631 634 635 637.0 630, 632, 633, 635, 637.1	Menopausal symptoms	-	-	-	-	-	-	-	-	-	-
631 634 635 637.0 630, 632, 633, 635, 637.1	Leukorrhea	-	-	-	-	-	-	-	-	-	-
631 634 635 637.0 630, 632, 633, 635, 637.1	Other diseases of uterus and other female genital organs	-	-	-	-	-	4.3	14.9	8.1	5.5	10.0

640-649	Complications of pregnancy	-	-	-	-	-	-	-	-	19.3	0.5	-	-	8.7
650-659	Abortion	-	-	-	-	-	-	-	-	8.2	0.4	-	-	3.7
660-669	Delivery with specified complication	-	-	-	-	-	-	-	-	1.4	-	-	-	0.8
670-679	Complications of the puerperium	-	-	-	-	-	-	-	-	6.1	0.1	0.2	-	3.6
680-689														
690	Boil and carbuncle	28.6	37.7	21.7	12.4	23.7	16.3	22.1	15.3	22.1	15.3	7.3	18.1	18.1
691	Cellulitis of finger and toe	10.4	10.5	6.1	5.2	9.1	9.4	11.3	11.4	11.3	11.4	6.0	10.6	10.6
692-694	Other cellulitis and abscesses													
695	acute lymphadenitis	11.6	12.4	7.4	5.6	10.6	9.4	6.9	7.3	6.9	7.3	4.3	6.1	6.1
696	Impetigo	30.9	4.6	1.8	1.1	8.2	17.6	3.6	0.7	3.6	0.7	0.5	5.6	5.6
700, 702	Infectious warts	6.7	3.5	1.3	2.2	4.4	10.5	4.4	2.6	4.4	2.6	2.9	5.2	5.2
703	Dermatitis	14.9	13.9	15.1	10.5	14.6	16.3	14.9	15.2	14.9	15.2	14.6	15.3	15.3
701	Eczema	30.2	10.7	12.6	16.3	14.3	16.3	11.8	14.6	11.8	14.6	10.4	13.7	13.7
703	Psoriasis and similar disorders	1.7	3.4	2.6	3.4	2.6	3.0	3.0	3.5	3.0	3.5	1.5	3.0	3.0
703	Pruritis and related conditions	0.6	4.4	3.1	5.6	3.2	1.2	6.1	11.1	6.1	11.1	7.4	7.2	7.2
714.1	Acne	2.0	7.6	0.6	0.6	3.9	4.1	9.5	1.2	9.5	1.2	-	5.4	5.4
697, 696, 704, 705, 707, 709-713, 714.0, 714.2, 715-718	Other diseases of skin and cellular tissue	33.2	33.9	22.4	16.2	27.6	27.6	27.8	23.1	27.8	23.1	16.4	25.7	25.7
722.0	Rheumatoid arthritis	-	1.1	4.4	7.6	2.0	-	2.5	11.9	2.5	11.9	19.8	6.0	6.0
723.0	Osteo-arthritis (arthrosis)	-	1.3	10.5	22.6	4.7	-	2.6	21.0	2.6	21.0	42.5	10.6	10.6
725	Arthritis, unspecified	0.4	3.7	12.6	17.5	5.9	0.6	6.1	22.8	6.1	22.8	37.4	12.1	12.1
726.0	Lumbago	0.5	10.4	21.2	16.9	10.5	0.3	8.2	15.5	8.2	15.5	11.9	6.5	6.5
726.5	Other muscular rheumatism, fibrositis and myalgia	3.9	29.6	40.5	33.4	25.5	4.6	37.8	52.4	37.8	52.4	40.5	34.1	34.1
727	Rheumatism, unspecified	5.6	8.5	13.7	19.4	9.7	7.1	16.6	26.3	16.6	26.3	33.6	22.0	22.0
720, 721, 722.1, 722.2, 723.1, 723.2, 724, 726.1, 726.2	Other forms of arthritis and rheumatism	2.2	3.6	5.6	6.4	3.9	2.1	3.9	6.9	3.9	6.9	9.2	4.7	4.7
734	Internal derangement of knee joint	0.3	1.6	1.1	-	1.1	0.2	0.6	0.6	0.6	0.6	-	0.4	0.4

TABLE 5. - (Contd.)

INT. CLASSEN. NO.	DISEASE OR CONDITION	MALES					FEMALES				
		0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
741, 742	Synovitis, bursitis and tenosynovitis	2.8	10.5	11.2	9.1	8.3	2.7	10.8	11.5	7.2	8.8
739-738, 735-740, 743-749	Other diseases of bones and organs of movement	10.1	12.2	17.2	14.3	12.8	9.2	12.7	19.4	13.6	13.6
750-759	Congenital malformations	6.5	0.8	1.8	0.3	2.5	3.8	1.0	1.0	-	1.5
760-776	Certain diseases of early infancy (excluding pneumonia (783) and diarrhoea (784) of newborn)	10.7	-	-	-	3.0	12.8	-	-	-	2.8
780.8	Vertigo	0.3	3.2	5.9	7.2	3.3	1.3	5.1	7.8	10.3	5.4
780.7	Disturbance of sleep	3.7	3.6	8.0	19.3	8.5	3.8	7.3	23.0	29.4	12.5
780.0-	Other symptoms referable to										
780.5,	nervous system and special										
780.8,	senses	3.8	1.9	2.4	5.2	2.9	2.5	3.3	5.9	5.6	4.0
780.6, 781											
782.0	Precordial pain	-	0.2	0.3	2.2	0.3	-	0.0	0.8	0.4	0.3
782.1	Palpitation	-	0.3	0.1	0.8	0.2	-	0.3	0.7	1.5	0.4
782.2	Tachycardia	-	0.2	0.5	0.5	0.2	0.2	1.0	2.3	2.0	1.3
782.6	Oedema and dropsy (not of newborn)	0.4	0.5	1.7	5.6	1.2	0.7	2.2	3.0	3.0	2.1
782.3-	Other symptoms referable to										
782.5,	cardiovascular and lymphatic										
782.7-	system	3.2	2.6	5.5	14.7	4.4	3.0	4.4	5.3	17.9	5.8
782.9											
783.0	Epistaxis	3.4	2.0	1.6	3.8	2.5	2.4	2.2	1.8	4.1	2.3
783.2	Dyspnoea	0.5	0.8	1.3	2.2	0.8	0.2	0.5	1.0	2.0	0.7
783.3	Cough	43.9	7.1	8.8	10.7	18.1	42.2	18.4	15.1	13.2	23.6
783.7	Pain in chest	1.9	8.1	5.1	3.0	5.3	1.9	8.6	5.5	4.3	5.9
783.1,											
783.4-	Other symptoms referable to										
783.6	respiratory system	0.3	2.1	2.9	2.5	1.7	0.6	1.5	3.1	0.8	1.6

784.0	Anorexia	3.5	0.2	0.8	1.8	1.4	5.4	0.8	0.8	0.8	1.5	2.3
784.1	Nauseas and vomiting	10.8	2.7	2.5	3.8	5.0	7.4	4.6	5.8	5.8	4.5	5.5
785.2	Jaundice	1.0	0.0	0.1	1.1	0.4	0.4	0.1	0.1	0.1	0.2	0.2
785.4	Flatulence	0.3	0.3	0.4	0.9	0.4	0.7	0.4	0.5	0.5	1.5	0.7
785.6	Abdominal pain	13.7	6.1	5.1	8.1	9.0	16.0	11.4	9.2	10.3	10.3	11.8
785.8	Diarrhoea, age 2 years and over	12.0	5.1	4.5	6.0	7.0	8.8	5.0	5.8	7.5	7.5	8.8
784.2	Other symptoms referable to abdomen and gastro-intestinal system	0.1	1.4	2.2	3.7	1.4	0.5	1.8	2.4	2.9	1.8	1.8
785.0												
785.1												
785.3												
785.7												
785.9												
786.1	Retention of urine	0.1	-	1.0	4.0	0.6	-	0.1	0.2	0.9	0.9	0.2
786.2	Incontinence of urine	6.2	0.7	0.3	1.7	2.2	5.1	0.8	0.9	1.8	1.8	1.8
786.3	Frequency of micturition	0.7	0.2	0.4	2.4	0.5	0.9	0.5	1.2	0.4	0.4	0.7
786.0	Other symptoms referable to genito-urinary system	0.6	1.9	1.7	1.3	1.4	1.0	2.7	1.0	1.5	1.5	1.8
786.4												
786.7												
787.5	Pain in back	1.1	3.8	2.0	1.8	2.4	1.4	7.8	8.5	4.5	4.5	6.2
787.0	Other symptoms referable to limbs and back	4.5	3.7	5.1	6.6	4.5	6.5	6.0	6.9	5.1	5.1	5.9
787.4												
787.6												
787.7												
788.2	Rash	9.0	2.8	1.8	3.0	4.3	9.5	3.8	2.5	1.8	1.8	4.2
788.3	Pyrexia of unknown origin	20.2	5.6	3.3	1.9	8.9	20.2	4.1	2.3	3.8	3.8	7.2
788.0												
788.1												
788.3												
788.7	Other general symptoms	8.6	4.0	2.8	2.5	4.9	9.9	4.7	3.3	2.7	2.7	4.6
788.9												
789	Abnormal urinary constituents of unspecified cause	0.3	1.2	1.4	3.8	1.2	1.0	1.0	1.0	0.8	0.8	1.0
790.0	Nervousness	0.8	0.3	0.4	0.6	0.5	1.3	1.3	1.2	0.7	0.7	1.2
790.1	Debility and undue fatigue	10.2	7.5	8.1	3.4	7.8	11.9	23.7	19.3	4.3	4.3	16.0
790.2	Depression	0.4	1.6	2.8	5.4	1.8	0.2	7.9	10.4	7.6	7.6	6.7
791	Headache	3.6	7.5	6.9	4.9	5.9	5.7	19.9	20.2	8.5	8.5	15.6
794	Senility without mention of psychosis	-	-	-	35.6	3.1	-	-	-	85.4	85.4	7.0
792, 793, 795.0-795.4	Other ill-defined diseases	0.2	0.8	0.9	2.5	0.7	0.2	0.3	0.5	2.1	2.1	0.5

TABLE 5. - (Contd.)

INT. CLASS. NO.	DISEASE OR CONDITION	MALES					FEMALES				
		0 -	15 -	45 -	85 +	All Ages	0 -	15 -	45 -	85 +	All Ages
795.5	Other, unknown and unspecified causes	6.9	5.3	3.1	1.9	5.5	12.2	6.1	5.1	2.3	8.8
N800-N829	Fractures	3.1	9.3	11.0	8.2	6.4	4.7	2.7	9.2	12.6	5.8
N830-N839	Dislocation without fracture	0.3	0.8	1.1	0.5	0.7	0.4	0.4	0.5	0.8	0.5
N840-N849	Sprains and strains of joints	12.0	29.5	10.0	8.8	19.9	15.4	18.9	18.5	10.8	10.3
N850-N859	And adjacent muscles and ligaments	9.4	3.3	2.1	2.5	4.7	5.7	1.5	2.1	4.9	2.9
N860-N869	Head injury (excluding skull fracture)	0.1	0.2	0.2	-	0.1	0.2	0.1	0.1	0.2	0.1
N870-N879	Internal injury of chest, abdomen and pelvis	20.0	17.3	10.6	9.5	15.9	12.2	7.6	7.0	4.4	8.2
N880-N889	Laceration and open wound	13.9	6.5	4.6	6.6	9.2	12.7	9.6	9.4	6.5	8.9
N890-N899	Superficial injury	17.6	16.6	14.4	13.0	16.1	12.1	9.7	15.4	22.1	12.8
N900-N909	Contusion and crushing with intact skin surface	3.9	3.9	3.3	1.3	3.6	3.5	2.3	2.6	0.7	3.4
N910-N919	Effects of foreign body entering through orifice	7.8	4.1	3.1	4.2	4.9	7.0	6.0	5.2	5.2	6.0
N920-N929	Burns	-	0.3	-	-	0.1	-	0.0	0.1	-	0.0
N930-N939	Injury to nerves and spinal cord without bone injury	1.9	1.5	0.6	0.5	1.3	2.1	2.1	1.5	1.0	1.8
N940-N949	Effects of poisons	1.2	0.9	0.7	1.1	1.0	1.2	1.5	0.8	0.5	1.2
N950-N959	Effects of weather, exposure, and related conditions	17.8	23.1	17.0	11.8	19.3	12.0	12.5	18.4	15.7	13.6
N960-N969	Other and unspecified injuries and reactions	59.4	4.3	2.5	3.2	19.4	59.1	6.5	4.4	2.0	17.0
N970-N979	Persons receiving prophylactic inoculation and vaccination	4.3	1.9	2.0	2.7	2.6	4.6	3.2	0.7	0.7	2.7
N980-N989	Other special conditions and examinations without sickness	-	-	-	-	-	0.1	76.7	0.8	-	35.0
N990-N999	Maternity routine ante-natal examination	-	-	-	-	-	-	-	-	-	-

Other maternity examination	-	-	-	-	-	-	-	0.1	34.4	0.4	-	15.3
Other examinations for reasons other than sickness	11.1	12.7	7.9	6.9	10.7	7.3	4.3	10.3	7.3	4.3	3.2	6.8
Infant welfare	12.0	-	-	-	3.4	-	-	14.4	-	-	-	3.2
Other reasons for consultation	5.2	14.8	13.3	23.7	12.5	19.2	10.9	6.2	19.2	10.9	14.4	13.9
ALL DISEASES AND CONDITIONS	758.1	598.6	618.2	679.4	654.6	718.0	702.0	766.3	718.0	702.0	721.3	725.0

TABLE 6. - Selected diseases and conditions, showing certificates issued and referrals made at single-diagnosis consultations with distributions per 1,000 for all diseases and conditions. April, 1951 to March, 1954.

All practices combined

Note: Certificates issued or referrals made at consultations at which more than one disease was diagnosed were not related to any particular disease and are not included in this table.

INT. CLASSEN. NO.	DISEASE OR CONDITION	CERTIFICATES				REFERRALS					
		National Insurance	Private Fitness	Others	Total	Per 1,000 for all diseases	Hospital out- patients	Hospital in- patients	Others	Total	Per 1,000 for all diseases
001-008	Tuberculosis of respiratory system	M 500 F 424	72 13	99 88	871 525	15.8 17.0	43 39	15 18	13 10	71 65	11.3 7.1
010-019	Tuberculosis, other forms	M 29 F 22	2 2	5 4	35 28	0.9 0.9	9 10	3 -	1 -	13 10	2.1 1.1
050	Scarlet fever	M 11 F 21	11 17	91 88	113 124	2.8 4.0	2 2	12 12	11 17	25 31	4.0 3.4
055	Diphtheria	M - F 2	- 2	1 4	1 6	0.0 0.3	- -	2 1	1 1	3 2	0.5 0.2
056	Whooping cough	M 12 F 5	21 20	143 189	176 214	4.3 6.9	8	1 4	3 2	11 14	1.7 1.5
085	Measles	M 18 F 25	40 27	510 513	548 545	14.0 18.3	4 4	3 3	4 3	11 10	1.7 1.1
140-205	Malignant neoplasms	M 197 F 58	37 20	33 48	262 125	6.5 4.1	49 61	25 28	8 17	82 134	13.0 14.7
210-239	Other neoplasms	M 91 F 135	25 48	7 13	123 196	3.0 5.4	62 179	5 22	3 11	70 212	11.1 23.2
241	Asthma	M 145 F 138	42 40	23 18	210 186	5.2 5.0	23 27	6 11	4 -	29 28	5.7 4.2

282	Thyrototoxicosis	M	2	13	9	138	0.0	84	2	1	1	37	-
		F	108	15	17	136	4.1	18	6	3	27	4.0	
280	Diabetes mellitus	M	130	16	23	186	4.1	18	6	3	27	4.3	
		F	40	1	23	69	2.2	21	13	10	44	4.8	
280.0	Pernicious anaemia	M	22	-	4	26	0.6	2	-	13	15	2.4	
		F	7	-	3	10	0.3	8	-	26	43	4.7	
280.1-293	Other anaemias	M	27	2	4	33	0.8	8	2	4	14	2.2	
		F	268	59	27	354	11.5	47	7	82	136	14.9	
294-299	Other diseases of blood	M	8	2	1	11	0.3	1	1	-	2	0.3	
		F	-	1	-	1	0.0	7	-	6	13	1.4	
310-318	Psychoneurotic disorders	M	592	124	57	773	19.1	119	17	17	153	24.3	
		F	1,042	281	145	1,468	47.6	235	20	58	311	34.0	
330-334	Vascular lesions affecting central nervous system	M	113	12	23	153	3.8	8	11	4	23	3.7	
		F	15	8	32	55	1.8	15	27	4	48	5.0	
354	Migraine	M	84	8	13	85	2.1	15	-	-	15	2.4	
		F	96	31	34	161	5.2	16	-	4	20	2.2	
363	Scleritis	M	201	63	7	271	8.7	23	1	4	39	6.0	
		F	100	15	-	115	3.7	23	1	2	31	3.4	
368	Unspecified neuralgia and neuritis	M	75	15	8	86	2.4	10	-	-	10	1.6	
		F	70	28	5	103	3.3	13	-	2	15	1.6	
391	Otitis media	M	152	76	29	257	6.6	86	8	6	99	15.7	
		F	135	63	17	215	7.0	100	6	6	112	12.3	
392-393	Mastoiditis	M	32	3	2	37	0.9	6	1	-	6	1.0	
		F	18	2	1	21	0.7	-	1	-	1	0.1	
400-402	Rheumatic fever	M	11	1	2	14	0.3	7	5	-	12	1.9	
		F	4	10	6	20	0.6	4	3	2	9	1.0	
410-406	Chronic rheumatic heart disease	M	31	3	4	38	0.9	2	-	-	2	0.3	
		F	126	11	11	143	4.6	21	3	3	27	3.0	

TABLE 6. - (Contd.)

INT. CLASS. NO.	DISEASE OR CONDITION	CERTIFICATES					REFERRALS			
		National Insurance	Private fitness	Others	Total	Per 1,000 for all diseases	Hospital out-patients	Hospital in-patients	Others	Total
420.1, 420.2	Coronary disease and angina pectoris	M 320 F 21	90 2	45 32	455 55	11.2 1.6	43 17	32 13	8 7	60 32
422	Other myocardial degeneration	M 116 F 24	49 6	41 25	206 58	5.1 1.9	6 4	7 6	1 4	14 14
424	Other diseases of heart	M 221 F 52	48 6	23 24	297 62	7.3 2.7	24 25	13 13	3 8	40 46
440-447	Hypertensive disease	M 131 F 200	49 20	14 71	193 291	4.3 9.4	8 47	3 10	5 14	16 71
480	Varicose veins	M 217 F 151	43 46	20 31	290 208	6.9 6.7	33 115	- 5	1 4	34 124
481	Hæmorrhoids	M 176 F 28	33 13	16 3	225 54	5.6 1.6	41 43	5 1	2 1	48 45
470	Acute nasopharyngitis (common cold)	M 1,155 F 1,349	646 729	81 86	1,882 2,174	48.5 70.5	70 100	- 2	3 8	73 110
472	Acute pharyngitis	M 381 F 300	143 152	15 24	519 453	12.8 14.9	17 13	- 1	6 6	23 19
473	Acute tonsillitis	M 619 F 655	282 375	34 41	915 1,071	22.8 34.7	72 97	5 9	99 117	176 222
480-483	Influenza	M 2,926 F 1,593	838 573	61 54	5,835 2,220	94.7 71.6	44 40	6 5	13 5	63 50
480-483, 783	Pneumonia	M 487 F 1,62	97 42	50 36	624 832	15.4 7.5	56 54	65 51	15 25	133 130

540-542	Bronchitis	M F	3,062 1,232	785 370	170 115	4,015 1,717	99.2 55.6	300 306	51 39	40 50	371 364	58.9 43.1
540, 541	Ulcer of stomach and duodenum	M F	1,135 147	233 33	372 153	1,740 533	43.0 10.8	143 78	36 14	23 9	236 101	32.1 11.1
543	Gastritis and duodenitis	M F	378 222	131 69	33 26	542 335	13.4 10.9	45 43	7 2	6 5	58 50	9.2 5.6
550-553	Appendicitis	M F	200 199	49 36	8 14	257 249	6.4 8.1	26 53	66 97	8 10	100 160	15.9 17.6
560-561	Hernia of abdominal cavity	M F	353 9	77 2	27 14	457 25	11.3 0.6	93 36	15 7	4 6	112 49	17.8 5.4
571, 764	Gastro-enteritis	M F	377 218	182 125	17 21	578 352	14.2 11.7	15 34	12 7	56 41	83 82	13.2 9.0
573.0	Constipation	M F	8 27	15 7	4 6	27 40	0.7 1.3	14 23	1 2	2 3	17 28	2.7 3.1
580-583	Diseases of liver	M F	28 17	5 1	8 -	41 16	1.0 0.6	4 1	2 1	1 1	7 3	1.1 0.3
590-594	Nephritis and nephrosis	M F	33 32	11 3	9 6	58 41	1.4 1.3	5 2	6 4	1 2	12 6	1.9 0.9
600.0	Pyelitis, pyelocystitis and pyelonephritis	M F	93 180	14 43	- 8	107 211	2.6 6.6	9 28	2 13	4 24	15 65	2.4 7.1
605	Cystitis	M F	75 127	29 52	1 9	104 188	2.6 6.1	24 35	- 3	10 65	34 103	5.4 11.3
634	Disorders of menstruation	F	231	126	24	331	12.3	214	18	25	255	27.9
635	Menopausal symptoms	F	78	37	26	131	4.2	34	4	4	42	4.6
640-649	Complications of pregnancy	F	306	37	47	392	12.7	60	65	12	127	13.9
650-652	Abortion	F	72	16	7	97	3.1	17	41	4	62	6.3

TABLE 6. — (Contd.)

INT. CLASSN. NO.	DISEASE OR CONDITION	CERTIFICATES					REFERRALS				
		National Insurance	Private Firm	Others	Total	Per 1,000 for all diseases	Hospital out- patients	Hospital in- patients	Others	Total	Per 1,000 for all diseases
670-679	Delivery with specified complication	7	1	3	11	0.4	1	5	2	8	0.9
680-689	Complications of the puerperium	3	1	10	14	0.5	3	5	3	11	1.2
690	Soll and carbuncle	157	144	17	318	18.5	27	3	2	32	5.1
		182	81	12	235	7.8	19	2	1	22	2.4
691	Cellulitis of finger and toe	141	40	2	183	4.5	27	-	-	27	4.8
		90	54	4	148	4.8	38	1	1	40	4.4
692-694	Other cellulitis and abscess	238	66	6	310	8.2	34	7	2	43	6.6
		135	49	3	186	6.0	24	6	1	31	2.4
722.0	Rheumatoid arthritis	92	15	6	113	2.5	9	-	7	16	2.5
		97	16	25	138	4.5	31	1	16	46	5.5
723.0	Osteo-arthritis (arthrosis)	222	53	13	288	7.1	51	-	3	54	8.6
		120	24	38	182	5.9	96	3	6	107	11.7
725	Arthritis, unspecified	182	45	15	242	6.2	26	-	-	26	4.1
		80	21	24	125	4.1	66	1	6	73	8.0
726.0	Lumbago	437	107	22	566	14.0	26	1	-	27	4.3
		126	55	2	183	5.9	28	1	1	29	3.1
726.3	Fibrositis, etc.	676	241	20	937	23.2	58	-	7	65	10.3
		350	112	21	483	15.0	85	1	15	101	11.1
727	Rheumatism, unspecified	178	67	17	262	6.5	30	-	6	36	6.0
		57/4	111	85	520	10.9	52	5	21	76	8.3

741,742	M	254	71	16	203	8.4	51	-	4	85	8.7
	F	161	36	9	206	8.7	78	3	1	84	8.2
750-759	M	49	10	8	67	1.7	27	3	2	32	5.1
	F	1	-	3	4	0.1	65	1	2	28	3.1
760-776	M	-	-	1	1	0.0	5	2	3	10	1.6
	F	-	-	-	-	-	2	2	1	5	0.6
783.3	M	31	20	8	69	1.5	20	1	1	32	5.1
	F	38	61	17	114	3.7	51	-	8	69	6.5
785.5	M	47	20	2	69	1.7	40	10	1	51	8.1
	F	78	31	5	114	3.7	75	14	11	100	10.9
785.8	M	41	29	1	71	1.8	5	-	20	25	4.0
	F	35	23	4	62	2.0	5	1	15	31	2.3
788.2	M	3	5	1	9	0.2	2	-	-	2	0.3
	F	8	1	-	9	0.3	7	1	2	10	1.1
790.0	M	1	-	2	3	0.1	1	-	1	2	0.3
	F	1	-	-	1	0.0	2	-	1	3	0.3
790.1	M	70	13	7	90	2.2	16	1	4	21	3.3
	F	252	46	23	331	10.7	33	1	8	42	4.6
790.2	M	41	8	1	50	1.2	14	3	1	18	2.9
	F	76	27	7	119	3.9	18	1	3	20	2.2
791	M	65	25	15	105	2.6	49	1	1	21	3.3
	F	34	33	88	135	4.4	25	-	-	25	2.7
794	M	-	14	12	28	0.6	1	3	-	4	0.6
	F	-	1	24	25	0.8	1	7	1	9	1.0
N800-N823	M	725	179	22	928	22.9	134	13	1	148	25.5
	F	218	63	20	301	9.8	145	21	11	177	19.4
N840-N846	M	483	179	21	603	17.1	121	-	3	124	19.7
	F	178	70	12	280	6.4	132	2	5	139	15.2

TABLE 6. - (Contd.)

INT. CLASSN. NO.	DISEASE OR CONDITION	CERTIFICATES					REFERRALS				
		National Insurance	Private fitness	Others	Total	Per 1,000 for all diseases	Hospital out- patients	Hospital in- patients	Others	Total	Per 1,000 for all diseases
N820-N829	Concussions and crushings etc.	M 297	100	15	412	10.2	97	2	-	99	15.7
		F 88	52	5	145	4.7	80	-	2	82	9.0
	All other illnesses	M 8,018	2,285	1,830	11,611	286.9	2,198	261	291	2,489	434.8
		F 4,958	1,741	1,724	8,421	272.9	2,774	279	294	3,068	277.2
	Special conditions without sickness	M 24	5	279	308	8.8	15	1	42	57	9.2
		F 14	11	318	341	11.1	34	1	34	69	7.6
	Maternity routine ante-natal	M 224	53	937	1,114	33.1	325	9	111	436	48.7
		F 45	4	52	101	3.3	8	12	4	24	2.6
	Other routine maternity	M 9	43	497	549	13.8	21	-	55	76	12.2
		F 8	37	510	555	18.0	41	-	10	51	5.8
	ALL DISEASES AND CONDITIONS	M 27,820	8,144	4,805	40,469	1,000.0	4,869	741	887	6,297	1,000.0
		F 18,415	6,438	8,008	30,855	1,000.0	8,713	993	1,432	9,135	1,000.0

TABLE A.- Consultations by sex and age. April to March, 1951-52, 1952-53, 1953-54.

Each practice

PRACTICE	APRIL, 1951 TO MARCH, 1952						APRIL, 1952 TO MARCH, 1953						APRIL, 1953 TO MARCH, 1954					
	0 -		15 -		45 -		All Ages		0 -		15 -		45 -		All Ages		0 -	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. Liverpool	4,493	5,506	3,864	4,497	1,245	1,510	1,245	1,510	4,870	4,832	4,077	4,772	1,193	1,477	14,772	1,193	4,849	4,462
	4,675	8,433	4,497		2,355	20,980	2,355	20,980	4,332	5,755	5,759	19,312	2,486	4,174	3,709	1,783	3,173	9,176
2. Walthamstow	833	1,332	1,455	1,845	722	4,292	722	4,292	937	1,293	1,557	4,735	988	1,349	849	706	1,069	980
	687	1,833	1,845		1,279	5,614	1,279	5,614	770	2,132	1,955	5,113	1,208	1,746	557	1,069	1,918	1,746
3. Fulham	1,368	1,897	1,269	2,332	723	5,265	723	5,265	1,390	2,088	1,351	5,404	575	1,192	2,038	545	1,035	2,038
	1,272	3,069	2,332		1,146	7,809	1,146	7,809	1,245	3,255	2,424	8,068	1,114	2,822	1,028	1,035	2,822	2,822
4. Yalding	965	851	610	731	529	2,855	529	2,855	960	1,056	855	3,490	619	925	933	614	852	925
	842	1,646	731		855	3,874	855	3,874	1,008	1,870	868	4,275	730	1,044	1,044	680	762	1,788
5. Polegate	969	962	789	1,411	745	3,285	745	3,285	1,044	999	881	3,586	943	1,133	1,073	1,015	1,037	1,133
	904	2,136	1,411		812	5,353	812	5,353	1,204	2,413	1,605	6,246	1,034	2,882	1,162	1,338	1,830	2,882
6. Burley	837	903	787	1,066	678	3,013	678	3,013	680	1,035	904	3,508	909	-	-	-	-	-
	633	1,778	1,066		999	4,508	999	4,508	704	1,858	1,507	4,840	973	-	-	-	-	-
7. Norwich	1,359	1,337	804	820	230	3,550	230	3,550	1,132	1,205	740	3,398	231	1,313	1,284	295	864	1,313
	1,324	2,405	820		489	5,037	489	5,037	1,011	2,327	946	4,739	454	2,158	1,119	558	863	2,158
8. Hornchurch	1,490	1,095	995	3,191	244	3,482	244	3,482	1,800	1,144	810	4,024	270	1,028	1,451	377	845	1,028
	1,752	4,291	3,191		1,352	10,788	1,352	10,788	2,129	4,440	3,020	10,868	1,280	4,856	1,683	1,499	2,868	4,856
9. Beckenham	-	-	-	-	-	-	-	-	1,894	2,203	1,833	7,084	964	2,343	2,327	899	2,038	2,343
	-	-	-		-		-		1,571	3,555	2,467	9,151	1,559	2,546	1,666	1,951	2,546	3,769
10. Beckenham	-	-	-	-	-	-	-	-	1,577	2,276	1,975	6,725	897	1,642	1,398	895	1,642	2,083
	-	-	-		-		-		1,458	2,452	2,137	8,178	1,133	2,063	1,039	1,206	2,063	3,474
ALL PRACTICES	11,962	13,741	10,093	15,913	5,114	40,800	5,114	40,800	16,334	17,920	15,083	56,836	7,599	13,199	15,197	8,618	13,199	16,305
	12,149	26,591	15,913		9,296	63,939	9,296	63,939	15,430	34,075	20,286	81,759	11,959	19,256	32,019	12,497	19,256	32,019

TABLE B. - Consultations per 100 practice populations by sex and age. April to March, 1951-52, 1952-53, 1953-54.

Each practice

PRACTICE	APRIL, 1951 TO MARCH, 1952					APRIL, 1952 TO MARCH, 1953					APRIL, 1953 TO MARCH, 1954				
	0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
1. Liverpool	M 412.2 F 425.6	M 345.6 F 505.1	M 544.2 F 615.9	M 459.4 F 718.0	M 412.3 F 630.4	M 407.5 F 394.4	M 295.7 F 474.3	M 594.7 F 478.7	M 485.0 F 890.8	M 395.0 F 469.4	M 390.3 F 398.4	M 277.1 F 486.2	M 507.4 F 634.4	M 580.4 F 909.4	M 378.8 F 503.5
2. Walthamstow	M 325.4 F 305.6	M 228.1 F 278.6	M 397.0 F 332.6	M 454.1 F 501.0	M 317.2 F 357.4	M 349.2 F 372.0	M 245.8 F 348.2	M 418.3 F 434.4	M 860.9 F 543.3	M 382.8 F 408.4	M 325.6 F 282.7	M 194.1 F 286.7	M 365.0 F 431.5	M 483.0 F 486.0	M 503.1 F 531.1
3. Fulham	M 341.4 F 330.4	M 209.9 F 276.7	M 327.1 F 406.7	M 475.7 F 487.8	M 255.4 F 333.1	M 334.1 F 330.2	M 259.4 F 317.9	M 342.9 F 434.4	M 402.1 F 484.2	M 298.1 F 385.5	M 303.2 F 290.9	M 235.4 F 269.3	M 392.5 F 370.2	M 592.1 F 444.2	M 276.0 F 311.6
4. Yalding	M 384.4 F 372.8	M 217.1 F 364.2	M 293.3 F 374.9	M 434.4 F 579.8	M 306.3 F 382.9	M 428.7 F 408.5	M 282.7 F 418.3	M 390.4 F 318.7	M 595.2 F 808.3	M 337.4 F 417.9	M 380.8 F 395.5	M 220.2 F 386.4	M 370.4 F 331.4	M 594.8 F 565.2	M 332.4 F 396.8
5. Polegate	M 342.2 F 386.8	M 301.4 F 530.0	M 438.3 F 549.0	M 547.8 F 571.8	M 381.6 F 505.5	M 347.3 F 405.4	M 301.2 F 508.0	M 427.7 F 533.2	M 973.6 F 568.9	M 396.1 F 488.5	M 330.9 F 355.8	M 303.8 F 523.0	M 432.1 F 505.5	M 618.9 F 635.4	M 598.6 F 497.7
6. Burley	M 255.1 F 253.2	M 212.5 F 292.0	M 277.7 F 304.4	M 394.1 F 412.8	M 280.0 F 308.4	M 211.5 F 287.9	M 245.8 F 308.8	M 318.3 F 366.1	M 590.3 F 421.2	M 299.6 F 331.1	-	-	-	-	-
7. Norwich	M 288.5 F 310.8	M 233.2 F 361.1	M 357.4 F 380.5	M 489.4 F 707.2	M 280.3 F 367.4	M 258.6 F 252.1	M 229.1 F 360.2	M 422.9 F 411.3	M 537.2 F 720.8	M 279.5 F 353.8	M 276.7 F 290.4	M 245.0 F 335.1	M 382.8 F 353.7	M 695.1 F 958.5	M 289.7 F 352.7
8. Hornchurch	M 386.6 F 253.2	M 249.5 F 384.2	M 334.1 F 524.0	M 381.3 F 680.7	M 314.7 F 440.2	M 429.6 F 397.8	M 240.3 F 377.6	M 333.8 F 436.4	M 421.9 F 580.3	M 334.8 F 410.3	M 304.8 F 294.5	M 207.7 F 349.4	M 237.1 F 408.3	M 580.0 F 977.9	M 287.7 F 372.0
9. Beckenham	M - F -	M - F -	M - F -	M - F -	M - F -	M 311.0 F 356.2	M 280.1 F 375.4	M 352.7 F 386.5	M 446.3 F 470.7	M 315.0 F 399.2	M 333.6 F 338.8	M 250.1 F 361.9	M 342.3 F 375.0	M 383.4 F 570.5	M 306.9 F 536.4
10. Beckenham	M - F -	M - F -	M - F -	M - F -	M - F -	M 301.5 F 317.9	M 224.2 F 312.1	M 330.3 F 378.2	M 498.3 F 486.3	M 290.4 F 345.8	M 245.7 F 211.2	M 193.2 F 298.8	M 247.3 F 327.5	M 363.9 F 486.3	M 232.5 F 302.7
ALL PRACTICES	M 352.9 F 362.7	M 267.8 F 310.0	M 399.2 F 486.0	M 480.3 F 581.8	M 298.4 F 419.7	M 345.0 F 353.8	M 258.5 F 353.3	M 400.8 F 484.6	M 528.2 F 537.2	M 296.3 F 403.6	M 327.0 F 320.7	M 239.8 F 370.5	M 365.8 F 412.0	M 495.3 F 601.5	M 310.3 F 335.9

TABLE C. - Percentage of patients consulting in each quarter. April, 1951 to March, 1954.

Each practice

PRACTICE	1951 April to June	1951 July to Sept.	1951 Oct. to Dec.	1952 Jan. to March	1952 April to June	1952 July to Sept.	1952 Oct. to Dec.	1953 Jan. to March	1953 April to June	1953 July to Sept.	1953 Oct. to Dec.	1954 Jan. to March	1954 April to March 1954		
1. Liverpool	35.1	33.3	37.7	44.0	72.3	31.6	29.9	34.9	38.3	65.7	32.8	30.8	35.7	34.8	65.8
2. Walthamstow	38.4	31.3	36.6	40.9	71.2	37.6	33.0	38.4	46.3	73.4	36.8	33.3	35.0	37.0	68.6
3. Fulham	32.9	30.9	32.4	34.4	67.3	33.7	29.4	32.7	38.8	70.1	29.4	29.1	32.3	33.3	62.9
4. Yalding	31.5	30.7	31.3	35.9	69.5	31.8	28.6	34.1	41.4	71.5	30.4	28.6	32.3	37.4	65.5
5. Polegate	41.4	39.7	40.6	45.1	80.0	45.1	40.7	41.6	48.1	80.4	42.5	41.7	43.9	44.9	77.5
6. Burley	28.0	25.5	25.4	28.6	58.3	27.3	24.7	28.2	34.5	61.8	-	-	-	-	-
7. Norwich	32.1	33.8	37.6	37.4	72.3	33.8	28.5	32.1	36.3	69.2	32.4	30.2	31.9	33.4	67.9
8. Hornchurch	39.6	35.6	37.0	41.4	75.7	34.1	32.0	33.9	39.9	67.7	31.2	30.2	35.4	32.8	65.8
9. Beckenham	-	-	-	-	-	36.0	32.0	33.3	43.9	75.3	33.4	32.0	36.0	35.5	69.8
10. Beckenham	-	-	-	-	-	-	-	-	-	-	32.2	31.5	33.0	34.4	68.7
ALL PRACTICES	35.0	32.6	35.3	39.4	70.9	33.9	30.6	34.1	40.1	69.5	33.0	31.6	35.0	35.5	67.6

TABLE D. - Percentage distribution of patients according to the number of times consulting in each of the two years. April to March, 1952-53 and 1953-54.

All practices combined

AGE-GROUP	NUMBER OF TIMES CONSULTING IN THE YEAR										Total No. of patients at risk	Total No. of consultations
	0	1	2	3	4	5-9	10-14	15-19	20-24	25 or more		
1952/3												
Males 0 -	25.9	15.4	12.8	9.5	8.2	19.8	5.6	1.8	0.6	0.4	4,212	14,757
15 -	39.3	15.9	11.2	8.3	3.7	13.4	4.0	1.3	0.5	0.4	5,972	15,844
45 -	35.5	12.9	9.5	6.8	6.4	15.9	8.6	3.1	1.5	1.8	3,193	13,108
65 +	29.1	14.6	8.7	8.9	5.1	20.5	8.5	4.4	2.3	2.8	1,894	6,702
All Ages	33.7	14.8	11.1	8.2	8.5	16.4	5.4	2.1	0.9	0.9	14,813	50,211
Females 0 -	24.0	15.8	12.5	10.6	7.8	20.6	6.1	1.8	0.5	0.3	3,506	13,974
15 -	27.4	14.4	11.2	9.1	7.4	19.4	6.5	2.7	1.1	0.8	7,794	30,623
45 -	30.8	11.4	10.1	7.9	8.4	19.3	8.2	2.9	1.7	1.2	4,212	18,159
65 +	30.7	9.1	7.9	7.6	5.9	20.9	9.1	3.8	1.9	3.2	1,365	10,625
All Ages	27.8	13.4	10.8	9.0	7.1	19.9	7.1	2.6	1.2	1.1	17,885	73,581
1953/4												
Males 0 -	27.8	16.6	12.8	9.9	7.7	17.9	4.9	1.8	0.5	0.3	4,587	15,197
15 -	41.4	15.6	10.8	8.3	6.4	12.8	3.0	1.0	0.4	0.3	6,834	16,305
45 -	41.1	12.5	8.8	6.5	5.5	14.3	5.9	2.9	1.2	1.4	3,707	13,188
65 +	33.5	11.0	7.0	7.8	5.4	17.9	9.0	3.8	1.9	2.7	1,318	6,518
All Ages	36.8	14.8	10.8	8.3	6.5	15.0	4.7	1.9	0.7	0.7	18,504	51,208
Females 0 -	25.9	16.8	13.0	9.8	7.8	19.4	5.4	1.5	0.4	0.2	4,287	13,619
15 -	29.0	14.9	10.8	9.4	7.1	18.8	8.0	2.4	0.8	0.5	8,642	32,019
45 -	31.8	12.5	10.0	7.3	6.4	18.7	7.8	2.8	1.2	1.2	4,674	18,258
65 +	26.3	9.6	8.3	7.1	7.1	21.1	10.0	4.8	2.7	3.0	2,086	12,427
All Ages	28.7	14.1	10.8	8.8	7.1	19.1	8.8	2.6	1.0	1.0	19,699	77,321

TABLE E. - Consultations by place, by sex and age with rates per 100 population, April to March, 1952-53 and 1953-54.

All practices combined

PLACE OF CONSULTATION	MALES						FEMALES					
	0 -	15 -	45 -	65 & over	All Ages	%	0 -	15 -	45 -	65 & over	All Ages	%
April 1952 to March 1953												
Surgery attendances	No. Rate											
	8,864 187.8	14,794 211.7	10,638 232.4	4,176 209.2	35,480 227.2	87.8	8,581 198.2	24,443 274.9	14,480 301.9	4,864 223.9	52,413 289.7	84.1
Home visits	No. Rate											
	6,758 142.7	2,843 37.8	3,692 97.8	2,969 207.0	16,072 94.9	28.2	6,196 142.0	8,888 77.5	4,834 101.1	5,615 252.2	25,533 116.2	28.8
Other consultations	No. Rate											
	712 15.0	493 6.9	775 20.6	434 30.1	2,404 14.2	4.2	973 15.4	2,744 30.9	1,032 21.6	1,389 61.1	5,808 29.7	7.1
TOTAL	No. Rate					100.0	15,430 363.6	34,075 383.3	20,296 424.8	11,969 537.2	81,769 403.5	300.0
April 1953 to March 1954												
Surgery attendances	No. Rate											
	8,917 191.9	13,825 202.3	9,781 263.9	3,628 275.5	26,149 219.0	70.6	8,280 195.0	24,974 289.0	14,183 303.4	5,011 242.5	52,448 237.2	87.8
Home visits	No. Rate											
	5,829 121.1	1,872 27.4	2,787 75.2	2,491 189.3	12,779 77.4	25.0	5,118 120.5	8,052 70.0	4,182 89.5	8,236 301.8	21,588 110.0	27.9
Other consultations	No. Rate											
	851 14.0	608 8.9	620 16.7	401 30.5	2,280 15.8	4.4	221 5.2	928 11.5	891 19.1	1,180 57.1	3,285 16.7	4.3
TOTAL	No. Rate					100.0	13,619 320.7	32,019 370.5	19,258 412.0	12,427 601.5	77,331 393.9	100.0

TABLE F. - Frequency of numbers of illnesses by sex and age, with rates per 100 patients consulting. April to March, 1952-53 and 1953-54.

All practices combined

NO. OF ILLNESSES	MALES					FEMALES				
	0 -	15 -	45 -	65 +	All Ages	0 -	15 -	45 -	65 +	All Ages
APRIL 1952 TO MARCH 1953										
1	1,178	1,944	1,020	240	4,490	1,193	2,997	1,093	491	4,984
2	811	928	583	244	2,564	781	1,480	871	379	3,501
3	523	442	295	162	1,422	501	695	471	244	2,111
4	277	190	105	81	613	255	414	227	151	1,047
5 +	251	72	10	51	384	234	314	235	112	895
Total patients consulting	3,040	3,554	2,015	666	9,473	2,894	5,790	2,897	1,377	12,546
Total illnesses	7,287	8,754	4,087	2,212	20,340	8,908	12,358	7,188	3,563	30,015
Illnesses per 100 patients consulting	239.7	191.1	203.0	242.7	214.7	273.5	229.2	248.1	258.8	239.2
APRIL 1953 TO MARCH 1954										
1	1,285	1,909	992	315	4,481	1,202	2,833	1,172	516	5,223
2	889	1,138	693	230	2,928	855	1,634	832	410	3,732
3	525	502	294	151	1,468	500	925	506	281	2,192
4	292	215	149	78	732	387	491	288	182	1,306
5 +	316	151	135	88	700	255	453	389	167	1,274
Total patients consulting	3,297	3,903	2,153	870	10,213	3,080	5,866	3,185	1,546	15,627
Total illnesses	7,637	7,405	4,401	2,127	21,570	6,961	13,253	7,788	3,763	31,788
Illnesses per 100 patients consulting	232.3	189.7	204.4	244.5	211.2	226.0	226.0	245.4	249.5	233.1

TABLE G. - Referrals by type with rates per 100 practice populations, per 100 patients consulting and per 100 consultations. April, 1952 to March, 1953.

TYPE OF REFERRAL.	PRACTICE									Each practice
	1	2	3	4	5	6	7	8	9	
	Liverpool	Walthamstow	Fulham	Yalding	Poligate	Burley	Norwich	Hornchurch	Beckenham	
NUMBER										All Practices
Out-patients	640	154	607	278	574	173	216	417	729	3,848
In-patients	203	29	92	30	26	86	25	110	64	645
Others	165	2	43	108	103	70	41	61	177	738
Total	1,008	165	732	414	703	309	282	588	970	5,231
RATES PER 100 PRACTICE POPULATIONS										
Out-patients	8.1	4.8	17.1	14.1	25.9	6.6	8.5	9.1	18.6	11.6
In-patients	2.3	1.0	2.3	1.5	1.2	2.5	1.0	2.4	1.7	2.0
Others	2.1	0.1	0.3	5.4	4.6	2.8	1.6	1.3	4.6	2.3
Total	12.8	5.9	19.7	21.0	31.7	11.7	11.1	12.8	25.2	16.1
RATES PER 100 PATIENTS CONSULTING										
Out-patients	12.4	8.5	24.4	19.7	32.2	10.6	12.3	16.0	21.6	17.0
In-patients	3.9	1.4	3.3	2.1	1.5	4.1	1.4	4.2	1.9	2.9
Others	3.2	0.1	0.5	7.5	5.8	4.3	2.3	2.3	5.3	3.5
Total	19.5	8.0	28.1	29.4	39.4	19.0	16.0	22.6	29.8	23.1
RATES PER 100 CONSULTATIONS										
Out-patients	1.9	1.2	5.1	3.6	5.7	2.1	2.7	2.8	4.5	3.1
In-patients	0.6	0.3	0.7	0.4	0.3	0.8	0.3	0.7	0.4	0.5
Others	0.5	0.0	0.1	1.3	1.0	0.8	0.5	0.4	1.1	0.6
Total	3.0	1.5	5.9	5.3	7.0	3.7	3.5	3.9	6.0	4.2

TABLE H. - Numbers of certificates issued to patients consulting, by sex and age. April, 1952 to March, 1953.

All practices combined

AGE-GROUP		PATIENTS GIVEN THE SPECIFIED NUMBER OF CERTIFICATES.								
		0	1	2	3	4	5-9	10-14	15-24	25+
MALES										
0-14	No.	2,472	506	96	25	5	10	1	1	-
	%	79.23	18.89	3.14	0.80	0.16	0.32	0.03	0.03	-
15-44	No.	1,623	420	364	255	180	386	107	37	6
	%	50.26	12.41	10.04	7.03	5.24	10.69	2.98	1.02	0.16
45-64	No.	903	199	180	147	112	309	117	54	19
	%	44.26	9.75	8.82	7.21	5.49	15.15	5.74	2.65	0.85
65+	No.	598	127	62	33	24	39	13	7	3
	%	68.74	14.15	5.60	3.86	2.66	4.35	1.45	0.76	0.34
All Ages	No.	5,796	1,294	694	460	331	753	238	99	26
	%	58.66	13.26	7.17	4.75	3.42	7.77	2.46	1.02	0.29
FEMALES										
0-14	No.	2,364	480	83	31	6	6	-	-	-
	%	79.54	16.15	2.79	1.05	0.20	0.27	-	-	-
15-44	No.	3,738	809	356	241	202	377	63	36	5
	%	66.19	10.76	6.30	4.27	3.56	6.66	1.47	0.84	0.09
45-64	No.	2,127	326	102	79	74	145	37	25	7
	%	72.79	11.18	3.49	2.70	2.53	4.96	1.27	0.86	0.24
65+	No.	1,139	172	30	22	11	6	-	1	-
	%	62.46	12.46	2.17	1.59	0.60	0.43	-	0.07	-
All Ages	No.	9,386	1,587	571	373	293	536	120	62	12
	%	72.49	12.26	4.42	2.69	2.27	4.15	0.93	0.48	0.09
PERSONS										
0-14	No.	4,636	966	161	56	11	16	1	1	-
	%	79.38	16.22	2.97	0.92	0.18	0.29	0.02	0.02	-
15-44	No.	5,561	1,069	720	496	392	772	190	73	11
	%	59.96	11.42	7.78	5.35	4.23	6.32	2.05	0.79	0.12
45-64	No.	3,030	525	262	228	168	454	154	79	26
	%	61.07	10.58	5.26	4.56	3.75	9.15	3.10	1.59	0.52
65+	No.	1,737	299	82	55	35	45	13	6	3
	%	76.28	13.13	3.60	2.42	1.54	1.96	0.67	0.35	0.13
All Ages	No.	15,164	2,871	1,265	833	624	1,288	356	161	40
	%	67.06	12.70	5.60	3.69	2.76	5.70	1.56	0.71	0.16

TABLE 1. - Certificates issued per 100 consultations and per 100 practice populations by sex. April to March, 1951-52, 1952-53, 1953-54.

PRACTICE -	1	2	3	4	5	6	7	8	9	10	Each practice	
											Beckenham	All Practices
	Liverpool	Walthamstow	Pulham	Yalding	Folegate	Burley	Norwich	Hornchurch	Beckenham	Beckenham		
(a) RATES PER 100 CONSULTATIONS												
April, 1951 to March, 1952												
Males	56.4	51.8	39.7	24.1	14.7	15.6	28.8	22.1	-	-	-	30.0
Females	24.8	12.8	21.3	11.9	8.7	5.1	14.3	9.1	-	-	-	16.3
Persons	30.4	30.9	35.9	17.1	11.0	9.4	19.8	12.3	-	-	-	21.6
April, 1952 to March, 1953												
Males	36.4	37.0	36.0	28.4	19.5	15.7	31.3	22.4	32.7	-	-	31.2
Females	20.2	15.3	23.0	13.6	9.9	4.1	15.7	10.7	14.7	-	-	15.4
Persons	27.2	24.8	28.2	20.8	13.5	9.0	22.2	13.8	22.5	-	-	21.9
April, 1953 to March, 1954												
Males	36.4	33.0	35.7	26.5	16.8	-	25.5	20.3	24.9	20.6	28.4	
Females	22.4	12.5	21.1	12.1	8.3	-	15.4	10.4	9.4	7.5	14.5	
Persons	28.1	21.2	27.2	19.4	11.5	-	19.7	12.9	16.2	13.1	20.1	
(b) RATES PER 100 PRACTICE POPULATIONS												
April, 1951 to March, 1952												
Males	158	100	93	74	53	41	78	70	-	-	-	101
Females	128	46	72	47	44	16	53	40	-	-	-	83
Persons	143	71	81	60	50	27	65	49	-	-	-	83
April, 1952 to March, 1953												
Males	144	134	107	108	77	47	87	75	103	-	-	107
Females	95	82	84	58	49	14	56	44	57	-	-	65
Persons	118	96	94	82	61	29	71	54	80	-	-	83
April, 1953 to March, 1954												
Males	137	100	98	88	65	-	74	54	77	48	66	
Females	113	45	66	48	42	-	54	39	36	23	57	
Persons	124	71	80	67	52	-	64	44	56	36	71	

TABLE J. - Certificates issued by type. April to March, 1952-53 and 1953-54.

PRACTICES -	Each practice									
	1	2	3	4	5	6	7	8	9	10
Liverpool	Walthamston	Fulham	Yalding	Polegate	Burley	Norwich	Hornchurch	Beckenham	Beckenham	All practices
APRIL, 1952 TO MARCH, 1953										
National Insurance:-										
First	1,590	379	618	264	184	137	331	209	604	4,360
Intermediate	4,803	841	1,002	439	423	225	503	738	761	9,165
Final	1,190	366	640	288	181	135	309	261	577	4,029
Others	45	12	5	24	4	1	13	6	-	106
Private Fitness	1,746	778	1,017	230	198	65	247	298	845	5,442
Others	708	309	443	384	373	149	396	201	630	3,672
TOTAL	9,270	2,685	3,795	1,019	1,203	751	1,706	2,061	3,557	26,899
APRIL, 1953 TO MARCH, 1954										
National Insurance:-										
First	1,566	246	559	206	161	323	345	345	482	4,277
Intermediate	3,803	675	820	383	477	471	506	506	754	8,911
Final	1,307	245	540	211	201	320	303	303	466	5,933
Others	49	12	6	4	0	-	1	6	1	69
Private Fitness	2,297	536	827	241	110	160	193	193	593	5,361
Others	679	229	416	345	356	362	117	525	175	3,194
TOTAL	9,661	1,945	2,266	1,200	1,313	1,026	1,775	2,641	1,776	25,795